

Data Summary Report IHSS Group 900-3



August 2003

APAGM DERICED

IA-A-001603

155

TABLE OF CONTENTS

1.0 INTRODUCTION	
2.0 SITE CHARACTERIZATION	
2.2 Sum of Ratios	2
3.0 DEVIATIONS FROM PLANNED SAMPLING SPECIFICATIONS	
4.0 DATA QUALITY ASSESSMENT (DQA)	
J.O REI EREI (CE)	
LIST OF TABLES	
Table 1 IHSS Group 900-3 Characterization Sampling Specifications	5
Table 2 Surface Soil Results Greater than Background Mean Plus Two Standard Deviations or Reporting Limits	12
Table 3 IHSS Group 900-3 Summary of Analytical Results	33
Table 4 Radionuclide Sum of Ratio Calculations	36
Table 5 IHSS Group 900-3 Deviations from Planned Sampling Specifications	37
Table 6 Laboratory Control Summary	42
Table 7 Surrogate Recovery Summary	43
Table 8 Blank Summary	
Table 9 Sample Matrix Spike Evaluation	44
Table 10 Sample Matrix Spike Duplicate Evaluation	46
Table 11 Field Duplicate Sample Frequency	48
Table 12 Field Duplicate Results	48
Table 13 Validation and Verification Summary	51
LIST OF FIGURES	
Figure 1 IHSS Group 900-3 Location Map	3
Figure 2 Surface Soil Sample Results Above Background Mean Plus Two Standard Deviations or MDLs at IHSS Group 900-3	4
ENCLOSURES	
Compact Disc - IHSS Group 500-7 Real Data Compact Disc - IHSS Group 500-7 QA Data	

ACRONYMS

AL action level

AR Administrative Record

CDPHE Colorado Department of Public Health and Environment
CERCLA Comprehensive Environmental Response, Compensation, and

Liability Act

DOE U.S. Department of Energy DQA Data Quality Assessment DQO Data Quality Objective

EPA U.S. Environmental Protection Agency

ER Environmental Restoration

ER RSOP Environmental Restoration RFCA Standard Operating

Procedure

HPGe high-purity germanium detector

IA Industrial Area

IASAP Industrial Area Sampling and Analysis Plan

IHSS Individual Hazardous Substance Site

K-H Kaiser-Hill Company L.L.C.

MARSSIM Multi-Agency Radiation Survey and Site Investigation Manual

mg/kg milligram per kilogram

N/A not applicable ND not detected

PAC Potential Area of Concern

PARCCS precision, accuracy, representativeness, completeness,

comparability, and sensitivity

pCi/g picocurie per gram
POC Point of Compliance

RCRA Resource Conservation and Recovery Act

RFCA Rocky Flats Cleanup Agreement

RFETS Rocky Flats Environmental Technology Site

RIN report identification number

RL reporting limit

SAP Sampling and Analysis Plan

SD standard deviation

SEP Solar Evaporation Ponds

SOR sum of ratio

SVOC semi-volatile organic compound

ug/kg microgram per kilogram
VOC volatile organic compound
V&V verification and validation

1.0 INTRODUCTION

This data summary report summarizes characterization activities conducted at Individual Hazardous Substance Site (IHSS) Group 900-3 (Figure 1) at the Rocky Flats Environmental Technology Site (RFETS) in Golden, Colorado. Characterization activities were planned and executed in accordance with the Industrial Area Sampling and Analysis Plan (IASAP) (DOE 2001a) and IASAP Addendum #IA-03-01 (DOE 2002a).

2.0 SITE CHARACTERIZATION

IHSS Group 900-3 information consists of historical knowledge (DOE 1992-2001) and 43 sampling locations with specifications as described in IASAP Addendum #IA-03-01 (DOE 2002a). The sampling specifications for the characterization samples collected are listed in Table 1. The location of these samples and analytical results greater than background means plus two standard deviations or reporting limits is presented in Figure 2 and Table 2. A summary of the analytical results is presented in Table 3. Radionuclide Sum of Ratio (SOR) values are summarized in Table 4. Deviations from planned sampling specifications are presented in Table 5. The raw data, as of June 18, 2003, are enclosed on a compact disc.

Analytical results indicate that No Further Accelerated Action (NFAA) for IHSS Group 900-3 is warranted for the following reasons:

- All but one of the contaminants of concern (COCs) concentrations are less than
 proposed Rocky Flats Cleanup Agreement (RFCA) Wildlife Refuge Worker
 (WRW) Action Levels (ALs) (DOE, et al 2002b). An exception includes a single
 arsenic value (23.7 mg/kg) in surface soil that slightly exceeded the corresponding
 WRW AL (22.2 mg/kg) and background level (10.09 mg/kg);
- All but one of the COCs are less than RFCA Ecological Receptor ALs (ERAL) (DOE et al 2002b). An exception includes one occurrence of lead in surface soil (56.6 mg/kg) that exceeded the corresponding ERAL (25.6 mg/kg); and
- There is no identified potential to exceed surface water standards at a Point of Compliance (POC) from this IHSS Group.

Approval of this Data Summary Report constitutes regulatory agency concurrence of this IHSS Group as an NFAA. This information and NFAA determination will be documented in the FY03 Historical Release Report (HRR).

2.1 Analytical Results

Several analytes including metals, radionuclides, volatile organic compounds (VOCs), and polycyclic aromatic hydrocarbons (PAHs) were detected above background levels or laboratory reporting limits (RLs) at the majority of the sampling locations (Figure 2).

As shown in Figure 2, a single arsenic value (23.7 mg/kg) located north of the 904-Pad, exceeds the corresponding WRW AL (22.2 mk/kg). The magnitude of the exceedance is slightly greater than the corresponding background level (10.09 mg/kg).

A single lead occurrence (56.6 mg/kg) in surface soil, located north of the 904-Pad, exceeds the ERAL but is only slightly greater than the background level (54.62 mg/kg). Although this lead observation exceeds the ERAL, it is two orders of magnitude less than the corresponding WRW AL (1,000 mg/kg).

Because arsenic and lead ALs are only slightly greater than background, it is likely that these metal exceedances above ALs are due to natural variation in soil rather than a contaminant release. Also of note is the absence of associated COCs above ALs. For example, no other metals, radionuclides, or VOCs exceed ALs.

2.2 Sum of Ratios

Sum of ratio (SOR) calculations are based on accelerated action analytical data for the radionuclides of concern (americium-241, plutonium-239/240, uranium-234, uranium-235, and uranium-238). As shown in Table 4, none of the radionuclide SOR values exceeded one. Therefore, no remedial or management actions are triggered.

3.0 DEVIATIONS FROM PLANNED SAMPLING SPECIFICATIONS

Deviations from the planned sampling specifications described in IASAP Addendum #IA-03-01 (DOE 2002a) are presented in Table 5.

THIS TARGET SHEET REPRESENTS AN OVER-SIZED MAP / PLATE FOR THIS DOCUMENT

Data Summary Report IHSS Group 900-3 August 2003

Figure 2:
Surface Soil Sample Results
Above Background Means Plus Two
Standard Deviations or MDLs at
IHSS Group 900-3

July 2003

CERCLA Administrative Record document, John - M - Company

U.S. DEPARTEMENT OF ENERGY ROCKY FLATS ENVIRONMENTAL TECHNOLOGY SITE

GOLDEN, COLORADO

IA-A-001622

Table 1

	Laboratory	00009	HPGe	8260	SW9010B/SW9012A	SW9056/E300.0	6200	HPGe	8260	SW9010B/SW9012A	SW9056/E300.0	6200	HPGe	8260	SW9010B/SW9012A	SW9056/E300.0	6200	HPGe	8260	SW9010B/SW9012A	SW9056/E300.0	6200	HPGe	8260	SW9010B/SW9012A	SW9056/E300.0	6200	HPGe	8260	SW9010B/SW9012A
IHSS Group 900-3 Characterization Sampling Specifications	Analyte	Metale	Radionuclides	VOCs	Cyanide	Nitrate as N	Metals	Radionuclides	NOCs	Cyanide	Nitrate as N	Metals	Radionuclides	VOCs	Cyanide	Nitrate as N	Metals	Radionuclides	VOCs	Cyanide	Nitrate as N	Metals	Radionuclides	VOCs	Cyanide	Nitrate as N	Metals	Radionuclides	VOCs	Cyanide
ampling S	Depth Latersold	0-0 5)))				0-0.5					0-0.5					0-0.5					0.3-0.8					0-0.5			
table 1 terization Sa	Northing	748879 83		•			748940.14					749041.67			•		749162.13		:			748819.05					748854.70			
-3 Characte	Easting	2085116 92					2085108.21					2085109.33					2085107.09					2085202.28					2085139.72			
Group 900	Location	CT 37-000					CL37-001					CL38-000					CL39-000					CM37-003		•			CM37-005			
IHSS	IHSS/PAC/UBC	900-213																												
	SSHI	900-3	-																											

Laboratory Method	SW9056/E300.0	6200	HPGe	8260	SW9010B/SW9012A	SW9056/E300.0	6200	HPGe	8260	SW9010B/SW9012A	SW9056/E300.0	6200	HPGe	8260	SW9010B/SW9012A	SW9056/E300.0	6200	HPGe	8260	SW9010B/SW9012A	SW9056/E300.0	6200	HPGe	8260	SW9056/E300.0	SW9010B/SW9012A	6200	HPGe	8260	SW9010B/SW9012A	SW9056/E300.0
Analyte	Nitrate as N	Metals	Radionuclides	VOCs	Cyanide	Nitrate as N	Metals	Radionuclides	VOCs	Cyanide	Nitrate as N	Metals	Radionuclides	NOCs	Cyanide	. Nitrate as N	Metals	Radionuclides	SOOA	Cyanide	Nitrate as N	Metals	Radionuclides	VOCs	Nitrate as N	Cyanide	Metals	Radionuclides	VOCs	Cyanide	Nitrate as N
Depth Interval ¹	0-0.5	0-0.5				-	0.5-1					0.3-0.8					0-0.5					0-0.5					0.5-1				
Northing	748854.70	748823.27					748855.40	,				748891.05			•		748926.69					748887.90			•		748927.41				
Easting	2085139.72	2085319.92					2085264.42					2085201.87					2085139.31					2085324.13					2085264.01				
Location Code	CM37-005	CM37-012					CM37-014					CM37-016	•		1		CM37-018					CM37-025				-	CM37-027				
IHSS/PAC/UBC Site	900-213																														met sprieder de sammen spesse est establish de particular de secondar establishes de secondar establishes de s
HSS Group	£-006													•																	

	1			<u> </u>				1		I .				Г					_	T					1		Г	ı —		<u> </u>	
Laboratory Method	6200	HPGe	8260	SW9010B/SW9012A	SW9056/E300.0	6200	HPGe	8260	SW9010B/SW9012A	SW9056/E300.0	6200	HPGe	8260	SW9010B/SW9012A	SW9056/E300.0	. 0079	HPGe	8260	SW9056/E300.0	SW9010B/SW9012A	6200	HPGe	8260	SW9010B/SW9012A	SW9056/E300.0	6200	HPGe ·	8260	SW9010B/SW9012A	SW9056/E300.0	6200
Analyte	Metals	Radionuclides	VOCs	Cyanide	Nitrate as N	Metals	Radionuclides	VOCs	Cyanide	Nitrate as N	Metals	Radionuclides	NOCs	Cyanide	Nitrate as N	Metals	Radionuclides	VOCs	Nitrate as N	Cyanide	Metals	Radionuclides	VOCs	Cyanide	Nitrate as N	Metals	Radionuclides	VOCs	Cyanide	Nitrate as N	Metals
Depth Interval ¹	0-0.5					0-0.5					0.3-0.8			•		0.25-0.67					0-0.5					0.5-1					0.3-0.8
Northing	748766.19					748769.60			-		748963.05					748998.80					748963.78					748999.40					749035.04
Easting	2085322.33					2085200.75					2085201.46					2085138.82					2085326.16					2085263.60					2085201.01
Location Code	CM37-031					CM37-032					CM38-001					CM38-003					CM38-009					CM38-011					CM38-013
IHSS/PAC/UBC Site	900-213		-																			-								,	
IHSS Group	900-3																														

				,		·		,																							
Laboratory Method	HPGe	8260	SW9010B/SW9012A	SW9056/E300.0	6200	HPGe	8260	SW9010B/SW9012A	SW9056/E300.0	6200	HPGe	8260	SW9010B/SW9012A	SW9056/E300.0	6200	HPGe	8260	SW9010B/SW9012A	SW9056/E300.0	6200	HPGe	8260	SW9010B/SW9012A	SW9056/E300.0	. 6200	HPGe	8260	SW9056/E300.0	SW9010B/SW9012A	6200	HPGe
Analyte	Radionuclides	VOCs	Cyanide	Nitrate as N	Metals	Radionuclides	VOCs	Cyanide	Nitrate as N	Metals	Radionuclides	VOCs	Cyanide	Nitrate as N	Metals	Radionuclides	VOCs	Cyanide	Nitrate as N	Metals	Radionuclides	VOCs	Cyanide	Nitrate as N	Metals	Radionuclides	VOCs	Nitrate as N	Cyanide	Metals	Radionuclides
Depth Interval ¹	0.3-0.8				0.33-0.75					0-0.5					0.5-1					0.3-0.8		•			0.5-1					0-0.5	
Northing	749035.04				749070.78					749035.78					749071.46					749107.08					749142.68	·				749107.76	
Easting	2085201.01				2085138.48					2085325.75					2085263.18					2085200.69					2085138.11					2085325.34	
Location Code	CM38-013				CM38-015					CM38-023					CM38-025					CM38-027					CM38-029					CM38-036	
IHSS/PAC/UBC Site	900-213							-											•												
IHSS Group	900-3																				"				•						

Laboratory Method	8260	SW9010B/SW9012A	SW9056/E300.0	6200	HPGe	8260	SW9010B/SW9012A	SW9056/E300.0	6200	HPGe	8260	SW9010B/SW9012A	SW9056/E300.0	6200	HPGe	8260	SW9010B/SW9012A	SW9056/E300.0	6200	HPGe	8260	SW9010B/SW9012A	SW9056/E300.0	6200	HPGe	8260	SW9056/E300.0	SW9010B/SW9012A	6200	HPGe	8260
Analyte	VOCs	Cyanide	Nitrate as N	Metals	Radionuclides	VOCs	Cyanide	Nitrate as N	Metals	Radionuclides	VOCs	Cyanide	Nitrate as N	Metals	Radionuclides	VOCs	Cyanide	Nitrate as N	Metals	Radionuclides	VOCs	Cyanide	Nitrate as N	Metals	Radionuclides	VOCs	Nitrate as N	Cyanide	Metals	Radionuclides	VOCs
Depth Interval ¹	0-0.5			0.5-1					0.25-0.67					0-0.5					0-0.5					0.5-1	•			-	0-0.5	-	
Northing	749107.76			749143.42					749179.07			•		749214.67		***		- (749179.61					749215.37					749244.63		
Easting	2085325.34			2085262.77					2085200.19		-			2085137.60					2085324.91					2085262.42		,			2085169.56		
Location Code	CM38-036			CM38-038					CM39-001	***				CM39-003					CM39-008					CM39-010					CM39-012		
IHSS/PAC/UBC Site	900-213																	1					1.					d-			
Group	600-3											٠																			

Site CM. 900-213 CM.	Code CM39-012	Easting	Northing	Tratografi	A 10.0	
	39-012	COLUMN TO SERVICE SERV		Hitervai	Апагуте	Method
CM	-	2085169.56	749244.63	0-0.5	Cyanide	SW9010B/SW9012A
CN3					Nitrate as N	SW9056/E300.0
CONS	CM39-013	2085296.64	749246.81	0-0.5	Metals	6200
CONS					Radionuclides	HPGe
CON					SOOA	8260
CA			1111		Cyanide	SW9010B/SW9012A
CS		-			Nitrate as N	SW9056/E300.0
	CN37-003	2085389.13	748856.15	0-0.5	Metals	6200
			_		Radionuclides	HPGe
					SOOA	8260
•					Cyanide	SW9010B/SW9012A
					Nitrate as N	SW9056/E300.0
CNS	CN37-009	2085388.72	748928.11	0-0.5	Metals	6200
					Radionuclides	HPGe
					VOCs	8260
~					Cyanide	SW9010B/SW9012A
					Nitrate as N	SW9056/E300.0
CN3	CN37-012	2085427.69	748917.12	0-0.5	Metals	9079
					Radionuclides	HPGe
					VOCs	8260
					Cyanide	SW9010B/SW9012A
					Nitrate as N	0.00E3/9509WS
CN	CN37-013	2085404.41	748811.76	0-0.5	Metals	6200
					Radionuclides	HPGe
					VOCs	8260
•					Cyanide	SW9010B/SW9012A
				į	Nitrate as N	0.00E3/9509WS
CN	CN38-003	2085388.31	749000.11	0-0.5	Metals	6200
					Radionuclides	HPGe
					VOCs	8260
					Cyanide	SW9010B/SW9012A

Á	0.0				0.0	012A				012A	0.0				0.0	012A															
Laboratory Method	SW9056/E300.0	6200	HPGe	8260	SW9056/E300.0	SW9010B/SW9012A	6200	HPGe	8260	SW9010B/SW9012A	SW9056/E300.0	6200	HPGe	8260	SW9010B/SW9012A	SW9056/E300.0	6200	HPGe	8260	SW9010B/SW9012A	SW9056/E300.0	6200	HPGe	8260	SW9010B/SW9012A	0.00£3/9509WS	9079	HPGe	8260	SW9056/E300.0	SW9010B/SW9012A
Analyte	Nitrate as N	Metals	Radionuclides	VOCs	Nitrate as N	Cyanide	Metals	Radionuclides	VOCs	Cyanide	Nitrate as N	Metals	Radionuclides	VOCs	Cyanide	Nitrate as N	Metals	Radionuclides	VOCs	Cyanide	Nitrate as N	Metals	Radionuclides	VOCs	Cyanide	Nitrate as N	Metals	Radionuclides	VOCs	Nitrate as N	Cyanide
Depth Interval ¹	0-0.5	0-0.5					0-0.5					0-0.5					0-0.5					0.5-1					0-0.5				
Northing	749000.11	749072.30					749144.08					749116.01					749021.97					749216.11					749242.37				
Easting	2085388.31	2085382.79					2085387.48					2085430.53					2085428.68	•			,	2085387.08					2085436.05	,			
Location Code	CN38-003	CN38-009			,		CN38-015	,				CN38-016					CN38-017					CN39-005					CN39-006				
IHSS/PAC/UBC Site	900-213																														Cyanide SW901
HSS	900-3						-																								

Table 2

Surface Soil Results Greater than Background Mean Plus Two Standard Deviations or Reporting Limits

								The state of the s		0	
Location	Easting	Northing	Analyte	Depth Start	Depth End	Result	Detection Limit	Wildlife Refuge Worker	Ecological Receptor	Background	Units
CL37-000	2085116.92	748829.83	ARSENIC	0	0.5	12.7	۶	22.2	21.6	10.09	MG/KG
CL37-000	2085116.92	748829.83	BARIUM	0	0.5	624	86	26400		141.26	MG/KG
CL37-000	CL37-000 2085116.92	748829.83	CHROMIUM	0	0.5	32.1	20	268		16.99	MG/KG
CL37-000	CL37-000 2085116.92	748829.83	COPPER	0	0.5	155	4	40900		18.06	MG/KG
CL37-000	CL37-000 2085116.92	748829.83	IRON	0	0.5	34800	2190	307000		18037.00	MG/KG
CL37-000	2085116.92	748829.83	MANGANESE	0	0.5	613	158	3480		365.08	MG/KG
CL37-000	2085116.92	748829.83	NICKEL	0	0.5	50	12	20400		14.91	MG/KG
CL37-000	CL37-000 2085116.92	748829.83	STRONTIUM	0	0.5	241	20	613000	-	48.94	MG/KG
CL37-000	2085116.92	748829.83	VANADIUM	0	0.5	126	31	7150	292	45.59	MG/KG
CL37-000	CL37-000 2085116.92	748829.83	ZINC	0	0.5	165	6	307000		73.76	MG/KG
CL37-000	2085116.92	748829.83	U-235	0	0.5	0.19	0.13	8	1900	0.09	PCI/G
CL37-000	CL37-000 2085116.92	748829.83	U-238	0	0.5	4.02	1.82	351	1600	2.00	PCI/G
CL37-001	CL37-001 2085108.21	748940.14	ARSENIC	0	0.5	10.8	5	22.2	21.6	10.09	MG/KG
CL37-001	2085108.21	748940.14	BARIUM	0	0.5	744	86	26400		141.26	MG/KG
CL37-001	2085108.21	748940.14	CHROMIUM	0	0.5	38.3	20	268		16.99	MG/KG
CL37-001	2085108.21	748940.14	COPPER	0	0.5	126	4	40900	1	18.06	MG/KG
CL37-001	2085108.21	748940.14	IRON	0	0.5	31500	2190	307000	1	18037.00	MG/KG
CL37-001	2085108.21	748940.14	MANGANESE	0	0.5	523	158	3480	1	365.08	MG/KG
CL37-001	2085108.21	748940.14	NICKEL	0	0.5	45.9	12	20400	1	14.91	MG/KG
CL37-001	2085108.21	748940.14	STRONTIUM	0	0.5	252	20	613000		48.94	MG/KG
CL37-001	2085108.21	748940.14	VANADIUM	0	0.5	57.7	31	7150	292	45.59	MG/KG
CL37-001	2085108.21	748940.14	ZINC	0	0.5	122	6	307000		73.76	MG/KG
CL37-001		748940.14	U-235	0	0.5	0.18	0.13	8	1900	60.0	PCI/G
CL37-001	2085108.21	748940.14	U-238	0	0.5	2.89	1.92	351	1600	2.00	PCI/G
CL37-001	2085108.21	748940.14	NAPHTHALENE	0	0.5	1	5.1	3090000		NA	UG/KG

			r=												اے۔	1	-,-			1		1						
	Units	UG/KG	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG	PCI/G	PCI/G	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG	PCI/G	PCI/G	UG/KG	UG/KG	UG/KG
	Background	NA	10.09	141.26	18.06	18037.00	365.08	14.91	48.94	45.59	73.76	60.0	2.00	10.09	141.26	16.99	18.06	18037.00	365.08	14.91	48.94	45.59	73.76	60'0	2.00	NA	NA	NA
,	Ecological Receptor Action Level		21.6			***************************************	***************************************		-	292	-	1900	1600	21.6				-	*************			292	1	1900	1600	211000	Production 1	
	Wilding Ketuge Worker Action Level	10000000000	22.2	26400	40900	307000	3480	20400	613000	7150	307000	8	351	22.2	26400	268	40900	307000	3480	20400	613000	7150	307000	8	351	102000000	4250000	1000000000
	Detection Limit	10	5	86	4	2190	158	12	20	31	6	0.13	1.78	5	86	20	4	2190	158	12	20	31	6	0.14	1.55	100	5.2	10
	Result	7	16.9	671	153	28400	431	43.4	307	114	115	0.21	2.91	12.9	624	33.1	160	48200	1170	48.9	221	119	236	0.29	5.10	10	. 21	170
-	Depth End (feet)	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
,	Depth Start (feet)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Analyte	XYLENES (TOTAL)	ARSENIC	BARIUM	COPPER	IRON	MANGANESE	NICKEL	STRONTIUM	VANADIUM	ZINC	U-235	U-238	ARSENIC	BARIUM	CHROMIUM	COPPER	IRON	MANGANESE	NICKEL	STRONTIUM	VANADIUM	ZINC	U-235	U-238	ACETONE	ETHYLBENZENE	XYLENES (TOTAL)
	Northing	748940.14	749041.67	749041.67	749041.67	749041.67	749041.67	749041.67	749041.67	749041.67	749041.67	749041.67	749041.67	749162.13	749162.13	749162.13	749162.13	749162.13	749162.13	749162.13	749162.13	749162.13	749162.13	749162.13	749162.13	749162.13	749162.13	749162.13
	Easting	2085108.21	CL38-000 2085109.33	2085109.33	2085109.33	2085109.33	2085109.33	CL38-000 2085109.33	2085109.33	CL38-000 2085109.33	2085109.33	2085109.33	2085109.33	CL39-000 2085107.09	2085107.09	CL39-000 2085107.09	2085107.09	CL39-000 2085107.09	2085107.09	CL39-000 2085107.09	2085107.09	CL39-000 2085107.09	2085107.09	2085107.09		CL39-000 2085107.09	CL39-000 2085107.09	CL39-000 2085107.09
	Location	CL37-001	CL38-000	CL38-000	CL38-000	CL38-000	CL38-000	CL38-000	CL38-000	CL38-000	CL38-000	CL38-000	CL38-000	CL39-000	CL39-000	CL39-000	CL39-000	CL39-000	CL39-000	CL39-000	CL39-000	CL39-000	CL39-000	CL39-000	CL39-000	CL39-000	CL39-000	CL39-000

Location	Easting	Northing	Analyte	Depth Start (feet)	Depth End (feet)	Result	Detection Limit	Wildlife Refuge Worker Action Level	Ecological Receptor Action Level	Background	Units
CM37-003	CM37-003 2085202.28	748819.05	ARSENIC	0.3	8.0	14.4	5	22.2	21.6	10.09	MG/KG
CM37-003	CM37-003 2085202.28	748819.05	BARIUM	0.3	8.0	749	98	26400	1	141.26	MG/KG
CM37-003	CM37-003 2085202.28	748819.05	CADMIUM	0.3	8.0	4.09	3	962		1.61	MG/KG
CM37-003	CM37-003 2085202.28	748819.05	CHROMIUM	0.3	8.0	34.2	20	268		16.99	MG/KG
CM37-003	2085202.28	748819.05	COPPER	0.3	8.0	122	4	40900		18.06	MG/KG
CM37-003	CM37-003 2085202.28	748819.05	IRON	0.3	8.0	44400	2190	307000		18037.00	MG/KG
CM37-003	CM37-003 2085202.28	748819.05	MANGANESE	0.3	8.0	1160	158	3480		365.08	MG/KG
CM37-003	CM37-003 2085202.28	748819.05	NICKEL	0.3	8.0	9.95	12	20400		14.91	MG/KG
CM37-003	2085202.28		STRONTIUM	0.3	0.8	495	20	613000		48.94	MG/KG
CM37-003	CM37-003 2085202.28	1	VANADIUM	0.3	8.0	96.2	31	7150	292	45.59	MG/KG
	2085202.28	748819.05	ZINC	0.3	8.0	110	6	307000		73.76	MG/KG
CM37-003		748819.05	U-235	0.3	8.0	0.27	0.14	8	1900	0.09	PCI/G
CM37-003	2085202.28	748819.05	U-238	0.3	8.0	4.07	2.12	351	1600	2.00	PCI/G
M37-003	CM37-003 2085202.28	748819.05	ACETONE	0.3	0.8	20	110	102000000	211000	NA	UG/KG
CM37-005	2085139.72	748854.7	BARIUM	0	0.5	901	86	26400		141.26	MG/KG
ZM37-005	CM37-005 2085139.72	748854.7	CHROMIUM	0	0.5	56	20	268			MG/KG
CM37-005	2085139.72	748854.7	COPPER	0	0.5	145	4	40900	***************************************	1	MG/KG
CM37-005	CM37-005 2085139.72	748854.7	IRON	0	0.5	52000	2190	307000	-	0	MG/KG
CM37-005	2085139.72	748854.7	MANGANESE	0	0.5	1470	158	3480			MG/KG
CM37-005	CM37-005 2085139.72	748854.7	NICKEL	0	0.5	76.2	12	20400			MG/KG
M37-005	CM37-005 2085139.72	748854.7	STRONTIUM	0	0.5	638	20	613000		48.94	MG/KG
M37-005		748854.7	VANADIUM	0	0.5	96	31	7150	292		MG/KG
CM37-005	2085139.72	748854.7	ZINC	0	0.5	112	6	307000		73.76	MG/KG
M37-005	CM37-005 2085139.72	748854.7	U-235	0	0.5	0.24	0.14	8	1900		PCI/G
M37-005	CM37-005 2085139.72	748854.7	U-238	0	0.5	3.54	1.72	351	1600	2.00	PCI/G
M3/-005	CM37-005 2085139.72	748854.7	ACETONE	0	0.5	10	110	102000000	211000	NA	UG/KG
M37-005	CM37-005 2085139.72	748854.7	NAPHTHALENE	0	0.5	6.0	5.4	3090000		NA	UG/KG

	·····						,																	,		·
Units	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG	PCI/G	PCI/G	UG/KG	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG
Background	141.26	16.99	10.91	18.06	18037.00	365.08	14.91	48.94	45.59	73.76	60.0	2.00	NA	141.26	1.61	16.99	18.06	18037.00	365.08	14.91	48.94	45.59	73.76	10.09	141.26	16.99
Ecological Receptor Action Level						ļ	ļ		292	1	1900	1600		***************************************				-	I	-		292		21.6	Translation and the state of th	
Wildlife Refuge Worker Action Level	26400	268	1550	40900	307000	3480	20400	613000	7150	307000	8	351	3090000	26400	962	268	40900	307000	3480	20400	613000	7150	307000	22.2	26400	268
Detection Limit	86	20	90	4	2190	158	12	20	31	6	0.12	1.75	5.2	86	3	20	4	2190	158	12	20	31	9	5	86	20
Result	661	116	306	214	56300	1590	66	628	100	121	0.33	4.43	1.7	922	3.09	53.8	140	57600	1610	66.7	718	143	130	11.8	888	37.4
Depth End (feet)	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5		П		1		-	1	1	1		8.0	8.0	0.8
Depth Start (feet)	0	0	0	0	0	0	0	0	0	0	0	0	0	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.3	0.3	0.3
Analyte	BARIUM	CHROMIUM	COBALT	COPPER	IRON	MANGANESE	NICKEL	STRONTIUM	VANADIUM	ZINC	U-235	U-238	NAPHTHALENE	BARIUM	CADMIUM	CHROMIUM	COPPER	IRON	MANGANESE	NICKEL	STRONTIUM	VANADIUM	ZINC	ARSENIC	BARIUM	CHROMIUM
Northing	748823.27	748823.27	748823.27	748823.27	748823.27	748823.27	748823.27	748823.27	748823.27	748823.27	748823.27	748823.27	748823.27	748855.4	748855.4	748855.4	748855.4	748855.4	748855.4	748855.4	748855.4	748855.4	748855.4	748891.05	748891.05	748891.05
Easting	2085319.92	CM37-012 2085319.92	2085319.92	2085319.92	CM37-012 2085319.92	CM37-012 2085319.92	CM37-012 2085319.92	2085319.92	2085319.92	CM37-012 2085319.92	2085319.92	2085319.92	CM37-012 2085319.92	CM37-014 2085264.42	2085264.42	CM37-014 2085264.42	2085264.42	CM37-014 2085264.42	2085264.42	CM37-014 2085264.42	CM37-014 2085264.42	CM37-014 2085264.42	2085264.42	2085201.87	2085201.87	CM37-016 2085201.87
Location	CM37-012	CM37-012	CM37-012	CM37-012	CM37-012	CM37-012	CM37-012	CM37-012	CM37-012	CM37-012	CM37-012	CM37-012	CM37-012	CM37-014	CM37-014 2085264.42	CM37-014	CM37-014	CM37-014	CM37-014	CM37-014	CM37-014	CM37-014	CM37-014	CM37-016	CM37-016	CM37-016

ts	KG	KG	KG	Y.G	KG.	KG	KG	5 S	53	92	SG	92	93	SS	93	S,	5	9 <u>2</u>	ري	Ŋ	93	93	ĐΣ	93	<u>5</u> 3	53
l Units	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG	UG/KG	UG/KG	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG	PCI/G	PCI/G	UG/KG	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG
Background	18.06	18037.00	365.08	14.91	48.94	45.59	73.76	NA	NA	141.26	16.99	18.06	18037.00	365.08	14.91	48.94	45.59	73.76	0.09	2.00	NA	141.26	16.99	10.91	18.06	18037.00
Ecological Receptor Action Level				-	and the same of th	292		211000				-					292		1900	1600	211000				- Approximate the second secon	
Wildlife Refuge Worker Action Level	40900	307000	3480	20400	613000	7150	307000	102000000	3090000	26400	268	40900	307000	3480	20400	613000	7150	307000	8	351	102000000	26400	268	1550	40900	307000
Detection Limit	4	2190	158	12	20	31	6	110	5.3	86	20	4	2190	158	12	20	31	6	0.13	1.56	110	86	20	06	4	2190
Result	158	45300	1240	58.3	514	92.6	122	10		799	33	192	45400	1320	56.1	513	114	125	0.22	2.00	15	928	72	215	197	58000
Depth End (feet)	8.0	0.8	0.8	8.0	8.0	0.8	0.8	8.0	0.8	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
Depth Start (feet)	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Analyte	COPPER	IRON	MANGANESE	NICKEL	STRONTIUM	VANADIUM	ZINC	ACETONE	NAPHTHALENE	BARIUM	CHROMIUM	COPPER	IRON	MANGANESE	NICKEL	STRONTIUM	VANADIUM	ZINC	U-235	U-238	ACETONE	BARIUM	CHROMIUM	COBALT	COPPER	IRON
Northing	748891.05	748891.05	748891.05	748891.05	748891.05	748891.05	748891.05	748891.05	748891.05	748926.69	748926.69	748926.69	748926.69	748926.69	748926.69	748926.69	748926.69	748926.69	748926.69	748926.69	748926.69	748887.9	748887.9	748887.9	748887.9	748887.9
Easting	2085201.87	2085201.87	2085201.87	2085201.87	2085201.87	2085201.87	CM37-016 2085201.87	2085201.87	CM37-016 2085201.87	2085139.31	CM37-018 2085139.31	2085139.31	2085139.31	CM37-018 2085139.31	2085139.31	2085139.31	2085139.31	CM37-018 2085139.31	CM37-018 2085139.31	2085139.31	2085139.31	CM37-025 2085324.13	CM37-025 2085324.13	CM37-025 2085324.13	CM37-025 2085324.13	CM37-025 2085324.13
Location	CM37-016	CM37-016	CM37-016	CM37-016	CM37-016	CM37-016	CM37-016	CM37-016	CM37-016	CM37-018	CM37-018	CM37-018	CM37-018	CM37-018	CM37-018	CM37-018	CM37-018	CM37-018	CM37-018	CM37-018	CM37-018	CM37-025	CM37-025	CM37-025	CM37-025	CM37-025

,
MANGANESE 0
TIUM
VANADIUM
ZINC
U-238
BARIUM
CHROMIUM
COPPER
IRON
MANGANESE
NICKEL
STRONTIUM
VANADIUM
ZINC
U-235
U-238
ACETONE
ARSENIC
BARIUM
CHROMIUM
COPPER
IRON
MANGANESE
NICKEL
STRONTIUM
VANADITIM

ınd Units	MG/KG		UG/KG	11G/KG	MG/KG		MG/KG	MG/KG		MG/KG	MG/KG	MG/KG	MG/KG	MG/KG	PCI/G	PCI/G	UG/KG	MG/KG	MG/KG	MG/KG	MG/KG) MG/KG	MG/KG	MG/KG	MG/KG	
Background	73.76	2.00	NA	A N	10.09	141.26	16.99	18.06	18037.00	365.08	14.91	48.94	45.59	73.76	0.09	2.00	NA	10.09	141.26	16.99	18.06	18037.00	365.08	14.91	48.94	1
Ecological Receptor Action Level		1600		Approximation of the second of	21.6	***************************************							292		1900	1600		21.6				ļ				-04
Wildlife Refuge Worker Action Level	307000	351	4250000	1000000000	22.2	26400	268	40900	307000	3480	20400	613000	7150	307000	8	351	10000000000	22.2	26400	268	40900	307000	3480	20400	613000	(1,1)
Detection Limit	6	1.39	5.6	11	5	86	20	4	2190	158	12	20	31	6	0.13	1.89	10	5	86	20	4	2190	158	12	20	,
Result	197	2.77	6	89	17.8	613	28.6	150	31900	457	55.4	224	113	126	0.25	3.05	9	12.6	743	62.3	163	49800	1180	80.5	552	100
Depth End (feet)	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.8	8.0	8.0	0.8	0.8	8.0	8.0	8.0	0
Depth Start (feet)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	,
Analyte	ZINC	U-238	ETHYLBENZENE	XYLENES (TOTAL)	ARSENIC	BARIUM	CHROMIUM	COPPER	IRON	MANGANESE	NICKEL	STRONTIUM	VANADIUM	ZINC	U-235	U-238	XYLENES (TOTAL)	ARSENIC	BARIUM	CHROMIUM	COPPER	IRON	MANGANESE	NICKEL	STRONTIUM	VANIA DITTA
Northing	748766.19	748766.19	748766.19	748766.19	748769.6	748769.6	748769.6	748769.6	748769.6	748769.6	748769.6	748769.6	748769.6	748769.6	748769.6	748769.6	748769.6	748963.05	748963.05	748963.05	748963.05	748963.05	748963.05	748963.05	748963.05	20070012
Easting	2085322.33	2085322.33	2085322.33	2085322.33	CM37-032 2085200.75	2085200.75	CM37-032 2085200.75	2085200.75	2085200.75	2085200.75	2085200.75	2085200.75	2085200.75	2085200.75	2085200.75	2085200.75	2085200.75	2085201.46	2085201.46	2085201.46	2085201.46			2085201.46		
Location		CM37-031	CM37-031	CM37-031	CM37-032	CM37-032 2085200.75	CM37-032	CM37-032	CM37-032	CM37-032	CM37-032	CM37-032 2085200.75	CM38-001 2085201.46	CM38-001	CM38-001		CM38-001	CM38-001 2085201.46	CM38-001	CM38-001	CN/38 001 0085201 46					

	רז	Τ	T	rn	ריז	ריז	rh	ריז	ריז	ריז	ריז	r n	רא	ריז	rh	rh	rh	rm	rh	r M	rh	75	rħ	r h			rh
Units	MG/KG	PCI/G	PCI/G	UG/KG	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG	PCI/G	PCI/G	MG/KG
Background	73.76	60.0	2.00	NA	10.09	141.26	16.99	18.06	18037.00	365.08	14.91	48.94	45.59	73.76	141.26	16.99	10.91	18.06	18037.00	365.08	14.91	48.94	45.59	73.76	0.09	2.00	141.26
Ecological Receptor Action Level		1900	1600	211000	21.6	-				1	-		292										292		1900	1600	
Wildlife Refuge Worker Action Level	307000	8	351	102000000	22.2	26400	268	40900	307000	3480	20400	613000	7150	307000	26400	268	1550	40900	307000	3480	20400	613000	7150	307000	8	351	26400
Detection Limit	6	0.16	1.65	110	5	86	20	4	2190	158	12	20	31	6	86	20	90	4	2190	158	12	20	31	6	0.12	1.68	86
Result	119	0.24	2.59	20	12.9	.601	34.9	128	35500	953	46	380	71.9	103	795	99.3	285	214	59700	1870	94.2	650	87.8	137	0.29	6.50	089
Depth End (feet)	0.8	0.8	8.0	8.0	0.67	0.67	0.67	19.0	0.67	0.67	0.67	0.67	0.67	0.67	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	
Depth Start (feet)	0.3	0.3	0.3	0.3	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0	0	0	0	0	0	0	0	0	0	0	0	0.5
Analyte	ZINC	U-235	U-238	ACETONE	ARSENIC	BARIUM	CHROMIUM	COPPER	IRON	MANGANESE	NICKEL	STRONTIUM	VANADIUM	ZINC	BARIUM	CHROMIUM	COBALT	COPPER	IRON	MANGANESE	NICKEL	STRONTIUM	VANADIUM	ZINC	U-235	U-238	BARIUM
Northing	748963.05	748963.05	748963.05	748963.05	748998.8	748998.8	748998.8	748998.8	748998.8	748998.8	748998.8	748998.8	748998.8	748998.8	748963.78	748963.78	748963.78	748963.78	748963.78	748963.78	748963.78	748963.78	748963.78	748963.78	748963.78	748963.78	748999.4
Easting	2085201.46	CM38-001 2085201.46	CM38-001 2085201.46	2085201.46	2085138.82	CM38-003 2085138.82	2085138.82	CM38-003 2085138.82	CM38-003 2085138.82	CM38-003 2085138.82	CM38-003 2085138.82	2085138.82	2085138.82	CM38-003 2085138.82	2085326.16	CM38-009 2085326.16	2085326.16	2085326.16	2085326.16	2085326.16	2085326.16	CM38-009 2085326.16	2085326.16	CM38-009 2085326.16	CM38-009 2085326.16	CM38-009 2085326.16	2085263.6
Location	CM38-001	CM38-001	CM38-001	CM38-001	CM38-003	CM38-003	CM38-003	CM38-003	CM38-003	CM38-003	CM38-003		CM38-003	CM38-003	CM38-009	CM38-009	CM38-009	CM38-009	CM38-009	CM38-009	CM38-009	CM38-009	CM38-009	CM38-009	CM38-009	CM38-009	CM38-011

Preliminary Review Draft for Interagency Discussion/Not Issued for Public Comment

Units	MG/KG	PCI/G	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG	PCI/G	UG/KG	UG/KG	MG/KG	MG/KG	MG/KG	MG/KG							
Background	16.99	18.06	18037.00	365.08	14.91	48.94	45.59	73.76	2.00	10.09	141.26	16.99	18.06	18037.00	365.08	14.91	48.94	45.59	73.76	2.00	NA	NA	141.26	16.99	18.06	18037.00
Ecological Receptor Action Level					-	Ì	292		1600	21.6			_	•	ļ	-		292		1600	433000	211000				-
Wildlife Refuge Worker Action Level	268	40900	307000	3480	20400	613000	7150	307000	351	22.2	26400	268	40900	307000	3480	20400	613000	7150	307000	351	192000000	102000000	26400	268	40900	307000
Detection Limit	20	4	2190	158	12	20	31	6	1.49	5	86	20	4	2190	158	12	20	31	6	1.96	110	110	86	20	4	2190
Result	45.6	118	39500	886	50.3	424	9.68	103	6.25	14.1	902	30.9	137	33400	651	50.5	297	82.2	105	3.39	19	83	355	26.3	42.9	21200
Depth End (feet)	_		-			1		1	1	8.0	9.0	0.8	0.8	0.8	0.8	0.8	8.0	8.0	0.8	0.8	0.8	8.0	0.75	0.75	0.75	0.75
Depth Start (feet)	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.33	0.33	0.33	0.33
Analyte	CHROMIUM	COPPER	IRON	MANGANESE	NICKEL	STRONTIUM	VANADIUM	ZINC	U-238	ARSENIC	BARIUM	CHROMIUM	COPPER	IRON	MANGANESE	NICKEL	STRONTIUM	VANADIUM	ZINC	U-238	2-BUTANONE	ACETONE	BARIUM	CHROMIUM	COPPER	IRON
Northing	748999.4	748999.4	748999.4	748999.4	748999.4	748999.4	748999.4	748999.4	748999.4	749035.04	749035.04	749035.04	749035.04	749035.04	749035.04	749035.04	749035.04	749035.04	749035.04	749035.04	749035.04	749035.04	749070.78	749070.78	749070.78	749070.78
Easting	2085263.6	2085263.6	2085263.6	2085263.6	2085263.6	2085263.6	2085263.6	2085263.6	2085263.6	2085201.01	CM38-013 2085201.01	2085201.01	2085201.01	2085201.01	2085201.01	2085201.01	2085201.01	CM38-013 2085201.01	2085201.01	2085201.01	CM38-013 2085201.01	CM38-013 2085201.01	CM38-015 2085138.48	2085138.48	CM38-015 2085138.48	CM38-015 2085138.48
Location	CM38-011	CM38-013	CM38-013	CM38-013	CM38-013	CM38-013	CM38-013	CM38-013	CM38-013	CM38-013	CM38-013	CM38-013	CM38-013	CM38-013	CM38-015	CM38-015	CM38-015	CM38-015								

Location	Easting	Northing	Analyte	Depth Start (feet)	Depth End (feet)	Result	Detection Limit	Wildlife Refuge Worker Action Level	Ecological Receptor Action Level	Background	Units
CM38-015	2085138.48	749070.78	NICKEL	0.33	0.75	33.4	12	20400		14.91	MG/KG
CM38-015			STRONTIUM	0.33	0.75	183	20	613000		48 94	MG/KG
CM38-015			VANADIUM	0.33	0.75	70.9	31	7150	292	45.59	MG/KG
CM38-015	_	_	U-235	0.33	0.75	0.25	0.18	8	1900	0.09	PCT/G
CM38-015	2085138.48		U-238	0.33	0.75	2.91	1.88	351	1600	2.00	PCI/G
CM38-015	CM38-015 2085138.48		ACETONE	0.33	0.75	50	120	102000000	211000	AN	TIG/KG
CM38-023		749035.78	ARSENIC	0	0.5	18.7	5	22.2	21.6	10.09	MG/KG
CM38-023	2085325.75	749035.78	BARIUM	0	0.5	612	86	26400		141.26	MG/KG
CM38-023	CM38-023 2085325.75	749035.78	CHROMIUM	0	0.5	84.9	20	268		16.99	MG/KG
CM38-023	CM38-023 2085325.75	749035.78	COBALT	0	0.5	189	90	1550		10.91	MG/KG
CM38-023	2085325.75	749035.78	COPPER	0	0.5	198	4	40900	***************************************	18.06	MG/KG
CM38-023	CM38-023 2085325.75	749035.78	IRON	0	0.5	39600	2190	307000		18037.00	MG/KG
CM38-023	CM38-023 2085325.75	749035.78	MANGANESE	0	0.5	626	158	3480		365.08	MG/KG
CM38-023	CM38-023 2085325.75	749035.78	NICKEL	0	0.5	60.4	12	20400		14.91	MG/KG
CM38-023	2085325.75	749035.78	STRONTIUM	0	0.5	242	20	613000		48.94	MG/KG
CM38-023	CM38-023 2085325.75	749035.78	VANADIUM	0	0.5	119	31	7150	292	45.59	MG/KG
CM38-023	CM38-023 2085325.75	749035.78	ZINC	0	0.5	136	6	307000		73.76	MG/KG
CM38-023	2085325.75	749035.78	U-235	0	0.5	0.23	0.12	8	1900	0.09	PCI/G
CM38-023	CM38-023 2085325.75	749035.78	U-238	0	0.5	4.72	1.53	351	1600	2.00	PCI/G
CM38-025	CM38-025 2085263.18	749071.46	BARIUM	0.5	1	493	86	26400		141.26	MG/KG
CM38-025	CM38-025 2085263.18	749071.46	CHROMIUM	0.5	1	29.3	20	268		16 99	MG/KG
CM38-025	CM38-025 2085263.18	749071.46	COPPER	0.5	-1	104	4	40900			MG/KG
CM38-025	CM38-025 2085263.18	749071.46	IRON	0.5	-	24500	2190	307000		18037.00	MG/KG
CM38-025	2085263.18	749071.46	MANGANESE	0.5	-	391	158	3480		365.08	MG/KG
CM38-025	CM38-025 2085263.18	749071.46	NICKEL	0.5	1	32.8	12	20400	1	14.91	MG/KG
ZM38-025		749071.46	STRONTIUM	0.5		145	20	613000	-		MG/KG
M38-025	CM38-025 2085263.18	749071.46	VANADIUM	0.5	1	91.5	31	7150	292		MG/KG

Preliminary Review Draft for Interagency Discussion/Not Issued for Public Comment

S.	KG	Ç	Ç	g,	ŷ	92	S.G.	XG.	SX	SG	SG	S	92	92	52	ق	ق	93	<u>5</u>	SS	93	SG	93	9 S	SS	93	9
Units	MG/KG	PCI/G	PCI/G	PCI/G	PCI/G	UG/KG	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG	PCI/G	PCI/G	UG/KG	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG
Background	73.76	0.02	0.07	0.09	2.00	NA	141.26	16.99	18.06	18037.00	365.08	14.91	48.94	45.59	73.76	60.0	2.00	NA	10.09	141.26	16.99	18.06	18037.00	365.08	14.91	48.94	45.59
Ecological Receptor Action Level	1	1900	3800	1900	1600	211000		-	ļ		***************************************	1	-	292	-	1900	1600	211000	21.6					-		1	292
Wildlife Refuge Worker Action Level	307000	92	50	8	351	102000000	26400	268	40900	307000	3480	20400	613000	7150	307000	8	351	102000000	22.2	26400	268	40900	307000	3480	20400	613000	7150
Detection Limit	6	0.37	N/A	0.14	1.52	110	86	20	4	2190	158	12	20	31	6	0.13	1.93	110	5	86	20	4	2190	158	12	20	31
Result	83.7	4.96	6.64	0.26	3.28	80	483	24.5	135	25700	571	45.1	350	71.9	83.1	0.21	3.03	22	12.8	595	41.7	94.8	30900	553	39.5	225	133
Depth End (feet)	1					-	0.8	0.8	0.8	0.8	0.8	8.0	8.0	0.8	0.8	8.0	8.0	8.0				-	-	-	-	1	1
Depth Start (feet)	0.5	0.5	0.5	0.5	0.5	0.5	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
Analyte	ZINC	AM-241 ¹	PU-239/240 ¹	U-235	U-238	ACETONE	BARIUM	CHROMIUM	COPPER	IRON	MANGANESE	NICKEL	STRONTIUM	VANADIUM	ZINC	U-235	U-238	ACETONE	ARSENIC	BARIUM	CHROMIUM	COPPER	IRON	MANGANESE	NICKEL	STRONTIUM	VANADIUM
Northing	749071.46	1	749071.46	749071.46	749071.46	749071.46	749107.08	749107.08	749107.08	749107.08	749107.08	749107.08	749107.08	749107.08	749107.08	749107.08	749107.08	749107.08	749142.68	749142.68	749142.68	749142.68	749142.68	749142.68	749142.68	749142.68	749142.68
Easting	2085263.18	CM38-025 2085263.18	2085263.18	2085263.18	CM38-025 2085263.18	CM38-025 2085263.18	2085200.69	CM38-027 2085200.69	CM38-027 2085200.69	2085200.69	CM38-027 2085200.69	CM38-027 2085200.69	CM38-027 2085200.69	2085200.69	CM38-027 2085200.69	CM38-027 2085200.69	2085200.69	2085200.69	CM38-029 2085138.11	2085138.11	CM38-029 2085138.11	2085138.11	2085138.11	2085138.11	2085138.11	CM38-029 2085138.11	2085138.11
Location	CM38-025	CM38-025	CM38-025	CM38-025	CM38-025	CM38-025	CM38-027	CM38-027	CM38-027	CM38-027	CM38-027	CM38-027	CM38-027	CM38-027	CM38-027	CM38-027	CM38-027	CM38-027	CM38-029	CM38-029	CM38-029	CM38-029	CM38-029	CM38-029	CM38-029	CM38-029	CM38-029

CM38-029 2085138.11 CM38-029 2085138.11 CM38-029 2085138.11 CM38-029 2085138.11 CM38-029 2085138.11 CM38-029 CM38-029 CM5138.11 CM38-029 CM5138.11 CM5138-029 CM5138.11 CM5138-029 CM5138.11 CM5138-029 CM5138.11 CM5138-029 CM5138.11 CM5138-029 CM5138.11 CM5138-029 CM5138-020 CM5138-020 CM5138-020 CM5138-020 CM5138-020 CM5138-020 C	Northing	Analyte	Start (feet)	End (feet)	Result	Detection Limit	Worker Action Level	Receptor Action Level	Background	Units
	749142.68	ZINC	0.5	1	105	6	307000		73.76	MG/KG
	749142.68	U-238	0.5	1	2.55	1.23	351	1600	2.00	PCI/G
2085138.11	749142.68	2-BUTANONE	0.5	1	23	110	192000000	433000	NA	UG/KG
	749142.68	ACETONE	0.5	1	100	110	102000000	211000	NA	UG/KG
CM38-036 2085325.34	749107.76	ARSENIC	0	0.5	10.4	5	22.2	21.6	10.09	MG/KG
CM38-036 2085325.34	749107.76	BARIUM	0	0.5	638	86	26400		141.26	MG/KG
CM38-036 2085325.34	749107.76	CHROMIUM	0	0.5	57.9	20	268		16.99	MG/KG
CM38-036 2085325.34	749107.76	COBALT	0	0.5	259	06	1550		10.91	MG/KG
CM38-036 2085325.34	749107.76	COPPER	0	0.5	82.1	4	40900		18.06	MG/KG
CM38-036 2085325.34	749107.76	IRON	0	0.5	28800	2190	307000	-	18037.00	MG/KG
CM38-036 2085325.34	749107.76	MANGANESE	0	0.5	1040	158	3480	***************************************	365.08	MG/KG
CM38-036 2085325.34	749107.76	NICKEL	0	0.5	58.5	12	20400	-	14.91	MG/KG
CM38-036 2085325.34 7	749107.76	STRONTIUM	0	0.5	290	20	613000	ļ	48.94	MG/KG
CM38-036 2085325.34 7	749107.76	VANADIUM	0	0.5	124	31	7150	292	45.59	MG/KG
CM38-036 2085325,34 7	749107.76	U-238	0	0.5	2.72	1.90	351	1600	2.00	PCI/G
CM38-038 2085262.77 7	749143.42	BARIUM	0.5		432	86	26400		141.26	MG/KG
CM38-038 2085262.77 7	749143.42	COPPER	0.5	1	116	4	40900		18.06	MG/KG
CM38-038 2085262.77	749143.42	NICKEL	0.5	_	47.6	12	20400	***************************************	14.91	MG/KG
	749143.42	STRONTIUM	0.5	1	247	20	613000		48.94	MG/KG
CM38-038 2085262.77 7	749143.42	U-235	0.5	1	0.24	0.16	8	1900	60.0	PCI/G
CM38-038 2085262.77 7	749143.42	U-238	0.5	1	5.09	2.20	351	1600	2.00	PCI/G
	749143.42	2-BUTANONE	0.5	_	20	120	192000000	433000	AN	UG/KG
2085262.77	749143.42	ACETONE	0.5	1	100	120	102000000	211000	NA AN	UG/KG
CM39-001 2085200.19 7	749179.07	ARSENIC	0.25	0.67	11.5	5	22.2	21.6	10.09	MG/KG
CM39-001 2085200.19 7	749179.07	BARIUM	0.25	0.67	755	86	26400		141.26	MG/KG
CM39-001 2085200.19 7	749179.07	CHROMIUM	0.25	0.67	56.5	20	268		16.99	MG/KG
CM39-001 2085200.19 7	749179.07	COPPER	0.25	0.67	137	4	40900		18.06	MG/KG

	rn.	77	ריז	rh	r'h	rh	Τ	Γ-	 	rh	r in	r>	rh	r in	r×.	p ba		rh	rh	· ·							
Units	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG	PCI/G	PCI/G	UG/KG	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG	PCI/G	PCI/G	UG/KG	UG/KG	UG/KG	MG/KG	MG/KG	MG/KG
Background	18037.00	365.08	14.91	48.94	45.59	73.76	0.09	2.00	NA	10.09	141.26	16.99	18.06	18037.00	365.08	14.91	48.94	45.59	73.76	0.09	2.00	NA	NA	NA	10.09	141.26	16.99
Ecological Receptor Action Level				1	292	n new real control of the control of	1900	1600	211000	21.6	***************************************	-				1	ļ	292		1900	1600	433000	211000		21.6	- Approximates	
Wildlife Refuge Worker Action Level	307000	3480	20400	613000	7150	307000	8	351	102000000	22.2	26400	268	40900	307000	3480	20400	613000	7150	307000	8	351	192000000	102000000	3090000	22.2	26400	268
Detection Limit	2190	158	12	20	31	6	0.11	1.64	110	5	86	20	4	2190	158	12	20	31	6	0.15	2.00	120	120	6.1	5	86	20
Result	44900	1030	52.4	453	132	105	0.14	3.34	09	12.3	746	43	127	41500	974	54.6	410	144	112	0.26	4.47	20	100	-	12	534	38.8
Depth End (feet)	0.67	0.67	0.67	0.67	0.67	0.67	0.67	0.67	0.67	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
Depth Start (feet)	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.	0	0
Analyte	IRON	MANGANESE	NICKEL	STRONTIUM	VANADIUM	ZINC	U-235	U-238	ACETONE	ARSENIC	BARIUM	CHROMIUM	COPPER	IRON	MANGANESE	NICKEL	STRONTIUM	VANADIUM	ZINC	U-235	U-238	2-BUTANONE	ACETONE	NAPHTHALENE	ARSENIC	BARIUM	CHROMIUM
Northing	749179.07	749179.07	749179.07	749179.07	749179.07	749179.07	749179.07	749179.07	749179.07	749214.67	749214.67	749214.67	749214.67	749214.67	749214.67	749214.67	749214.67	749214.67	749214.67	749214.67	749214.67	749214.67	749214.67	749214.67	749179.61	749179.61	749179.61
Easting	2085200.19	2085200.19	2085200.19	2085200.19	2085200.19	2085200.19	2085200.19	CM39-001 2085200.19	CM39-001 2085200.19	2085137.6	2085137.6	2085137.6	2085137.6	2085137.6	2085137.6	2085137.6	2085137.6	2085137.6	2085137.6	2085137.6	2085137.6	2085137.6	2085137.6	2085137.6	2085324.91	CM39-008 2085324.91	CM39-008 2085324.91
Location	CM39-001	CM39-001	CM39-001	CM39-001	CM39-001	CM39-001	CM39-001	CM39-001	CM39-001	CM39-003	CM39-003	CM39-003	CM39-003	CM39-003	CM39-003	CM39-003	CM39-003	CM39-003	CM39-003	CM39-003	CM39-003	CM39-003	CM39-003	CM39-003	CM39-008	CM39-008	CM39-008

7	Northing	Analyte	Depth Start (feet)	Depth End (feet)	Result	Detection Limit	Wildlife Refuge Worker Action Level	Ecological Receptor Action Level	Background	Units
749179.61		COBALT	0	0.5	96.3	90	1550		10.91	MG/KG
749179.61		COPPER	0	0.5	191	4	40900		18.06	MG/KG
749179.61		IRON	0	0.5	35400	2190	307000		18037.00	MG/KG
749179.61		MANGANESE	0	0.5	778	158	3480	-	365.08	MG/KG
749179.61	[NICKEL	0	0.5	36.4	12	20400	ļ	14.91	MG/KG
CM39-008 2085324.91 749179.61		STRONTIUM	0	0.5	283	20	613000	1	48.94	MG/KG
749179.61		VANADIUM	0	0.5	109	31	7150	292	45.59	MG/KG
749179.61		ZINC	0	0.5	98.1	6	307000		73.76	MG/KG
749179.61		U-235	0	0.5	0.13	0.12	8	1900	0.09	PCI/G
CM39-008 2085324.91 749179.61		U-238	0	0.5	2.04	1.91	351	1600	2.00	PCI/G
CM39-008 2085324.91 749179.61		2-BUTANONE	0	0.5	. 20	110	192000000	433000	NA	UG/KG
CM39-008 2085324.91 749179.61	T	ACETONE	0	0.5	70	110	102000000	211000	NA	UG/KG
CM39-008 2085324.91 749179.61		NAPHTHALENE	0	0.5	6.0	5.6	3090000		NA	UG/KG
CM39-010 2085262.42 749215.37	T	BARIUM	0.5	-	914	86	26400		141.26	MG/KG
CM39-010 2085262.42 749215.37		CHROMIUM	0.5	1	34	20	268		16.99	MG/KG
CM39-010 2085262.42 749215.37		COPPER	0.5	1	154	4	40900		18.06	MG/KG
CM39-010 2085262.42 749215.37		IRON	0.5	1	51000	2190	307000		18037.00	MG/KG
CM39-010 2085262.42 749215.37	\Box	MANGANESE	0.5	1	1580	158	3480		365.08	MG/KG
CM39-010 2085262.42 749215.37	T	NICKEL	0.5	-	63.1	12	20400		14.91	MG/KG
CM39-010 2085262.42 749215.37		STRONTIUM	0.5	1	604	20	613000		48.94	MG/KG
CM39-010 2085262.42 749215.37	T	VANADIUM	0.5	1	102	31	7150	292	45.59	MG/KG
CM39-010 2085262.42 749215.37		ZINC	0.5	-	123	6	307000		73.76	MG/KG
CM39-010 2085262.42 749215.37	T	AM-241 ¹	0.5		5.26	0.41	76	1900	0.02	PCI/G
	\Box	PU-239/240 ¹	0.5	-	8.61	N/A	50	3800	0.07	PCI/G
CM39-010 2085262.42 749215.37	J	U-238	0.5	1	4.31	1.93	351	1600	2.00	PCI/G
749215.37		ACETONE	0.5		20	110	102000000	211000	NA	UG/KG
CM39-012 2085169.56 749244.63		BARIUM	0	0.5	574	86	26400		141.26	MG/KG

Units	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG	PCI/G	UG/KG	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG	PCI/G	PCI/G	MG/KG	MG/KG	MG/KG	MG/KG
	MC	Ĭ	M	M	Ĭ	MC	MC	MC	P(MC	MC	MC	MC	MC	ĭ	M	M	M	M	P(P(M	ĭ	ĭ	Ĭ
Background	16.99	18.06	18037.00	54.62	14.91	48.94	45.59	73.76	2.00	NA	10.09	141.26	16.99	18.06	18037.00	14.91	1.22	48.94	45.59	73.76	60.0	2.00	141.26	16.99	10.91	18.06
Ecological Receptor Action Level				25.6	1		292		1600		21.6		and the second		-	1		1	292		1900	1600	***************************************			والمراجعة
Wildlife Refuge Worker Action Level	268	40900	307000	1000	20400	613000	7150	307000	351	1000000000	22.2	26400	268	40900	307000	20400	5110	613000	7150	307000	8	351	26400	268	1550	40900
Detection Limit	20	4	2190	7	12	20	31	6	1.57	11	5	98	20	4	2190	12		20	31	6	0.23	1.96	86	20	90	4
Result	21.4	268	19300	56.6	48.6	310	62.6	111	3.21	3	23.7	568	61.3	174	47300	81.8	1.33	130	166	137	0.39	4.39	813	75	198	216
Depth End (feet)	0.5	0.5	0.5	0.5	0.5	0.5	5.0	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	6.0	0.5	0.5	0.5	0.5
Depth Start (feet)	0	0	0	0	0	0	0	0	0	0	0	. 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Analyte	CHROMIUM	COPPER	IRON	LEAD	NICKEL	STRONTIUM	VANADIUM	ZINC	U-238	XYLENES (TOTAL)	ARSENIC	BARIUM	CHROMIUM	COPPER	IRON	NICKEL	SELENIUM	STRONTIUM	VANADIUM	ZINC	U-235	U-238	BARIUM	CHROMIUM	COBALT	COPPER
Northing	749244.63	749244.63	749244.63	749244.63	749244.63	749244.63	749244.63	749244.63	749244.63	749244.63	749246.81	749246.81	749246.81	749246.81	749246.81	749246.81	749246.81	749246.81	749246.81	749246.81	749246.81	749246.81	748856.15	748856.15	748856.15	748856.15
Easting	2085169.56	CM39-012 2085169.56 749244.63	2085169.56	CM39-012 2085169.56	2085169.56	CM39-012 2085169.56 749244.63	CM39-012 2085169.56	2085169.56	CM39-012 2085169.56	2085169.56	CM39-013 2085296.64	2085296.64	2085296.64	2085296.64	2085296.64	CM39-013 2085296.64	2085296.64	CM39-013 2085296.64	2085296.64	CM39-013 2085296.64	CM39-013 2085296.64	2085296.64	CN37-003 2085389.13	2085389.13	CN37-003 2085389.13	CN37-003 2085389.13
Location	CM39-012	CM39-012	CM39-012	CM39-012	CM39-012	CM39-012	CM39-012	CM39-012	CM39-012	CM39-012	CM39-013	CM39-013	CM39-013	CM39-013	CM39-013	CM39-013	CM39-013	CM39-013	CM39-013	CM39-013	CM39-013	CM39-013	CN37-003	CN37-003	CN37-003	CN37-003

Location	Easting	Northing	Analyte	Depth Start (feet)	Depth End (feet)	Result	Detection Limit	Wildlife Refuge Worker Action Level	Ecological Receptor Action Level	Background	Units
CN37-003 2	2085389.13	748856.15	IRON	0	0.5	59900	2190	307000		18037.00	MG/KG
CN37-003 2	2085389.13	748856.15	MANGANESE	0	0.5	1930	158	3480		365.08	MG/KG
CN37-003 2	2085389.13	748856.15	NICKEL	0	0.5	91.6	12	20400		14.91	MG/KG
CN37-003 2	2085389.13	748856.15	STRONTIUM	0	0.5	712	20	613000		48.94	MG/KG
CN37-003 2	2085389.13	748856.15	VANADIUM	0	0.5	118	31	7150	292	45.59	MG/KG
CN37-003 2	2085389.13	748856.15	ZINC	0	0.5	129	9	307000	-	73.76	MG/KG
CN37-003 2085389.13	085389.13	748856.15	U-235	0	0.5	0.24	0.15	8	1900	60.0	PCI/G
CN37-003 2	2085389.13	748856.15	U-238	0	0.5	3.16	1.61	351	1600	2.00	PCI/G
CN37-009 2	2085388.72	748928.11	BARIUM	0	0.5	868	86	26400		141.26	MG/KG
CN37-009 2	2085388.72	748928.11	CHROMIUM	0	0.5	81.3	20	268	***************************************	16.99	MG/KG
CN37-009 2085388.72	085388.72	748928.11	COBALT	0	0.5	232	90	1550		10.91	MG/KG
CN37-009 2	2085388.72	748928.11	COPPER	0	0.5	214	4	40900	******************	18.06	MG/KG
CN37-009 2	2085388.72	748928.11	IRON	0	0.5	54200	2190	307000	***************************************	18037.00	MG/KG
CN37-009 2085388.72	.085388.72	748928.11	MANGANESE	0	0.5	1750	158	3480		365.08	MG/KG
CN37-009 2	2085388.72	748928.11	NICKEL	0	0.5	81.1	12	20400		14.91	MG/KG
CN37-009 2	2085388.72	748928.11	STRONTIUM	0	0.5	681	20	613000		48.94	MG/KG
CN37-009 2	2085388.72	748928.11	VANADIUM	0	0.5	104	31	7150	292	45.59	MG/KG
CN37-009 2085388.72	.085388.72	748928.11	ZINC	0	0.5	127	6	307000		73.76	MG/KG
CN37-009 2085388.72	085388.72	748928.11	U-235	0	0.5	0.28	0.18	8	1900	60'0	PCI/G
CN37-009 2	2085388.72	748928.11	U-238	0	0.5	3.13	2.31	351	1600	2.00	PCI/G
CN37-012 2	2085427.69	748917.12	ARSENIC	0	0.5	13.8	5	22.2	21.6	10.09	MG/KG
CN37-012 2	2085427.69	748917.12	BARIUM	0	0.5	604	86	26400	1	141.26	MG/KG
CN37-012 2085427.69	085427.69	748917.12	CHROMIUM	0	0.5	34.3	20	268		16.99	MG/KG
CN37-012 2	2085427.69	748917.12	COPPER	0	0.5	9.99	4	40900		18.06	MG/KG
CN37-012 2	2085427.69	748917.12	IRON	0	0.5	30100	2190	307000		18037.00	MG/KG
CN37-012 2085427.69	085427.69	748917.12	MANGANESE	0	0.5	623	158	3480		365.08	MG/KG

Units	MG/KG	MG/KG	MG/KG	MG/KG	PCI/G	PCI/G	UG/KG	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG	PCI/G	PCI/G	UG/KG	UG/KG	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG
	MG	MG	MG	MG	PC	PC	UG	MG	MG	MG	MG	MG	MG	MG	MG	MG	MG	PC	PC	90	UG	MG	MG	MG	MG	MG	MG
Background	14.91	48.94	45.59	73.76	60'0	2.00	NA	10.09	141.26	16.99	18.06	18037.00	365.08	14.91	48.94	45.59	73.76	60.0	2.00	NA	NA	10.09	141.26	16.99	10.91	18.06	18037.00
Ecological Receptor Action Level			292		1900	1600	-	21.6	ļ		***************************************					292	_	1900	1600	-		21.6	j	1			
Wildlife Refuge Worker Action Level	20400	613000	7150	307000	8	351	3090000	22.2	26400	268	40900	307000	3480	20400	613000	7150	307000	8	351	4250000	10000000000	22.2	26400	268	1550	40900	307000
Detection Limit	12	20	31	6	0.15	1.74	5.8	5	86	20	4	2190	158	12	20	31	6	0.11	1.87	5.9	12	5	86	20	06	4	2190
Result	27.2	284	63.7	108	0.21	3.91	2	15.2	737	28.2	90.2	31500	570	43.7	246	102	152	0.14	2.55	11	92	11.4	739	95.7	206	160	46800
Depth End (feet)	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
Depth Start (feet)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Analyte	NICKEL	STRONTIUM	VANADIUM	ZINC	U-235	U-238	NAPHTHALENE	ARSENIC	BARIUM	CHROMIUM	COPPER	IRON	MANGANESE	NICKEL	STRONTIUM	VANADIUM	ZINC	U-235	U-238	ETHYLBENZENE	XYLENES (TOTAL)	ARSENIC	BARIUM	CHROMIUM	COBALT	COPPER	IRON
Northing	748917.12	748917.12	748917.12	748917.12	748917.12	748917.12	748917.12	748811.76	748811.76	748811.76	748811.76	748811.76	748811.76	748811.76	748811.76	748811.76	748811.76	748811.76	748811.76	748811.76	748811.76	749000.11	749000.11	749000.11	749000.11	749000.11	749000.11
Easting	2085427.69	CN37-012 2085427.69	CN37-012 2085427.69	2085427.69	2085427.69	2085427.69	CN37-012 2085427.69	2085404.41	CN37-013 2085404.41	2085404.41	2085404.41	2085404.41	2085404.41	2085404.41	CN37-013 2085404.41	2085404.41	CN37-013 2085404.41	CN37-013 2085404.41	2085404.41	2085404.41	2085404.41	2085388.31	CN38-003 2085388.31	2085388.31	CN38-003 2085388.31	CN38-003 2085388.31	2085388.31
Location	CN37-012	CN37-012	CN37-012	CN37-012	CN37-012	CN37-012	CN37-012	CN37-013	CN37-013	CN37-013	CN37-013	CN37-013	CN37-013	CN37-013	CN37-013	CN37-013	CN37-013	CN37-013	CN37-013	CN37-013	CN37-013	CN38-003	CN38-003	CN38-003	CN38-003	CN38-003	CN38-003

Units	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG	PCI/G	PCI/G	PCI/G	PCI/G	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG	UG/KG	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG
	M	MC	M	MC	MC	P	P(PC	P(MC	MC	MC	MC	MC	MC	MC	MC	MC	M	MC	CC	MC	M	M	MC	MC	M
Background	365.08	14.91	48.94	45.59	73.76	0.02	0.07	0.09	2.00	10.09	141.26	16.99	10.91	18.06	18037.00	365.08	14.91	48.94	45.59	73.76	NA	10.09	141.26	16.99	18.06	18037.00	365.08
Ecological Receptor Action Level		-	-	292	•	1900	3800	1900	1600	21.6				***	-	-]		292			21.6				a) a service	
Wildlife Refuge Worker Action Level	3480	20400	613000	7150	307000	76	50	8	351	22.2	26400	268	1550	40900	307000	3480	20400	613000	7150	307000	10000000000	22.2	26400	268	40900	307000	3480
Detection Limit	158	12	20	31	6	0.47	N/A	0.12	1.62	5	86	20	90	4	2190	158	12	20	31	6	11	5	86	20	4	2190	158
Result	1260	85.7	512	26	111	5.13	7.73	0.19	4.05	12.3	703	69.5	105	125	36500	810	44.3	322	9.66	97.6	7	17	639	56.8	173	33100	607
Depth End (feet)	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
Depth Start (feet)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Analyte	MANGANESE	NICKEL	STRONTIUM	VANADIUM	ZINC	AM-241 ¹	PU-239/240 ¹	U-235	U-238	ARSENIC	BARIUM	CHROMIUM	COBALT	COPPER	IRON	MANGANESE	NICKEL	STRONTIUM	VANADIUM	ZINC	XYLENES (TOTAL)	ARSENIC	BARIUM	CHROMIUM	COPPER	IRON	MANGANESE
Northing	749000.11	749000.11	749000.11	749000.11	749000.11	749000.11	749000.11	749000.11	749000.11	749072.3	749072.3	749072.3	749072.3	749072.3	749072.3	749072.3	749072.3	749072.3	749072.3	749072.3	749072.3	749144.08	749144.08	749144.08	749144.08	749144.08	749144.08
Easting	2085388.31	2085388.31	2085388.31	2085388.31	2085388.31	2085388.31	2085388.31	2085388.31	2085388.31	2085382.79	2085382.79	2085382.79	2085382.79	2085382.79	2085382.79	2085382.79	2085382.79	2085382.79	2085382.79	2085382.79	2085382.79	2085387.48	2085387.48	2085387.48	2085387.48	2085387.48	2085387.48
Location	CN38-003	CN38-003	CN38-003	CN38-003	CN38-003	CN38-003	CN38-003	CN38-003	CN38-003	CN38-009	CN38-009	CN38-009	CN38-009 2085382.79	CN38-009	CN38-009	CN38-009	CN38-009	CN38-009 2085382.79	CN38-009 2085382.79	CN38-009	CN38-009 2085382.79	CN38-015	CN38-015	CN38-015	CN38-015	CN38-015	CN38-015 2085387.48

Units	MG/KG	MG/KG	MG/KG	MG/KG	PCI/G	PCI/G	PCI/G	PCI/G	UG/KG	UG/KG	UG/KG	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG.	MG/KG	MG/KG	MG/KG	MG/KG	PCI/G	PCI/G	MG/KG	MG/KG	MG/KG	MG/KG
Background	14.91	48.94	45.59	73.76	0.02	70.0	60.0	2.00	NA	NA	NA	10.09	141.26	16.99	18.06	18037.00	365.08	14.91	48.94	45.59	73.76	0.09	2.00	10.09	141.26	16.99	18.06
Ecological Receptor Action Level		-	292		1900	3800	1900	1600	433000	211000		21.6		1	1	1		-		292		1900	1600	21.6	***************************************		
Wildlife Refuge Worker Action Level	20400	613000	7150	307000	92	50	8	351	192000000	102000000	205000	22.2	26400	268	40900	307000	3480	20400	613000	7150	307000	8	351	22.2	26400	268	40900
Defection Limit	12	20	31	6	0.59	N/A	0.13	2.23	110	110	5.4	5	98	20	4	2190	158	12	20	31	6	0.14	2.07	5	86	20	4
Result	39.1	232	120	118	6.26	15.09	0.19	3.33	50	160	3	15.1	692	25.6	110	22800	448	32.3	320	57.2	114	0.24	4.52	13.9	605	32.6	153
Depth End (feet)	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
Depth Start (feet)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Analyte	NICKEL	STRONTIUM	VANADIUM	ZINC	AM-241 ¹	PU-239/240 ¹	U-235	U-238	2-BUTANONE	ACETONE	BENZENE	ARSENIC	BARIUM	CHROMIUM	COPPER	IRON	MANGANESE	NICKEL	STRONTIUM	VANADIUM	ZINC	U-235	U-238	ARSENIC	BARIUM	CHROMIUM	COPPER
Northing	749144.08	749144.08	749144.08	749144.08	749144.08	749144.08	749144.08	749144.08	749144.08	749144.08	749144.08	749116.01	749116.01	749116.01	749116.01	749116.01	749116.01	749116.01	749116.01	749116.01	749116.01	749116.01	749116.01	749021.97	749021.97	749021.97	749021.97
Easting	2085387.48	2085387.48	2085387.48	2085387.48	2085387.48	CN38-015 2085387.48	2085387.48	2085387.48	2085387.48	2085387.48	2085387.48	2085430.53	CN38-016 2085430.53	CN38-016 2085430.53	CN38-016 2085430.53	2085428.68	2085428.68	2085428.68	2085428.68								
Location	CN38-015	CN38-015	CN38-015	CN38-015	CN38-015	CN38-015	CN38-015	CN38-015	CN38-015	CN38-015	CN38-015	CN38-016	CN38-016	CN38-016	CN38-016	CN38-016	CN38-016	CN38-016	CN38-016	CN38-016	CN38-016	CN38-016	CN38-016	CN38-017	CN38-017	CN38-017	CN38-017

Result 31200
-
\dashv
_
_
37600
ı
- 1
ŀ
- 1
- 1
- 1
Į
- 1
- 1
33200

Units	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG	PCI/G	PCI/G
Background	365.08	14.91	48.94	45.59		60.0	2.00
Ecological Receptor Action Level	-			292	1	1900	1600
Wildlife Refuge Ecological Worker Receptor Action Level Action Level	3480	20400	613000	7150	307000	8	351
Detection Limit	158	12	20	31	6	0.14	1.84
Start End Result (feet)	576	46.7	261	116	148	0.18	3.72
Depth End (feet)	0.5	0.5	0.5	0.5	0.5	0.5	0.5
Depth Depth Start End (feet) (feet)	0	0	0	0	0	0	0
Analyte	MANGANESE	NICKEL	STRONTIUM	VANADIUM	ZINC	U-235	U-238
Northing	749242.37	749242.37	749242.37	749242.37	749242.37	749242.37	749242.37
Location Easting Northing	CN39-006 2085436.05 749242.37						
Location	CN39-006						

 1 Pu 239040 and Am 24 results inferred from HPGe Am 24 N/A - Not applicable. Bold lettering denotes Ecological Receptor Action Level Exceedance.

IHSS Group 900-3 Summary of Analytical Results Table 3

Media	Analyte	Number	Detection	Mean	Minimum	Maximum	Wildlife Refuge Worker	Ecological Receptor	Background	Unit
	NAME.	Samples	rrequency				Action Level	Action Level)	
Surface Soil	ANTIMONY	43	21%	5.42	3.50	24.80	409		N/A	MG/KG
Surface Soil	ARSENIC	43	91%	11.43	2.50	23.70	22.2	21.6	10.09	MG/KG
Surface Soil	BARIUM	43	100%	694.02	355.00	922.00	26400		141.26	MG/KG
Surface Soil	CADMIUM	43	5%	1.60	1.50	4.09	362		1.61	MG/KG
Surface Soil	CHROMIUM	43	95%	46.87	10.00	116.00	268		16.99	MG/KG
Surface Soil	COBALT	43	23%	83.17	45.00	306.00	1550		10.91	MG/KG
Surface Soil	COPPER	43	100%	145.36	42.90	268.00	40900		18.06	MG/KG
Surface Soil	CYANIDE, TOTAL	43	70%	0.20	0.14	0.35	20400		N/A	MG/KG
Surface Soil	RON	43	100%	39058.14	12900.00	59900.00	307000	**********	18037.00	MG/KG
Surface Soil	LEAD	43	100%	29.89	11.30	56.60	1000	25.6	54.62	MG/KG
Surface Soil	MANGANESE	43	100%	917.70	186.00	1930.00	3480	***************************************	365.08	MG/KG
Surface Soil	MOLYBDENUM	43	%0	25.00	25.00	25.00	5110		N/A	MG/KG
Surface Soil	NICKEL	43	100%	59.95	27.20	99.00	20400		14.91	MG/KG
Surface Soil	NITRATE AS N	43	93%	3.85	2.20	28.00	1000000		N/A	MG/KG
Surface Soil	SELENIUM	43	7%	0.55	0.50	1.33	5110	describerates	1.22	MG/KG
Surface Soil	SILVER	43	%0	2.50	2.50	2.50	5110		N/A	MG/KG
Surface Soil	STRONTIUM	43	100%	384.40	130.00	718.00	613000		48.94	MG/KG
Surface Soil	TIN	43	19%	2.54	2.00	6.61	613000		N/A	MG/KG
Surface Soil	VANADIUM	43	100%	102.94	36.00	166.00	7150	292	45.59	MG/KG
Surface Soil	ZINC	43	100%	117.70	46.10	. 236.00	307000		73.76	MG/KG
Surface Soil	AM-2411	43	%6	2.83	2.30	6.26	76	1900	0.02	PCI/G
Surface Soil	PU-239/240 ¹	43	%6	4.44	2.16	15.09	50	3800	0.07	PCI/G
Surface Soil	U-235	43	72%	0.18	0.00	0.39	8	1900	0.09	PCI/G
Surface Soil	U-238	43	100%	3.45	1.65	6.50	351	1600	2.00	PCI/G
Surface Soil	1,1,1-TRICHLOROETHANE	43	0%	0.57	0.53	0.64	79700000		N/A	UG/KG

Curfoce Coil	Name	Samples	Detection Frequency	Меап	Minimum	Maximum	Wildlife Refuge Worker Action Level	Ecological Receptor Action Level	Background	Unit
_1	1,1,2,2-TETRACHLOROETHANE	43	%0	0.51	0.47	0.56	100000		N/A	UG/KG
Surface Soil	1,1,2-TRICHLOROETHANE	43	0%	0.49	0.45	0.54	236000		N/A	UG/KG
Surface Soil	1,1-DICHLOROETHANE	43	0%	0.52	0.48	0.57	22500000	1	N/A.	UG/KG
Surface Soil	1,1-DICHLOROETHENE	43	%0	0.78	0.72	98.0	17000	1	N/A	UG/KG
Surface Soil	1,2,4-TRICHLOROBENZENE	43	%0	0.51	0.47	0.56	9230000		N/A	UG/KG
Surface Soil	1,2-DICHLOROETHANE	43	%0	0.52	0.48	0.58	106000		N/A	UG/KG
Surface Soil	1,2-DICHLOROPROPANE	43	0%	0.45	0.41	0.50	345000		N/A	UG/KG
Surface Soil	2-BUTANONE	43	14%	8.01	4.82	50.00	192000000	433000	N/A	UG/KG
Surface Soil	4-METHYL-2-PENTANONE	43	0%	3.54	3.26	3.91	16400000)	N/A	UG/KG
Surface Soil	ACETONE	43	44%	28.02	4.84	160.00	102000000	211000	N/A	UG/KG
Surface Soil	BENZENE	43	2%	0.49	0.39	3.00	205000	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	N/A	UG/KG
Surface Soil	BROMODICHLOROMETHANE	43	%0	0.36	0.33	0.40	617000		N/A	UG/KG
Surface Soil	BROMOFORM	43	%0	0.58	0.54	0.65	3730000		N/A	UG/KG
Surface Soil	BROMOMETHANE	43	0%	0.83	0.77	0.93	193000	1	N/A	UG/KG
Surface Soil	CARBON DISULFIDE	43	0%	1.44	1.33	1.60	15100000		N/A	UG/KG
Surface Soil	CARBON TETRACHLORIDE	43	%0	0.61	0.57	89.0	81500	618000	N/A	UG/KG
Surface Soil	CHLOROBENZENE	43	0%	0.52	0.48	0.57	0000609		N/A	UG/KG
Surface Soil	CHLOROETHANE	43	%0	2.03	1.88	2.25	13200000		N/A	UG/KG
Surface Soil	CHLOROFORM	43	%0	0.47	0.43	0.52	19200	101000	N/A	UG/KG
Surface Soil	CHLOROMETHANE	43	0%	0.73	89.0	0.81	371000		N/A	UG/KG
Surface Soil	CIS-1,3-DICHLOROPROPENE	43	0%	0.46	0.42	0.51	250000		N/A	UG/KG
Surface Soil	DIBROMOCHLOROMETHANE	43	%0	0.38	0.35	0.42	329000	1	N/A	UG/KG
Surface Soil	ETHYLBENZENE	43	7%	1.47	0.51	21.00	4250000		N/A	UG/KG
Surface Soil	HEXACHLOROBUTADIENE	43	0%	0.65	09.0	0.72	147000		N/A	UG/KG
Surface Soil	METHYLENE CHLORIDE	43	0%	0.58	0.54	99.0	2530000	39500	N/A	UG/KG
Surface Soil	NAPHTHALENE	43	16%	0.56	0.40	2.00	3090000		N/A	UG/KG

Media	Analyte Name	Number Samples	Number Detection Samples Frequency	Mean	Minimum	Maximum	Wildlife Refuge Worker Action Level	Ecological Receptor Action Level	Background	Unit
urface Soil	O-DICHLOROBENZENE	43	%0	0.38	0.35	0.42	31200000	-	N/A	UG/KG
urface Soil	P-DICHLOROBENZENE	43	%0	0.58	0.54	0.64	840000		N/A	UG/KG
urface Soil	STYRENE	43	960	0.55	0.51	0.61	123000000	1	N/A	UG/KG
urface Soil	TETRACHLOROETHENE	43	0%	99:0	0.61	0.73	615000	229000	N/A	UG/KG
urface Soil	TOLUENE	43	.0%	89.0	0.63	92.0	31300000	329000	N/A	UG/KG
urface Soil	urface Soil TRANS-1,3-DICHLOROPROPENE	43	%0	0.49	0.45	0.54	250000		N/A	UG/KG
urface Soil	TRICHLOROETHENE	43	%0	0.35	0.32	0.38	19600	509000	N/A	UG/KG
urface Soil	VINYL CHLORIDE	43	%0	1.53	1.41	1.70	41200	431	N/A	UG/KG
urface Soil	XYLENES (TOTAL)	43	19%	9.46	1.26	170.00	10000000000		N/A	UG/KG

| Surface Soil | XYLENES (TOTAL) | 43 | 1 | 1 | Pu²⁰⁷²⁰⁰ and Am²⁴¹ results inferred from HPGe Am²⁴¹ | N/A – Not applicable | Bold lettering denotes Ecological Receptor Action Level Exceedance.

Table 4
Radionuclide Sum of Ratio Calculations

Nedia	Radionaci	ue Sum v	1 Nauv	Cuicuiu	MOHS
Surface Soil CM37-014 0.5 1 0.00 Surface Soil CM37-016 0.3 0.8 0.00 Surface Soil CM37-027 0.5 1 0.03 Surface Soil CM38-001 0.3 0.8 0.04 Surface Soil CM38-003 0.25 0.67 0.00 Surface Soil CM38-013 0.3 0.8 0.01 Surface Soil CM38-015 0.33 0.75 0.04 Surface Soil CM38-025 0.5 1 0.05 Surface Soil CM38-027 0.3 0.8 0.03 Surface Soil CM38-029 0.5 1 0.01 Surface Soil CM38-038 0.5 1 0.04 Surface Soil CM39-001 0.25 0.67 0.03 Surface Soil CM39-010 0.5 1 0.02 Surface Soil CL37-000 0 0.5 0.04 Surface Soil CL37-001 0 0.5	Media		Start	End	CONTRACTOR CONTRACTOR CONTRACTOR
Surface Soil CM37-016 0.3 0.8 0.00 Surface Soil CM37-027 0.5 1 0.03 Surface Soil CM38-001 0.3 0.8 0.04 Surface Soil CM38-003 0.25 0.67 0.00 Surface Soil CM38-011 0.5 1 0.02 Surface Soil CM38-015 0.33 0.75 0.04 Surface Soil CM38-025 0.5 1 0.05 Surface Soil CM38-027 0.3 0.8 0.03 Surface Soil CM38-029 0.5 1 0.01 Surface Soil CM38-038 0.5 1 0.01 Surface Soil CM39-001 0.25 0.67 0.03 Surface Soil CM39-010 0.5 1 0.02 Surface Soil CN39-005 0.5 1 0.05 Surface Soil CL37-001 0 0.5 0.03 Surface Soil CL37-001 0 0.5	Surface Soil	CM37-003	0.3	0.8	0.05
Surface Soil CM37-027 0.5 1 0.03 Surface Soil CM38-001 0.3 0.8 0.04 Surface Soil CM38-003 0.25 0.67 0.00 Surface Soil CM38-011 0.5 1 0.02 Surface Soil CM38-015 0.33 0.75 0.04 Surface Soil CM38-025 0.5 1 0.05 Surface Soil CM38-027 0.3 0.8 0.03 Surface Soil CM38-029 0.5 1 0.01 Surface Soil CM38-038 0.5 1 0.01 Surface Soil CM39-001 0.25 0.67 0.03 Surface Soil CM39-010 0.5 1 0.02 Surface Soil CN39-005 0.5 1 0.02 Surface Soil CN39-000 0 0.5 0.03 Surface Soil CL37-001 0 0.5 0.03 Surface Soil CL37-001 0 0.5	Surface Soil	CM37-014	0.5	1	0.00
Surface Soil CM38-001 0.3 0.8 0.04 Surface Soil CM38-003 0.25 0.67 0.00 Surface Soil CM38-011 0.5 1 0.02 Surface Soil CM38-013 0.3 0.8 0.01 Surface Soil CM38-015 0.33 0.75 0.04 Surface Soil CM38-025 0.5 1 0.05 Surface Soil CM38-027 0.3 0.8 0.03 Surface Soil CM38-029 0.5 1 0.01 Surface Soil CM38-038 0.5 1 0.04 Surface Soil CM39-001 0.25 0.67 0.03 Surface Soil CM39-010 0.5 1 0.02 Surface Soil CN39-005 0.5 1 0.05 Surface Soil CL37-000 0 0.5 0.03 Surface Soil CL37-001 0 0.5 0.03 Surface Soil CM37-005 0 0.5	Surface Soil	CM37-016	0.3	0.8	0.00
Surface Soil CM38-003 0.25 0.67 0.00 Surface Soil CM38-011 0.5 1 0.02 Surface Soil CM38-013 0.3 0.8 0.01 Surface Soil CM38-025 0.5 1 0.05 Surface Soil CM38-027 0.3 0.8 0.03 Surface Soil CM38-029 0.5 1 0.01 Surface Soil CM38-029 0.5 1 0.01 Surface Soil CM38-038 0.5 1 0.04 Surface Soil CM39-001 0.25 0.67 0.03 Surface Soil CM39-010 0.5 1 0.02 Surface Soil CN39-005 0.5 1 0.02 Surface Soil CL37-000 0 0.5 0.04 Surface Soil CL37-001 0 0.5 0.03 Surface Soil CL38-000 0 0.5 0.03 Surface Soil CM37-005 0 0.5 <	Surface Soil	CM37-027	0.5	1	0.03
Surface Soil CM38-011 0.5 1 0.02 Surface Soil CM38-013 0.3 0.8 0.01 Surface Soil CM38-015 0.33 0.75 0.04 Surface Soil CM38-025 0.5 1 0.05 Surface Soil CM38-027 0.3 0.8 0.03 Surface Soil CM38-029 0.5 1 0.01 Surface Soil CM38-038 0.5 1 0.04 Surface Soil CM39-001 0.25 0.67 0.03 Surface Soil CM39-010 0.5 1 0.02 Surface Soil CM39-005 0.5 1 0.02 Surface Soil CL37-000 0 0.5 0.04 Surface Soil CL37-001 0 0.5 0.03 Surface Soil CL37-001 0 0.5 0.03 Surface Soil CM37-005 0 0.5 0.03 Surface Soil CM37-012 0 0.5 <	Surface Soil	CM38-001	0.3	0.8	0.04
Surface Soil CM38-013 0.3 0.8 0.01 Surface Soil CM38-015 0.33 0.75 0.04 Surface Soil CM38-025 0.5 1 0.05 Surface Soil CM38-029 0.5 1 0.01 Surface Soil CM38-038 0.5 1 0.04 Surface Soil CM39-001 0.25 0.67 0.03 Surface Soil CM39-010 0.5 1 0.02 Surface Soil CN39-005 0.5 1 0.05 Surface Soil CL37-000 0 0.5 0.04 Surface Soil CL37-001 0 0.5 0.03 Surface Soil CL38-000 0 0.5 0.03 Surface Soil CM37-005 0 0.5 0.05 Surface Soil CM37-012 0 0.5 0.05 Surface Soil CM37-018 0 0.5 0.01 Surface Soil CM37-032 0 0.5 <td< td=""><td>Surface Soil</td><td>CM38-003</td><td>0.25</td><td>0.67</td><td>0.00</td></td<>	Surface Soil	CM38-003	0.25	0.67	0.00
Surface Soil CM38-015 0.33 0.75 0.04 Surface Soil CM38-025 0.5 1 0.05 Surface Soil CM38-027 0.3 0.8 0.03 Surface Soil CM38-029 0.5 1 0.01 Surface Soil CM38-038 0.5 1 0.04 Surface Soil CM39-001 0.25 0.67 0.03 Surface Soil CM39-010 0.5 1 0.02 Surface Soil CN39-005 0.5 1 0.05 Surface Soil CL37-000 0 0.5 0.04 Surface Soil CL37-001 0 0.5 0.03 Surface Soil CL38-000 0 0.5 0.03 Surface Soil CM37-005 0 0.5 0.05 Surface Soil CM37-012 0 0.5 0.05 Surface Soil CM37-018 0 0.5 0.01 Surface Soil CM37-031 0 0.5 <td< td=""><td>Surface Soil</td><td>CM38-011</td><td>0.5</td><td>1</td><td>0.02</td></td<>	Surface Soil	CM38-011	0.5	1	0.02
Surface Soil CM38-025 0.5 1 0.05 Surface Soil CM38-027 0.3 0.8 0.03 Surface Soil CM38-029 0.5 1 0.01 Surface Soil CM38-038 0.5 1 0.04 Surface Soil CM39-001 0.25 0.67 0.03 Surface Soil CM39-010 0.5 1 0.02 Surface Soil CN39-005 0.5 1 0.05 Surface Soil CL37-000 0 0.5 0.04 Surface Soil CL37-001 0 0.5 0.03 Surface Soil CL38-000 0 0.5 0.03 Surface Soil CM37-005 0 0.5 0.05 Surface Soil CM37-012 0 0.5 0.05 Surface Soil CM37-018 0 0.5 0.01 Surface Soil CM37-031 0 0.5 0.01 Surface Soil CM37-032 0 0.5 0.0	Surface Soil	CM38-013	0.3	0.8	0.01
Surface Soil CM38-027 0.3 0.8 0.03 Surface Soil CM38-029 0.5 1 0.01 Surface Soil CM38-038 0.5 1 0.04 Surface Soil CM39-001 0.25 0.67 0.03 Surface Soil CM39-010 0.5 1 0.02 Surface Soil CN39-005 0.5 1 0.05 Surface Soil CL37-000 0 0.5 0.04 Surface Soil CL37-001 0 0.5 0.03 Surface Soil CL38-000 0 0.5 0.03 Surface Soil CM37-005 0 0.5 0.05 Surface Soil CM37-012 0 0.5 0.05 Surface Soil CM37-018 0 0.5 0.01 Surface Soil CM37-025 0 0.5 0.01 Surface Soil CM37-031 0 0.5 0.04 Surface Soil CM38-036 0 0.5 0.0	Surface Soil	CM38-015	0.33	0.75	0.04
Surface Soil CM38-029 0.5 1 0.01 Surface Soil CM38-038 0.5 1 0.04 Surface Soil CM39-001 0.25 0.67 0.03 Surface Soil CM39-010 0.5 1 0.02 Surface Soil CN39-005 0.5 1 0.05 Surface Soil CL37-000 0 0.5 0.04 Surface Soil CL37-001 0 0.5 0.03 Surface Soil CL38-000 0 0.5 0.03 Surface Soil CM37-005 0 0.5 0.05 Surface Soil CM37-012 0 0.5 0.05 Surface Soil CM37-012 0 0.5 0.05 Surface Soil CM37-018 0 0.5 0.01 Surface Soil CM37-025 0 0.5 0.01 Surface Soil CM37-031 0 0.5 0.05 Surface Soil CM38-039 0 0.5 0.05<	Surface Soil	CM38-025	0.5	1	0.05
Surface Soil CM38-038 0.5 1 0.04 Surface Soil CM39-001 0.25 0.67 0.03 Surface Soil CM39-010 0.5 1 0.02 Surface Soil CN39-005 0.5 1 0.05 Surface Soil CL37-000 0 0.5 0.04 Surface Soil CL37-001 0 0.5 0.03 Surface Soil CL38-000 0 0.5 0.03 Surface Soil CM37-005 0 0.5 0.05 Surface Soil CM37-012 0 0.5 0.05 Surface Soil CM37-018 0 0.5 0.01 Surface Soil CM37-025 0 0.5 0.01 Surface Soil CM37-031 0 0.5 0.04 Surface Soil CM38-032 0 0.5 0.05 Surface Soil CM38-036 0 0.5 0.04 Surface Soil CM39-013 0 0.5 0.01<	Surface Soil	CM38-027	0.3	0.8	0.03
Surface Soil CM39-001 0.25 0.67 0.03 Surface Soil CM39-010 0.5 1 0.02 Surface Soil CN39-005 0.5 1 0.05 Surface Soil CL37-000 0 0.5 0.04 Surface Soil CL37-001 0 0.5 0.03 Surface Soil CL38-000 0 0.5 0.03 Surface Soil CM37-005 0 0.5 0.05 Surface Soil CM37-012 0 0.5 0.04 Surface Soil CM37-018 0 0.5 0.03 Surface Soil CM37-018 0 0.5 0.01 Surface Soil CM37-025 0 0.5 0.01 Surface Soil CM37-031 0 0.5 0.01 Surface Soil CM38-002 0 0.5 0.05 Surface Soil CM38-023 0 0.5 0.04 Surface Soil CM39-003 0 0.5 0.04<	Surface Soil	CM38-029	0.5	1	0.01
Surface Soil CM39-010 0.5 1 0.02 Surface Soil CN39-005 0.5 1 0.05 Surface Soil CL37-000 0 0.5 0.04 Surface Soil CL37-001 0 0.5 0.03 Surface Soil CL38-000 0 0.5 0.03 Surface Soil CM37-005 0 0.5 0.05 Surface Soil CM37-012 0 0.5 0.05 Surface Soil CM37-018 0 0.5 0.05 Surface Soil CM37-018 0 0.5 0.01 Surface Soil CM37-025 0 0.5 0.01 Surface Soil CM37-031 0 0.5 0.01 Surface Soil CM37-032 0 0.5 0.04 Surface Soil CM38-009 0 0.5 0.04 Surface Soil CM38-023 0 0.5 0.04 Surface Soil CM39-003 0 0.5 0.04	Surface Soil	CM38-038	0.5	1	0.04
Surface Soil CN39-005 0.5 1 0.05 Surface Soil CL37-000 0 0.5 0.04 Surface Soil CL37-001 0 0.5 0.03 Surface Soil CL38-000 0 0.5 0.03 Surface Soil CM37-005 0 0.5 0.05 Surface Soil CM37-012 0 0.5 0.04 Surface Soil CM37-018 0 0.5 0.03 Surface Soil CM37-018 0 0.5 0.01 Surface Soil CM37-025 0 0.5 0.01 Surface Soil CM37-031 0 0.5 0.01 Surface Soil CM37-032 0 0.5 0.04 Surface Soil CM38-009 0 0.5 0.04 Surface Soil CM38-023 0 0.5 0.04 Surface Soil CM39-003 0 0.5 0.04 Surface Soil CM39-003 0 0.5 0.02	Surface Soil	CM39-001	0.25	0.67	0.03
Surface Soil CL37-000 0 0.5 0.04 Surface Soil CL37-001 0 0.5 0.03 Surface Soil CL38-000 0 0.5 0.03 Surface Soil CL39-000 0 0.5 0.05 Surface Soil CM37-005 0 0.5 0.04 Surface Soil CM37-012 0 0.5 0.05 Surface Soil CM37-018 0 0.5 0.03 Surface Soil CM37-025 0 0.5 0.01 Surface Soil CM37-031 0 0.5 0.01 Surface Soil CM37-032 0 0.5 0.05 Surface Soil CM38-009 0 0.5 0.05 Surface Soil CM38-023 0 0.5 0.04 Surface Soil CM38-036 0 0.5 0.01 Surface Soil CM39-003 0 0.5 0.02 Surface Soil CM39-013 0 0.5 0.01	Surface Soil	CM39-010	0.5	1	0.02
Surface Soil CL37-001 0 0.5 0.03 Surface Soil CL38-000 0 0.5 0.03 Surface Soil CL39-000 0 0.5 0.05 Surface Soil CM37-005 0 0.5 0.04 Surface Soil CM37-012 0 0.5 0.05 Surface Soil CM37-018 0 0.5 0.03 Surface Soil CM37-025 0 0.5 0.01 Surface Soil CM37-031 0 0.5 0.01 Surface Soil CM37-032 0 0.5 0.04 Surface Soil CM38-009 0 0.5 0.05 Surface Soil CM38-023 0 0.5 0.04 Surface Soil CM38-036 0 0.5 0.04 Surface Soil CM39-003 0 0.5 0.04 Surface Soil CM39-008 0 0.5 0.01 Surface Soil CM39-013 0 0.5 0.04	Surface Soil	CN39-005	0.5	1	0.05
Surface Soil CL38-000 0 0.5 0.03 Surface Soil CL39-000 0 0.5 0.05 Surface Soil CM37-005 0 0.5 0.04 Surface Soil CM37-012 0 0.5 0.05 Surface Soil CM37-018 0 0.5 0.01 Surface Soil CM37-025 0 0.5 0.01 Surface Soil CM37-031 0 0.5 0.01 Surface Soil CM37-032 0 0.5 0.04 Surface Soil CM38-009 0 0.5 0.04 Surface Soil CM38-023 0 0.5 0.04 Surface Soil CM38-036 0 0.5 0.04 Surface Soil CM39-003 0 0.5 0.04 Surface Soil CM39-012 0 0.5 0.02 Surface Soil CM39-013 0 0.5 0.04 Surface Soil CN37-003 0 0.5 0.04	Surface Soil	CL37-000	0	0.5	0.04
Surface Soil CL39-000 0 0.5 0.05 Surface Soil CM37-005 0 0.5 0.04 Surface Soil CM37-012 0 0.5 0.05 Surface Soil CM37-018 0 0.5 0.01 Surface Soil CM37-025 0 0.5 0.01 Surface Soil CM37-031 0 0.5 0.01 Surface Soil CM37-032 0 0.5 0.04 Surface Soil CM38-099 0 0.5 0.05 Surface Soil CM38-023 0 0.5 0.04 Surface Soil CM38-036 0 0.5 0.01 Surface Soil CM39-003 0 0.5 0.04 Surface Soil CM39-003 0 0.5 0.02 Surface Soil CM39-012 0 0.5 0.01 Surface Soil CM39-013 0 0.5 0.04 Surface Soil CN37-003 0 0.5 0.04	Surface Soil	CL37-001	0	0.5	0.03
Surface Soil CM37-005 0 0.5 0.04 Surface Soil CM37-012 0 0.5 0.05 Surface Soil CM37-018 0 0.5 0.03 Surface Soil CM37-025 0 0.5 0.01 Surface Soil CM37-031 0 0.5 0.01 Surface Soil CM37-032 0 0.5 0.04 Surface Soil CM38-009 0 0.5 0.05 Surface Soil CM38-023 0 0.5 0.04 Surface Soil CM38-036 0 0.5 0.01 Surface Soil CM39-003 0 0.5 0.04 Surface Soil CM39-003 0 0.5 0.02 Surface Soil CM39-012 0 0.5 0.01 Surface Soil CM39-013 0 0.5 0.06 Surface Soil CN37-003 0 0.5 0.04 Surface Soil CN37-012 0 0.5 0.04	Surface Soil	CL38-000	0	0.5	0.03
Surface Soil CM37-012 0 0.5 0.05 Surface Soil CM37-018 0 0.5 0.03 Surface Soil CM37-025 0 0.5 0.01 Surface Soil CM37-031 0 0.5 0.01 Surface Soil CM37-032 0 0.5 0.04 Surface Soil CM38-009 0 0.5 0.05 Surface Soil CM38-023 0 0.5 0.04 Surface Soil CM38-036 0 0.5 0.04 Surface Soil CM39-003 0 0.5 0.04 Surface Soil CM39-003 0 0.5 0.04 Surface Soil CM39-003 0 0.5 0.02 Surface Soil CM39-012 0 0.5 0.01 Surface Soil CM39-013 0 0.5 0.06 Surface Soil CN37-003 0 0.5 0.04 Surface Soil CN37-012 0 0.5 0.04	Surface Soil	CL39-000	0 .	0.5	0.05
Surface Soil CM37-018 0 0.5 0.03 Surface Soil CM37-025 0 0.5 0.01 Surface Soil CM37-031 0 0.5 0.01 Surface Soil CM37-032 0 0.5 0.04 Surface Soil CM38-009 0 0.5 0.05 Surface Soil CM38-023 0 0.5 0.04 Surface Soil CM38-036 0 0.5 0.01 Surface Soil CM39-003 0 0.5 0.04 Surface Soil CM39-003 0 0.5 0.04 Surface Soil CM39-008 0 0.5 0.01 Surface Soil CM39-012 0 0.5 0.01 Surface Soil CM39-013 0 0.5 0.04 Surface Soil CN37-003 0 0.5 0.04 Surface Soil CN37-012 0 0.5 0.04 Surface Soil CN38-003 0 0.5 0.00	Surface Soil	CM37-005	0	0.5	0.04
Surface Soil CM37-025 0 0.5 0.01 Surface Soil CM37-031 0 0.5 0.01 Surface Soil CM37-032 0 0.5 0.04 Surface Soil CM38-009 0 0.5 0.05 Surface Soil CM38-023 0 0.5 0.04 Surface Soil CM38-036 0 0.5 0.01 Surface Soil CM39-003 0 0.5 0.04 Surface Soil CM39-008 0 0.5 0.02 Surface Soil CM39-012 0 0.5 0.01 Surface Soil CM39-013 0 0.5 0.06 Surface Soil CN37-003 0 0.5 0.04 Surface Soil CN37-009 0 0.5 0.04 Surface Soil CN37-012 0 0.5 0.03 Surface Soil CN38-003 0 0.5 0.00 Surface Soil CN38-009 0 0.5 0.00	Surface Soil	CM37-012	0	0.5	0.05
Surface Soil CM37-031 0 0.5 0.01 Surface Soil CM37-032 0 0.5 0.04 Surface Soil CM38-009 0 0.5 0.05 Surface Soil CM38-023 0 0.5 0.04 Surface Soil CM38-036 0 0.5 0.01 Surface Soil CM39-003 0 0.5 0.04 Surface Soil CM39-008 0 0.5 0.02 Surface Soil CM39-012 0 0.5 0.01 Surface Soil CM39-013 0 0.5 0.06 Surface Soil CN37-003 0 0.5 0.04 Surface Soil CN37-009 0 0.5 0.04 Surface Soil CN37-012 0 0.5 0.03 Surface Soil CN38-003 0 0.5 0.04 Surface Soil CN38-009 0 0.5 0.00 Surface Soil CN38-015 0 0.5 0.04	Surface Soil	CM37-018	0	0.5	0.03
Surface Soil CM37-032 0 0.5 0.04 Surface Soil CM38-009 0 0.5 0.05 Surface Soil CM38-023 0 0.5 0.04 Surface Soil CM38-036 0 0.5 0.01 Surface Soil CM39-003 0 0.5 0.04 Surface Soil CM39-008 0 0.5 0.02 Surface Soil CM39-012 0 0.5 0.01 Surface Soil CM39-013 0 0.5 0.06 Surface Soil CN37-003 0 0.5 0.04 Surface Soil CN37-009 0 0.5 0.04 Surface Soil CN37-012 0 0.5 0.03 Surface Soil CN38-003 0 0.5 0.00 Surface Soil CN38-009 0 0.5 0.00 Surface Soil CN38-015 0 0.5 0.04 Surface Soil CN38-016 0 0.5 0.04	Surface Soil	CM37-025	0	0.5	0.01
Surface Soil CM38-009 0 0.5 0.05 Surface Soil CM38-023 0 0.5 0.04 Surface Soil CM38-036 0 0.5 0.01 Surface Soil CM39-003 0 0.5 0.04 Surface Soil CM39-008 0 0.5 0.02 Surface Soil CM39-012 0 0.5 0.01 Surface Soil CM39-013 0 0.5 0.06 Surface Soil CN37-003 0 0.5 0.04 Surface Soil CN37-009 0 0.5 0.04 Surface Soil CN37-012 0 0.5 0.04 Surface Soil CN37-013 0 0.5 0.03 Surface Soil CN38-003 0 0.5 0.04 Surface Soil CN38-015 0 0.5 0.05 Surface Soil CN38-015 0 0.5 0.04 Surface Soil CN38-016 0 0.5 0.04	Surface Soil	CM37-031	0	0.5	0.01
Surface Soil CM38-023 0 0.5 0.04 Surface Soil CM38-036 0 0.5 0.01 Surface Soil CM39-003 0 0.5 0.04 Surface Soil CM39-008 0 0.5 0.02 Surface Soil CM39-012 0 0.5 0.01 Surface Soil CM39-013 0 0.5 0.06 Surface Soil CN37-003 0 0.5 0.04 Surface Soil CN37-009 0 0.5 0.04 Surface Soil CN37-012 0 0.5 0.03 Surface Soil CN37-013 0 0.5 0.03 Surface Soil CN38-003 0 0.5 0.04 Surface Soil CN38-009 0 0.5 0.00 Surface Soil CN38-015 0 0.5 0.04 Surface Soil CN38-016 0 0.5 0.04 Surface Soil CN38-017 0 0.5 0.04	Surface Soil	CM37-032	0	0.5	0.04
Surface Soil CM38-036 0 0.5 0.01 Surface Soil CM39-003 0 0.5 0.04 Surface Soil CM39-008 0 0.5 0.02 Surface Soil CM39-012 0 0.5 0.01 Surface Soil CM39-013 0 0.5 0.06 Surface Soil CN37-003 0 0.5 0.04 Surface Soil CN37-009 0 0.5 0.04 Surface Soil CN37-012 0 0.5 0.04 Surface Soil CN37-013 0 0.5 0.03 Surface Soil CN38-003 0 0.5 0.04 Surface Soil CN38-009 0 0.5 0.00 Surface Soil CN38-015 0 0.5 0.04 Surface Soil CN38-016 0 0.5 0.04 Surface Soil CN38-017 0 0.5 0.04	Surface Soil	CM38-009	0	0.5	0.05
Surface Soil CM39-003 0 0.5 0.04 Surface Soil CM39-008 0 0.5 0.02 Surface Soil CM39-012 0 0.5 0.01 Surface Soil CM39-013 0 0.5 0.06 Surface Soil CN37-003 0 0.5 0.04 Surface Soil CN37-009 0 0.5 0.04 Surface Soil CN37-012 0 0.5 0.04 Surface Soil CN37-013 0 0.5 0.03 Surface Soil CN38-003 0 0.5 0.04 Surface Soil CN38-009 0 0.5 0.00 Surface Soil CN38-015 0 0.5 0.04 Surface Soil CN38-016 0 0.5 0.04 Surface Soil CN38-017 0 0.5 0.03	Surface Soil	CM38-023	0	0.5	0.04
Surface Soil CM39-008 0 0.5 0.02 Surface Soil CM39-012 0 0.5 0.01 Surface Soil CM39-013 0 0.5 0.06 Surface Soil CN37-003 0 0.5 0.04 Surface Soil CN37-009 0 0.5 0.04 Surface Soil CN37-012 0 0.5 0.04 Surface Soil CN37-013 0 0.5 0.03 Surface Soil CN38-003 0 0.5 0.04 Surface Soil CN38-009 0 0.5 0.00 Surface Soil CN38-015 0 0.5 0.05 Surface Soil CN38-016 0 0.5 0.04 Surface Soil CN38-017 0 0.5 0.03	Surface Soil	CM38-036	0	0.5	0.01
Surface Soil CM39-012 0 0.5 0.01 Surface Soil CM39-013 0 0.5 0.06 Surface Soil CN37-003 0 0.5 0.04 Surface Soil CN37-009 0 0.5 0.04 Surface Soil CN37-012 0 0.5 0.04 Surface Soil CN37-013 0 0.5 0.03 Surface Soil CN38-003 0 0.5 0.04 Surface Soil CN38-009 0 0.5 0.00 Surface Soil CN38-015 0 0.5 0.05 Surface Soil CN38-016 0 0.5 0.04 Surface Soil CN38-017 0 0.5 0.03	Surface Soil	CM39-003	0	0.5	0.04
Surface Soil CM39-013 0 0.5 0.06 Surface Soil CN37-003 0 0.5 0.04 Surface Soil CN37-009 0 0.5 0.04 Surface Soil CN37-012 0 0.5 0.04 Surface Soil CN37-013 0 0.5 0.03 Surface Soil CN38-003 0 0.5 0.04 Surface Soil CN38-009 0 0.5 0.00 Surface Soil CN38-015 0 0.5 0.05 Surface Soil CN38-016 0 0.5 0.04 Surface Soil CN38-017 0 0.5 0.03	Surface Soil	CM39-008	0	0.5	0.02
Surface Soil CN37-003 0 0.5 0.04 Surface Soil CN37-009 0 0.5 0.04 Surface Soil CN37-012 0 0.5 0.04 Surface Soil CN37-013 0 0.5 0.03 Surface Soil CN38-003 0 0.5 0.04 Surface Soil CN38-009 0 0.5 0.00 Surface Soil CN38-015 0 0.5 0.05 Surface Soil CN38-016 0 0.5 0.04 Surface Soil CN38-017 0 0.5 0.03	Surface Soil	CM39-012	0	0.5	0.01
Surface Soil CN37-009 0 0.5 0.04 Surface Soil CN37-012 0 0.5 0.04 Surface Soil CN37-013 0 0.5 0.03 Surface Soil CN38-003 0 0.5 0.04 Surface Soil CN38-009 0 0.5 0.00 Surface Soil CN38-015 0 0.5 0.05 Surface Soil CN38-016 0 0.5 0.04 Surface Soil CN38-017 0 0.5 0.03	Surface Soil	CM39-013	0	0.5	0.06
Surface Soil CN37-012 0 0.5 0.04 Surface Soil CN37-013 0 0.5 0.03 Surface Soil CN38-003 0 0.5 0.04 Surface Soil CN38-009 0 0.5 0.00 Surface Soil CN38-015 0 0.5 0.05 Surface Soil CN38-016 0 0.5 0.04 Surface Soil CN38-017 0 0.5 0.03	Surface Soil	CN37-003	0	0.5	0.04
Surface Soil CN37-013 0 0.5 0.03 Surface Soil CN38-003 0 0.5 0.04 Surface Soil CN38-009 0 0.5 0.00 Surface Soil CN38-015 0 0.5 0.05 Surface Soil CN38-016 0 0.5 0.04 Surface Soil CN38-017 0 0.5 0.03	Surface Soil	CN37-009	0	0.5	0.04
Surface Soil CN38-003 0 0.5 0.04 Surface Soil CN38-009 0 0.5 0.00 Surface Soil CN38-015 0 0.5 0.05 Surface Soil CN38-016 0 0.5 0.04 Surface Soil CN38-017 0 0.5 0.03	Surface Soil	CN37-012	0	0.5	0.04
Surface Soil CN38-009 0 0.5 0.00 Surface Soil CN38-015 0 0.5 0.05 Surface Soil CN38-016 0 0.5 0.04 Surface Soil CN38-017 0 0.5 0.03	Surface Soil	CN37-013	0	0.5	0.03
Surface Soil CN38-015 0 0.5 0.05 Surface Soil CN38-016 0 0.5 0.04 Surface Soil CN38-017 0 0.5 0.03	Surface Soil	CN38-003	0	0.5	0.04
Surface Soil CN38-016 0 0.5 0.04 Surface Soil CN38-017 0 0.5 0.03	Surface Soil	CN38-009	0	0.5	0.00
Surface Soil CN38-017 0 0.5 0.03	Surface Soil	CN38-015	0	0.5	0.05
	Surface Soil	CN38-016	0	0.5	0.04
Surface Soil CN39-006 0 0.5 0.03	Surface Soil	CN38-017	0	0.5	0.03
	Surface Soil	CN39-006	0	0.5	0.03

Table 5

IHSS Group 900-3 Deviations from Planned Sampling Specifications

Crosp Sign Actual Actual <th></th> <th></th> <th>10000</th> <th></th> <th></th> <th></th> <th></th> <th>- 800</th> <th></th> <th>1 0</th> <th></th>			10000					- 800		1 0	
900-213 CL37-000 2085116.92 748829.83 0-0-5 CL37-000 2085107.91 748823.02 900-213 CL37-001 2085108.21 748940.14 0-0-5 CL37-001 2085109.21 748940.18 900-213 CL37-001 2085109.23 74904.16 0-0-5 CL37-001 2085107.08 74904.16 900-213 CL39-000 2085109.23 748819.05 0-0-5 CL39-000 2085107.08 74894.01 900-213 CL39-000 2085109.72 748849.05 0-0-5 CL39-000 2085107.03 74889.01 900-213 CM37-012 2085319.72 748857.40 0-0-5 CM37-01 2085107.7 748857.0 900-213 CM37-01 2085204.42 748857.40 0-0-5 CM37-01 2085202.8 748857.0 900-213 CM37-01 2085204.42 748857.41 0-0-5 CM37-01 2085204.7 748857.0 900-213 CM37-01 2085204.01 748857.41 0-0-5 CM37-01 2085204.7 748857.0	Group	Secretary of the second		Actual Easting	Actual Northing	Actual Depth Interval	Planned Depth Interval		Planned Easting	Planned Northing	Comment
900-213 CL37-001 2085109.21 748940.14 0-0.5 0-0.5 CL37-001 2085109.21 748940.16 0-0.5 CL37-001 2085109.23 749041.67 0-0.5 CL38-000 2085107.03 749041.67 0-0.5 CL38-000 2085107.03 74910.21 0-0.5 CL38-000 2085107.03 74910.21 0-0.5 CL38-000 2085107.03 74910.21 0-0.5 CL38-000 2085107.03 748110.05 0-0.5 CL38-000 2085107.03 748110.05 0-0.5 CL38-000 208510.72 7488110.05 0-0.5 CL38-000 208510.72 7488110.05 0-0.5 CL38-000 208510.72 7488110.05 0-0.5 CL37-012 208510.72 748810.05 0-0.5 CL3	900-3	900-213	CL37-000	2085116.92	748829.83	0-0.5	0-0.5	CL37-000	2085107.08	748832.02	Lateral offset due to the presence of a utility or other impediment, but closer to 904 Pad.
900-213 CL38-000 2085109-33 74904167 0-0.5 0-0.5 CL38-000 2085109-31 7490416.0 900-213 CL39-000 2085107.03 749162.13 0-0.5 0-0.5 CL39-000 2085107.08 749162.09 900-213 CLA9-000 208519.72 748843.00 0-0.5 CL37-003 208519.72 748843.00 900-213 CM37-012 208519.72 748843.70 0-0.5 CM37-012 208519.72 748841.05 900-213 CM37-012 208520.87 748843.00 0-0.5 CM37-012 208520.87 748857.01 900-213 CM37-012 208520.87 748875.00 0-0.5 CM37-012 208520.87 748867.01 900-213 CM37-012 208520.43 748976.69 0-0.5 CM37-012 208520.87 748867.01 900-213 CM37-012 208520.43 748976.69 0-0.5 CM37-012 208520.87 748967.02 900-213 CM37-012 208520.43 748976.00 0-0.5 CM37-012 2085	900-3	900-213	CL37-001	2085108.21	748940.14	0-0.5	0-0.5	CL37-001	2085108.19	748940.18	No significant variations.
900-213 CL39-000 2085107.09 749162.13 0-0.5 0-0.5 CL39-000 2085107.08 749162.03 900-213 CM37-003 2085202.28 748819.05 0-0.5 CM37-003 2085202.28 748819.05 900-213 CM37-005 2085139.72 748824.70 0-0.5 CM37-014 2085202.28 748819.05 900-213 CM37-015 2085319.92 748823.27 0-0.5 CM37-014 2085204.27 748819.05 900-213 CM37-015 2085204.42 748891.05 0-0.5 CM37-016 2085204.87 748819.05 900-213 CM37-015 2085204.13 748825.00 0-0.5 CM37-015 2085204.07 748819.05 900-213 CM37-015 2085204.01 748827.41 0-0.5 CM37-015 2085206.01 74876.33 900-213 CM37-015 2085204.01 74876.19 0-0.5 CM37-015 2085206.07 74876.33 900-213 CM38-013 2085322.33 74876.19 0-0.5 CM37-025 2085236.07	900-3	900-213	CL38-000	2085109.33	749041.67	0-0.5	0-0.5	CL38-000	2085109.31	749041.66	No significant variations.
900-213 CM37-003 208520.28 748819.05 0.3.0.8 0.0.5 CM37-003 2085202.28 748819.05 900-213 CM37-005 2085139.72 748824.70 0-0.5 0-0.5 CM37-012 2085320.23 748819.05 900-213 CM37-014 2085319.92 748823.27 0-0.5 0-0.5 CM37-014 2085264.42 748823.07 748819.76 900-213 CM37-014 2085264.42 748825.40 0.5-1 0-0.5 CM37-014 2085264.42 748819.76 900-213 CM37-018 2085324.13 748926.69 0-0.5 0-0.5 CM37-015 2085326.41 748926.69 0-0.5 CM37-015 2085326.41 748926.69 0-0.5 CM37-015 2085326.41 748926.69 0-0.5 CM37-015 2085326.51 748926.69 900-213 CM37-015 2085326.01 748926.69 0-0.5 0-0.5 CM37-015 2085326.51 748926.69 900-213 CM38-013 2085326.01 748926.60 0-0.5 0-0.5 CM37-012	900-3	900-213	CL39-000	2085107.09	749162.13	0-0.5	0-0.5	CL39-000	2085107.08	749162.09	No significant variations.
900-213 CM37-005 208513972 748854.70 0-0.5 0-0.5 CM37-005 2085139.72 748854.70 900-213 CM37-012 2085319.92 248825.41 0-0.5 CM37-012 2085326.98 748819.76 900-213 CM37-014 2085264.42 748855.40 0.5-1 0-0.5 CM37-014 2085264.01 748819.76 900-213 CM37-016 2085264.02 748891.05 0.5-0 0-0.5 CM37-015 2085264.01 748891.05 900-213 CM37-025 2085324.13 74887.90 0-0.5 CM37-027 2085264.01 748891.05 900-213 CM37-025 2085324.13 74876.19 0-0.5 CM37-027 2085264.01 74876.19 900-213 CM37-025 2085320.13 74876.19 0-0.5 CM37-027 208520.14 74876.19 900-213 CM38-001 208520.14 74876.19 0-0.5 CM37-027 208520.14 74876.23 900-213 CM38-013 208520.14 74896.30 0-0.5 CM37-0	900-3	900-213	CM37-003		748819.05	0.3-0.8	0-0.5	CM37-003	2085202.28	748819.05	Sample depth variation due to overlying asphalt/fill.
900-213 CM37-014 2085264-42 748855.40 0-0.5 CM37-014 2085264-42 748855.40 0-0.5 CM37-014 2085264-42 748855.41 0-0.5 CM37-014 2085264-42 748855.41 48855.41 0-0.5 CM37-014 2085264-42 748855.41 48855.41 0-0.5 CM37-016 2085264-42 748850.05 0-0.5 CM37-016 2085264-42 748891.05 0-0.5 CM37-016 2085264-01 748926.09 0-0.5 CM37-012 2085264-01 748927.41 0-0.5 CM37-025 2085264.01 748927.41 0-0.5 CM37-025 2085264.01 748927.41 0-0.5 CM37-025 208520.37 748891.76 900-213 CM37-031 208520.04 748766.19 0-0.5 0-0.5 CM37-027 208520.07 748766.19 0-0.5 CM37-027 208520.07 748769.00 0-0.5 CM37-032 208520.07 748907.07 0-0.5 CM37-032 208520.07 748907.07 0-0.5 CM37-032 208520.07 748907.07 0-0.5 CM37-032 208520.07 </td <td>900-3</td> <td>900-213</td> <td>CM37-005</td> <td></td> <td>748854.70</td> <td>0-0.5</td> <td>0-0.5</td> <td>CM37-005</td> <td></td> <td>748854.70</td> <td>No significant variations.</td>	900-3	900-213	CM37-005		748854.70	0-0.5	0-0.5	CM37-005		748854.70	No significant variations.
900-213 CM37-014 2085264.42 748855.40 0.5-1 0-0.5 CM37-014 2085264.42 748855.40 0.5-1 0-0.5 CM37-014 2085264.42 748855.41 900-213 CM37-016 2085201.87 748891.05 0-0.5 CM37-015 2085201.87 748891.05 900-213 CM37-025 2085324.13 74887.90 0-0.5 CM37-025 2085326.57 748891.05 900-213 CM37-025 2085264.01 748927.41 0-0.5 CM37-025 2085326.57 74876.23 900-213 CM37-021 2085264.01 748927.41 0-0.5 CM37-025 208526.01 748927.41 900-213 CM37-021 2085260.75 748766.19 0-0.5 CM37-021 208520.76 74876.23 900-213 CM38-001 208520.146 748963.05 0-0.5 CM37-031 208520.16 748963.05 900-213 CM38-010 208526.16 748963.05 0-0.5 CM38-011 208520.16 748963.05 900-213 CM38-012 <t< td=""><td>900-3</td><td>900-213</td><td>CM37-012</td><td>2085319.92</td><td>748823.27</td><td>0-0.5</td><td>0-0.5</td><td>CM37-012</td><td></td><td>748819.76</td><td>Lateral offset due to the presence of a utility or other impediment.</td></t<>	900-3	900-213	CM37-012	2085319.92	748823.27	0-0.5	0-0.5	CM37-012		748819.76	Lateral offset due to the presence of a utility or other impediment.
900-213 CM37-016 2085201.87 748891.05 0-0.5 CM37-016 2085201.87 748891.05 900-213 CM37-018 2085139.31 748926.69 0-0.5 0-0.5 CM37-018 2085139.31 748901.05 900-213 CM37-025 2085324.13 748887.90 0-0.5 0-0.5 CM37-02 2085326.57 74891.76 900-213 CM37-02 2085264.01 748927.41 0.5-1 0-0.5 CM37-02 2085326.57 74891.76 900-213 CM37-02 2085204.01 748927.41 0.5-1 0-0.5 CM37-03 208526.01 748927.41 900-213 CM38-01 2085201.46 74896.0 0-0.5 CM37-03 208526.0 74896.0 900-213 CM38-01 2085201.46 74896.0 0-0.5 CM38-01 2085200.75 74896.3.0 900-213 CM38-01 2085201.46 74896.0 0-0.5 CM38-01 2085322.30 74896.3.0 900-213 CM38-01 2085201.0 748903.0 0-0.5 <	900-3	900-213	CM37-014	2085264.42	748855.40	0.5-1	0-0.5	CM37-014	2085264.42	748855.41	Sample depth variation due to overlying asphalt/fill.
900-213 CM37-018 2085139.31 748926.69 0-0.5 CM37-018 2085139.31 748926.69 900-213 CM37-025 2085324.13 74887.90 0-0.5 0-0.5 CM37-025 2085326.57 74891.76 900-213 CM37-027 2085320.33 748766.19 0-0.5 0-0.5 CM37-027 2085320.37 748901.76 900-213 CM37-03 2085200.75 748766.19 0-0.5 0-0.5 CM37-03 2085320.37 748995.57 900-213 CM37-03 2085200.75 748766.90 0-0.5 0-0.5 CM37-03 2085200.75 748995.77 900-213 CM38-001 2085201.46 748968.00 0-0.5 0-0.5 CM37-03 2085201.46 748998.80 0.25-0.67 0-0.5 CM38-001 2085201.46 748998.60 0-0.5 CM38-001 2085201.46 748998.60 0-0.5 CM38-001 2085201.46 748999.60 0-0.5 CM38-001 2085201.46 748999.40 0-0.5 CM38-01 2085201.67 74999.70 0-0.5	900-3	900-213	CM37-016	2085201.87	748891.05	0.3-0.8	0-0.5	CM37-016		748891.05	Sample depth variation due to overlying asphalt/fill.
900-213 CM37-025 2085324.13 74887.90 0-0.5 0-0.5 CM37-025 208526.57 748891.76 900-213 CM37-027 2085264.01 748927.41 0.5-1 0-0.5 CM37-021 2085264.01 748927.41 900-213 CM37-031 2085200.75 748766.19 0-0.5 0-0.5 CM37-031 208520.75 748766.23 900-213 CM38-001 2085200.75 748766.19 0-0.5 0-0.5 CM37-031 208520.75 748766.23 900-213 CM38-001 2085201.46 748963.05 0-0.5 CM38-001 2085201.46 748963.05 0-0.5 CM38-001 748769.50 900-213 CM38-001 208518.82 748998.80 0.25-0.67 0-0.5 CM38-019 748963.05 900-213 CM38-013 2085201.01 748999.40 0.5-1 0-0.5 CM38-019 748999.40 900-213 CM38-015 2085203.01 749070.78 0.3-0.8 0-0.5 CM38-019 749070.69 900-213 CM38-025 <td>900-3</td> <td>900-213</td> <td>CM37-018</td> <td>2085139.31</td> <td>748926.69</td> <td>0-0.5</td> <td>0-0.5</td> <td>CM37-018</td> <td>2085139.31</td> <td>748926.69</td> <td>No significant variations.</td>	900-3	900-213	CM37-018	2085139.31	748926.69	0-0.5	0-0.5	CM37-018	2085139.31	748926.69	No significant variations.
900-213 CM37-021 2085264.01 748927.41 0.5-1 0-0.5 CM37-021 2085264.01 748927.41 0.5-1 0-0.5 CM37-021 2085264.01 748927.41 900-213 CM37-031 2085322.33 748766.19 0-0.5 0-0.5 CM37-032 2085202.30 748766.23 900-213 CM38-001 2085200.75 748769.60 0-0.5 0-0.5 CM37-032 2085200.75 748766.23 900-213 CM38-001 2085213.8.23 748963.78 0-0.5 CM38-003 2085138.90 748963.78 900-213 CM38-013 2085326.16 748963.78 0-0.5 CM38-013 2085326.16 748999.40 0.5-1 0-0.5 CM38-013 74903.76 900-213 CM38-013 20852138.48 749070.78 0.3-0.8 0-0.5 CM38-013 74903.06 900-213 CM38-015 2085325.75 749035.78 0-0.5 CM38-013 2085201.05 74903.60 900-213 CM38-025 2085263.18 749107.08 0.3-0.8 <	900-3	900-213	CM37-025	2085324.13	748887.90	0-0.5	0-0.5	CM37-025		748891.76	Lateral offset due to the presence of a utility or other impediment.
900-213 CM37-031 2085322.33 748766.19 0-0.5 0-0.5 CM37-031 2085322.30 748766.23 900-213 CM37-032 2085200.75 748769.60 0-0.5 0-0.5 CM37-032 2085200.75 748769.57 900-213 CM38-001 2085214.6 748963.05 0.3-0.8 0-0.5 CM38-001 2085320.16 748963.05 900-213 CM38-001 2085326.16 748998.80 0.25-0.67 0-0.5 CM38-001 2085326.16 748998.00 900-213 CM38-01 2085201.01 748999.40 0.5-1 0-0.5 CM38-01 2085326.16 748999.40 900-213 CM38-01 2085201.01 749070.78 0.3-0.8 0-0.5 CM38-01 2085326.16 749070.69 900-213 CM38-01 2085201.01 749070.78 0.3-0.8 0-0.5 CM38-01 2085203.0 749070.69 900-213 CM38-02 2085205.13 749070.78 0.5-1 0-0.5 CM38-02 2085203.19 749070.69 900-213	900-3	900-213	CM37-027	2085264.01	748927.41	0.5-1	0-0.5	CM37-027	2085264.01	748927.41	Sample depth variation due to overlying asphalt/fill.
900-213 CM37-032 2085200.75 748769.60 0-0.5 0-0.5 CM37-032 2085200.75 748769.57 900-213 CM38-001 2085201.46 748963.05 0.3-0.8 0-0.5 CM38-001 2085201.46 748963.05 900-213 CM38-003 2085138.82 748998.80 0.25-0.67 0-0.5 CM38-003 2085138.90 748998.80 900-213 CM38-013 2085261.6 748998.40 0.5-1 0-0.5 CM38-01 2085235.16 748998.40 900-213 CM38-013 2085201.01 74903.04 0.5-1 0-0.5 CM38-01 2085201.05 749099.40 900-213 CM38-013 2085201.01 74903.78 0.3-0.8 0-0.5 CM38-015 749070.69 900-213 CM38-025 2085263.18 749071.46 0.5-1 0-0.5 CM38-02 2085203.75 749035.76 900-213 CM38-025 2085263.18 749107.08 0.3-0.8 0-0.5 CM38-02 2085263.19 749107.06 900-213 CM38-02	900-3	900-213	CM37-031	2085322.33	748766.19	0-0.5	0-0.5	CM37-031		748766.23	No significant variations.
900-213 CM38-001 2085201.46 748963.05 0.3-0.8 0-0.5 CM38-001 2085201.46 748963.05 900-213 CM38-003 2085138.82 748998.80 0.25-0.67 0-0.5 CM38-00 2085138.90 748998.69 900-213 CM38-013 2085326.16 748994.40 0.5-1 0-0.5 CM38-01 2085263.6 748999.40 900-213 CM38-013 2085201.01 749035.04 0.3-0.8 0-0.5 CM38-01 2085263.6 748999.40 900-213 CM38-013 2085201.01 749035.04 0.3-0.8 0-0.5 CM38-01 2085201.05 749035.05 900-213 CM38-012 2085203.18 749070.78 0.3-0.8 0-0.5 CM38-02 2085203.05 749070.69 900-213 CM38-025 2085203.18 749071.46 0.5-1 0-0.5 CM38-02 2085203.19 749070.69 900-213 CM38-025 2085203.18 749107.08 0.3-0.8 0-0.5 CM38-02 2085203.19 749107.05 90	900-3	900-213	CM37-032	2085200.75	748769.60	0-0.5	0-0.5	CM37-032	2085200.75	748769.57	No significant variations.
900-213 CM38-003 2085138.2 748998.80 0.25-0.67 0-0.5 CM38-003 2085138.90 748998.69 900-213 CM38-011 2085326.16 748993.78 0-0.5 0-0.5 CM38-01 2085326.16 748993.76 900-213 CM38-011 2085263.60 748993.40 0.5-1 0-0.5 CM38-01 2085263.60 748999.40 900-213 CM38-013 2085201.01 749035.04 0.3-0.8 0-0.5 CM38-015 2085201.05 749035.05 900-213 CM38-023 2085263.18 749070.78 0.3-0.8 0-0.5 CM38-015 2085325.75 749035.06 900-213 CM38-025 2085263.18 749071.46 0.5-1 0-0.5 CM38-025 2085263.19 749071.40 900-213 CM38-025 2085263.18 749107.08 0.3-0.8 0-0.5 CM38-025 2085263.19 749107.05 900-213 CM38-026 CM38-026 CM38-026 2085263.18 749107.06 0-0.5 CM38-036 2085353.4 749107.06	900-3	900-213	CM38-001	2085201.46	748963.05	0.3-0.8	0-0.5	CM38-001		748963.05	Sample depth variation due to overlying asphalt/fill.
900-213 CM38-009 2085326.16 748963.78 0-0.5 0-0.5 CM38-01 2085226.16 748993.40 900-213 CM38-011 2085263.60 748999.40 0.5-1 0-0.5 CM38-011 2085263.60 748999.40 900-213 CM38-013 2085201.01 749035.04 0.3-0.8 0-0.5 CM38-013 2085201.05 749035.05 900-213 CM38-012 2085325.75 749071.46 0.5-1 0-0.5 CM38-02 2085235.75 749071.40 900-213 CM38-025 2085263.18 749071.46 0.5-1 0-0.5 CM38-02 2085263.19 749071.40 900-213 CM38-025 2085263.18 749107.08 0.3-0.8 0-0.5 CM38-02 2085263.19 749107.05 900-213 CM38-029 2085138.11 749142.68 0.5-1 0-0.5 CM38-02 2085263.34 749107.05 900-213 CM38-036 2085325.34 749107.76 0-0.5 CM38-036 2085325.34 749107.76 900-213 CM38-0	900-3	900-213	CM38-003	2085138.82	748998.80	0.25-0.67	0-0.5	CM38-003	2085138.90	748998.69	Sample depth variation due to overlying asphalt/fill.
900-213 CM38-011 2085263.60 74899.40 0.5-1 0-0.5 CM38-011 2085263.60 74899.40 900-213 CM38-013 2085201.01 749035.04 0.3-0.8 0-0.5 CM38-013 2085201.05 749035.05 900-213 CM38-012 2085138.48 749070.78 0.33-0.75 0-0.5 CM38-015 2085138.49 749070.69 900-213 CM38-022 2085263.18 749071.46 0.5-1 0-0.5 CM38-025 2085263.19 749107.08 900-213 CM38-027 2085200.69 749107.08 0.3-0.8 0-0.5 CM38-027 2085203.19 749107.05 900-213 CM38-029 2085138.11 749142.68 0.5-1 0-0.5 CM38-029 2085138.08 749142.69 900-213 CM38-036 2085325.34 749143.40 0.5-1 0-0.5 CM38-039 2085325.34 749107.76 900-213 CM38-036 2085325.34 749143.40 0.5-1 0-0.5 CM38-036 2085325.34 749107.76	900-3	900-213	CM38-009		748963.78	0-0.5	0-0.5	CM38-009	2085326.16	748963.76	No significant variations.
900-213 CM38-013 2085201.01 749035.04 0.3-0.8 0-0.5 CM38-013 2085201.05 749035.05 900-213 CM38-012 2085138.48 749070.78 0.3-0.75 0-0.5 CM38-015 2085138.49 749070.69 900-213 CM38-023 2085325.75 749035.78 0-0.5 0-0.5 CM38-025 2085325.75 749070.69 900-213 CM38-025 2085205.18 749107.08 0.3-0.8 0-0.5 CM38-025 2085205.19 749107.05 900-213 CM38-029 2085138.11 749142.68 0.5-1 0-0.5 CM38-029 2085138.08 749107.05 900-213 CM38-036 2085325.34 749107.76 0-0.5 CM38-036 2085138.08 749107.76 900-213 CM38-036 2085325.34 749107.76 0-0.5 CM38-036 2085138.08 749107.76 900-213 CM38-036 2085325.34 749107.76 0-0.5 CM38-038 2085325.34 749107.76	900-3	900-213	CM38-011	2085263.60	748999.40	0.5-1	0-0.5	CM38-011		748999.40	Sample depth variation due to overlying asphalt/fill.
900-213 CM38-015 2085138.48 749070.78 0.33-0.75 0-0.5 CM38-015 2085138.49 749070.69 900-213 CM38-023 208525.75 749035.78 0-0.5 0-0.5 CM38-023 2085325.75 749035.76 900-213 CM38-025 2085263.18 749107.08 0.5-1 0-0.5 CM38-025 2085263.19 749071.40 900-213 CM38-029 2085200.69 749107.08 0.3-0.8 0-0.5 CM38-029 2085200.63 749107.05 900-213 CM38-036 2085325.34 749107.76 0-0.5 CM38-039 2085325.34 749107.05 900-213 CM38-036 2085325.34 749107.76 0-0.5 CM38-036 2085325.34 749107.76	900-3	900-213	CM38-013	2085201.01	749035.04	0.3-0.8	0-0.5	CM38-013	2085201.05	749035.05	Sample depth variation due to overlying asphalt/fill.
900-213 CM38-023 2085325.75 749035.78 0-0.5 0-0.5 CM38-023 2085325.75 749035.76 900-213 CM38-025 2085263.18 749071.46 0.5-1 0-0.5 CM38-025 2085263.19 749071.40 900-213 CM38-029 2085138.11 749107.08 0.3-0.8 0-0.5 CM38-029 2085138.08 749107.05 900-213 CM38-036 2085325.34 749107.76 0-0.5 0-0.5 CM38-036 2085325.34 749107.76 900-213 CM38-038 2085325.34 749143.42 0.5-1 0-0.5 CM38-036 2085325.34 749107.76	900-3	900-213	CM38-015	2085138.48	749070.78	0.33-0.75	0-0.5	CM38-015		749070.69	Sample depth variation due to overlying asphalt/fill.
900-213 CM38-025 2085263.18 749071.46 0.5-1 0-0.5 CM38-025 2085263.19 749071.40 900-213 CM38-027 2085200.63 749107.08 0.3-0.8 0-0.5 CM38-027 2085200.63 749107.05 900-213 CM38-036 2085138.11 749142.68 0.5-1 0-0.5 CM38-036 2085138.08 749142.69 900-213 CM38-036 2085325.34 749143.42 0.5-1 0-0.5 CM38-036 2085325.34 749143.40	900-3	900-213	CM38-023	2085325.75	749035.78	0-0.5	0-0.5	CM38-023	2085325.75	749035.76	No significant variations.
900-213 CM38-027 2085200.69 749107.08 0.3-0.8 0-0.5 CM38-027 2085200.63 749107.05 900-213 CM38-029 2085138.11 749142.68 0.5-1 0-0.5 CM38-029 2085138.08 749142.69 900-213 CM38-036 2085325.34 749143.42 0.0-5 0.0-5 CM38-036 2085262.78 749143.40	900-3	900-213	CM38-025	2085263.18	749071.46	0.5-1	0-0.5	CM38-025		749071.40	Sample depth variation due to overlying asphall/fill.
900-213 CM38-029 2085138.11 749142.68 0.5-1 0-0.5 CM38-029 2085138.08 749142.69 900-213 CM38-036 2085325.34 749107.76 0-0.5 0-0.5 CM38-036 2085325.34 749107.76 900-213 CM38-038 2085262.77 749143.42 0.5-1 0-0.5 CM38-038 2085262.78 749143.40	900-3	900-213	CM38-027	2085200.69	749107.08	0.3~0.8	0-0.5	CM38-027	2085200.63	749107.05	Sample depth variation due to overlying asphalvfill.
900-213 CM38-036 2085325.34 749107.76 0-0.5 0-0.5 CM38-036 2085325.34 749107.76 900-213 CM38-038 2085262.77 749143.42 0.5-1 0.5-1 0-0.5 CM38-038 2085262.78 749143.40	900-3	900-213	CM38-029	2085138.11	749142.68	0.5-1	0-0.5	CM38-029	2085138.08	749142.69	Sample depth variation due to overlying asphalt/fill.
900-213 CM38-038 2085262.77 749143.42 0.5-1 0-0.5 CM38-038 2085262.78 749143.40	900-3	900-213	CM38-036	i	749107.76	0-0.5	0-0.5	CM38-036	2085325.34	749107.76	No significant variations.
	900-3	900-213	CM38-038	2085262.77	749143.42	0.5-1	0-0.5	CM38-038		749143.40	Sample depth variation due to overlying asphalt/fill.

red Planned Comment	3.22 749179.05 Sample depth variation due to overlying asphalt/fill.	749214.69	749179.76	2.37 749215.40 Sample depth variation due to overlying asphalt/fill.	9.53 749244.61 No significant variations.	5.65 749246.84 No significant variations.	9.13 748856.12 No significant variations.	3.72 748928.12 No significant variations.	2.84 748911.19 Lateral offset due to the presence of a utility or other impediment, but closer to 904 Pad.	2.66 748804.14 Lateral offset due to the presence of a utility or other impediment, but closer to 904 Pad.	3.31 749000.12 No significant variations.	1.90 749072.11 Lateral offset due to the presence of a utility or other impediment.	7.49 749144.11 No significant variations.	1.61 749117.49 Lateral offset due to the presence of a utility or other impediment, but closer to 904 Pad.	2.73 749022.70 Lateral offset due to the presence of a utility or other impediment, but closer to 904 Pad.	1.08 749216.11 Sample depth variation due to overlying asphalt/fill.	CN39-006 2085436 04 749242 38 No elemificant variations
Planned Planned Location Easting	CM39-001 2085200.22	CM39-003 2085137.67	CM39-008 2085324.93	CM39-010 2085262,37	CM39-012 2085169.53	CM39-013 2085296.65	CN37-003 2085389.13	CN37-009 2085388.72	CN37-012 2085443.84	CN37-013 2085422.66	CN38-003 2085388.31	CN38-009 2085387.90	CN38-015 2085387.49	CN38-016 2085441.61	CN38-017 2085442.73	CN39-005 2085387.08	120 005 300 GEAR
Actual Depth Planned Depth Interval Interval	0-0.5	0-0.5	0-0.5	0-0.5	0-0.5	0-0.5	0-0.5	0-0.5	0-0.5	0-0.5	0-0.5	0-0.5	0-0.5	0-0.5	0-0.5	0-0.5	300
Actual Depth Interval	0.25-0.67	0-0.5	0-0.5	0.5-1	0-0.5	0-0.5	0-0.5	0-0.5	0-0.5	0-0.5	0-0.5	0-0.5	0-0.5	0-0.5	0-0.5	0.5-1	200
Actual Northing	749179.07	749214.67	749179.61	749215.37	749244.63	749246.81	748856.15	748928.11	748917.12	748811.76	749000.11	749072.30	749144.08	749116.01	749021.97	749216.11	72 010017
Actual Easting	2085200.19	2085137.60	2085324.91	2085262.42	2085169.56	2085296.64	2085389.13	2085388.72	2085427.69	2085404.41	2085388.31	2085382.79	2085387.48	2085430.53	2085428.68	2085387.08	2005426.05
Location Code	CM39-001	CM39-003	CM39-008	CM39-010	CM39-012	CM39-013	CN37-003	CN37-009	CN37-012	CN37-013	CN38-003	CN38-009	CN38-015	CN38-016	CN38-017	CN39-005	CN120 00K
IHSS/PAC/UBC Site	900-213	900-213	900-213	900-213	900-213	900-213	900-213	900-213	900-213	900-213	900-213	900-213	900-213	900-213	900-213	900-213	000 213
Group	900-3	900-3	6-006	900-3	6-006	6-006	6-006	900-3	900-3	6-006	900-3	6-006	900-3	8-006	8-006	900-3	, 000

4.0 DATA QUALITY ASSESSMENT (DQA)

The Data Quality Objectives (DQOs) for this project are described in the IASAP (DOE 2002). All DQOs for this project were achieved based on the following:

- Regulatory agency approved sampling program design (IASAP Addendum #IA-03-01 [DOE 2002a);
- Collection of samples in accordance with the sampling design;
- Results of the Data Quality Assessment as described in the following sections.

4.1.1 Data Quality Assessment Process

The DQA process ensures that the type, quantity and quality of environmental data used in decision making are defensible, and is based on the following guidance and requirements:

- EPA QA/G-4, 1994a, Guidance for the Data Quality Objective Process;
- EPA QA/G-9, 1998, Guidance for the Data Quality Assessment Process; Practical Methods for Data Analysis; and
- DOE Order 414.1A, 1999, Quality Assurance.

Verification and Validation (V&V) of the data are the primary components of the DQA. The final data are compared with original project DQOs and evaluated with respect to project decisions; uncertainty within the decisions; and quality criteria required for the data, specifically precision, accuracy, representativeness, completeness, comparability, and sensitivity (PARCCS). Validation criteria are consistent with the following RFETS-specific documents and industry guidelines:

- EPA 540/R-94/012, 1994b, USEPA Contract Laboratory Program National Functional Guidelines for Organic Data Review.
- EPA 540/R-94/013, 1994c, USEPA Contract Laboratory Program National Functional Guidelines for Inorganic Data Review.
- Kaiser-Hill Company, L.L.C.(K-H) V&V Guidelines.
- General Guidelines for Data Verification and Validation, DA-GR01-v2, 2002a.
- V&V Guidelines for Isotopic Determinations by Alpha Spectrometry, DA-RC01-v2, 2002b.
- V&V Guidelines for Volatile Organics, DA-SS01-v3, 2002c.
- V&V Guidelines for Semivolatile Organics, DA-SS02-v3, 2002d.



- V&V Guidelines for Metals, DA-SS05-v3, 2002e.
- Lockheed-Martin, 1997, Evaluation of Radiochemical Data Usability, ES/ER/MS 5.

This report will be submitted to the Comprehensive Environmental, Response, Compensation and Liability Act (CERCLA) Administrative Record (AR) for permanent storage 30 days after being provided to CDPHE and/or U.S. EPA.

4.1.2 Verification and Validation of Results

Verification ensures that data produced and used by the project are documented and traceable in accordance with quality requirements. Validation consists of a technical review of all data that directly support the project decisions so that any limitations of the data relative to project goals are delineated and the associated data are qualified accordingly. The V&V process defines the criteria that constitute data quality, namely PARCCS parameters. Data traceability and archival are also addressed. V&V criteria include the following:

- Chain-of-custody;
- Preservation and hold-times;
- Instrument calibrations;
- Preparation blanks;
- Interference check samples (metals);
- Matrix spikes/matrix spike duplicates (MS/MSD);
- Laboratory control samples (LCS);
- Field duplicate measurements;
- Chemical yield (radiochemistry);
- Required quantitation limits/minimum detectable activities (sensitivity of chemical and radiochemical measurements, respectively); and
- Sample analysis and preparation methods.

Evaluation of V&V criteria ensures that PARCCS parameters are satisfactory (i.e., within tolerances acceptable to the project). Satisfactory V&V of laboratory quality controls are captured through application of validation "flags" or qualifiers to individual records. Quality control samples are summarized and reported relative to two basic metrics: 1) the frequency of QC measurements (e.g., 1 sample per lab batch), and 2) the results, or performance, of the QC sample analyses. Generally, a minimum number of QC samples must be analyzed, and results must fall within predefined tolerance limits; violation of either of these criteria results in qualification or rejection of the data. Results are

discussed relative to RFCA action levels to determine if project decisions are impacted. Based on the V&V criteria, the data quality is acceptable for project decisions.

Raw hardcopy data (e.g., individual analytical data packages) are currently filed by RIN and are maintained by Kaiser-Hill Analytical Services Division; older hardcopies may reside in the Federal Center in Lakewood, Colorado. Electronic data are stored in the RFETS Soil and Water Database (SWD).

Both real and QC data, as of June 18, 2003 are included on the enclosed CD in Microsoft ACCESS 2000 format: (Filename 903_904_016803.mdb, "SWD&LIMS_dqa_real_data_903_904_061803" and "SWD&LIMS_dqa_qc_data_903_904_061803".

4.1.3 Accuracy

The following measures of accuracy were evaluated:

- Laboratory Control Sample Evaluation;
- Surrogate Evaluation;
- Blanks; and
- Sample Matrix Spike Evaluation.

Laboratory Control Sample Evaluation

The frequency of Laboratory Control Sample (LCS) measurements, relative to each laboratory batch, is given in Table 6. LCS frequency was adequate based on at least one LCS per lab batch. The minimum and maximum LCS results are tabulated by chemical and method for the project. Any qualifications of results due to LCS performance exceeding tolerance limits are captured in the V&V flags, described in the Completeness Section.

Surrogate Evaluation

The frequency of surrogate measurements is given in Table 7. Surrogate frequencies were adequate based on at least one surrogate set per sample. The minimum and maximum surrogate results are also tabulated, by chemical, for the project. Any qualifications of results due to surrogate results are captured in the V&V flags, described in the Completeness Section.

Blank Evaluation

Results of the field blank analyses are given in Table 8. Detectable amounts of contaminants within the field or laboratory blanks, which could indicate possible cross-contamination of samples, are evaluated if the same contaminant is detected in the associated real samples. None of the chemicals detected in blanks were detected at concentrations in real samples (where real sample concentrations exceeded Als), therefore no significant blank contamination is indicated.

Table 6
Laboratory Control Summary

Trist Method		Lä	aboratory Control Summ	ary			
SW-846 8260 71-55-6 1,1,1-Trichloroethane 76.9 102.6 8 8 SW-846 8260 79-34-5 1,1,2-Trichloroethane 86.9 124 8 8 SW-846 8260 76-13-1 1,1,2-Trichloroethane 74.7 100.5 8 8 SW-846 8260 75-34-3 1,1-Dichloroethane 76.1 92.66 8 8 SW-846 8260 75-34-3 1,1-Dichloroethane 76.1 92.66 8 8 SW-846 8260 75-34-3 1,1-Dichloroptopene 75.1 92.66 8 8 SW-846 8260 563-58-6 1,1-Dichloroptopene 75.1 95.93 8 8 SW-846 8260 87-61-6 1,2,3-Trichloroptopane 86.2 123.8 8 8 SW-846 8260 96-18-4 1,2,3-Trichloroptopane 86.2 123.8 8 8 SW-846 8260 195-63-6 1,2-4-Trichloroptopane 88.8 102.1 8 8 SW-846 8260 105-63-4 1,2-Dichloroptopane	Test Method	CAS	Analyte	100000000000000000000000000000000000000			
SW-846 8260 79-34-5 1,1,2,2-Tetrachloroethane 86.9 124 8 8 SW-846 8260 76-13-1 1,1,2-Trichloro-1,2,2-Trifluoroethane 74.7 100.5 8 8 SW-846 8260 79-00-5 1,1,12-Trichloroethane 76.1 92.66 8 8 SW-846 8260 75-34-3 1,1-Dichloroethane 76.1 92.66 8 8 SW-846 8260 75-35-4 1,1-Dichloroethane 77.1 95.93 8 8 SW-846 8260 56-3-58-6 1,1-Dichloroethane 79.1 95.93 8 8 SW-846 8260 87-61-6 1,2,3-Trichlorobenzene 93.1 101.4 8 8 SW-846 8260 190-82-1 1,2,4-Trichlorobenzene 91.2 103.6 8 8 SW-846 8260 190-82-1 1,2-Dibrome-3-Chloropropane 81.02.1 8 8 SW-846 8260 106-93-4 1,2-Dichloroethane 83 96.26 8 8 SW-846 8260 107-60-2 1,2-Dichloroethane </td <td>SW-846 8260</td> <td>630-20-6</td> <td>1,1,1,2-Tetrachloroethane</td> <td>89.3</td> <td>132.8</td> <td>8</td> <td>. 8</td>	SW-846 8260	630-20-6	1,1,1,2-Tetrachloroethane	89.3	132.8	8	. 8
SW-846 8260 76-13-1 1,1,2-Trichloro-1,2,2-Trifluoroethane 74.7 100.5 8 8 SW-846 8260 79-00-5 1,1,2-Trichloroethane 34.5 101.7 8 8 SW-846 8260 75-34-3 1,1-Dichloroethane 76.1 92.66 8 8 SW-846 8260 75-35-4 1,1-Dichloroethane 81.9 103.9 8 8 SW-846 8260 87-61-6 1,2,3-Trichlorobenzene 93.1 101.4 8 8 SW-846 8260 96-18-4 1,2,3-Trichlorobenzene 93.1 101.4 8 8 SW-846 8260 96-18-4 1,2,3-Trichlorobenzene 91.2 103.6 8 8 SW-846 8260 96-12-8 1,2-Dichlorobenzene 91.2 103.6 8 8 SW-846 8260 96-12-8 1,2-Dibromo-3-Chloropropane 79.1 100.8 8 8 SW-846 8260 106-93-4 1,2-Dichlorobenzene 92.9 102.2 8 8 SW-846 8260 107-66-2 1,	SW-846 8260	71-55-6	1,1,1-Trichloroethane	76.9	102.6	8	8
SW-846 8260 79-00-5 1,1,2-Trichloroethane 84.5 101.7 8 8 SW-846 8260 75-34-3 1,1-Dichloroethane 76.1 92.66 8 8 SW-846 8260 75-35-4 1,1-Dichloroethene 81.9 103.9 8 8 SW-846 8260 563-58-6 1,1-Dichlorobrene 75.1 95.93 8 8 SW-846 8260 96-18-4 1,2,3-Trichlorobenzene 93.1 101.4 8 8 SW-846 8260 96-18-4 1,2,3-Trichlorobenzene 91.2 103.6 8 8 SW-846 8260 120-82-1 1,2,4-Trinchlorobenzene 91.2 103.6 8 8 SW-846 8260 196-3-4 1,2-Dibromoethane 88.8 102.1 8 8 SW-846 8260 106-93-4 1,2-Dichlorobenzene 92.9 102.2 8 8 SW-846 8260 107-06-2 1,2-Dichlorobenzene 92.9 102.2 8 8 SW-846 8260 170-06-2 1,2-Dichlorobenzene	SW-846 8260	79-34-5	1,1,2,2-Tetrachloroethane	86.9	124	8	8
SW-846 8260 75-34-3 1,1-Dichloroethane 76.1 92.66 8 8 SW-846 8260 75-35-4 1,1-Dichloroethene 81.9 103.9 8 8 SW-846 8260 563-58-6 1,1-Dichloropropene 75.1 95.93 8 8 SW-846 8260 87-61-6 1,2,3-Trichlorobenzene 93.1 101.4 8 8 SW-846 8260 96-18-4 1,2,3-Trichlorobenzene 91.2 103.6 8 8 SW-846 8260 120-82-1 1,2,4-Trichlorobenzene 91.2 103.6 8 8 SW-846 8260 95-63-6 1,2,4-Trimethylbenzene 88.8 102.1 8 8 SW-846 8260 96-12-8 1,2-Dibromo-3-Chloropropane 79.1 100.8 8 8 SW-846 8260 106-93-4 1,2-Dichlorobenzene 92.9 102.2 8 8 SW-846 8260 107-06-2 1,2-Dichlorobenzene 92.9 102.2 8 8 SW-846 8260 1706-07-0 1,2-Dichloroben	SW-846 8260	76-13-1	1,1,2-Trichloro-1,2,2-Trifluoroethane	74.7	100.5	8	8
SW-846 8260 75-35-4 1,1-Dichloroethene 81.9 103.9 8 8 SW-846 8260 563-58-6 1,1-Dichloropropene 75.1 95.93 8 8 SW-846 8260 87-61-6 1,2,3-Trichlorobenzene 93.1 101.4 8 8 SW-846 8260 96-18-4 1,2,3-Trichlorobenzene 91.2 103.6 8 8 SW-846 8260 120-82-1 1,2,4-Trichlorobenzene 91.2 103.6 8 8 SW-846 8260 95-63-6 1,2,4-Trichlorobenzene 91.2 103.6 8 8 SW-846 8260 96-12-8 1,2-Dibromo-3-Chloropropane 79.1 100.8 8 8 SW-846 8260 106-93-4 1,2-Dichlorobenzene 92.9 102.2 8 8 SW-846 8260 107-06-2 1,2-Dichlorobenzene 92.9 102.2 8 8 SW-846 8260 1706-07-0 1,2-Dichlorobenzene 92.5 107.5 8 8 SW-846 8260 18-67-8 1,3-Dichlorobe	SW-846 8260	79-00-5	1,1,2-Trichloroethane	84.5	101.7	8 .	8
SW-846 8260 563-58-6 1,1-Dichloropropene 75.1 95.93 8 8 SW-846 8260 87-61-6 1,2,3-Trichlorobenzene 93.1 101.4 8 8 SW-846 8260 96-18-4 1,2,3-Trichloropropane 86.2 123.8 8 8 SW-846 8260 120-82-1 1,2,4-Trichlorobenzene 91.2 103.6 8 8 SW-846 8260 95-63-6 1,2,4-Trimethylbenzene 88.8 102.1 8 8 SW-846 8260 96-12-8 1,2-Dibromo-3-Chloropropane 79.1 100.8 8 8 SW-846 8260 106-93-4 1,2-Dichlorobenzene 92.9 102.2 8 8 SW-846 8260 107-06-2 1,2-Dichlorobenzene 92.9 102.2 8 8 SW-846 8260 107-06-2 1,2-Dichlorobenzene 92.9 107.5 8 8 SW-846 8260 107-60-8 1,3,5-Trimethylbenzene 91.2 105.5 8 8 SW-846 8260 108-67-8 1,3-5-Tri	SW-846 8260	75-34-3	1,1-Dichloroethane	76.1	92.66	8	8
SW-846 8260 87-61-6 1,2,3-Trichlorobenzene 93.1 101.4 8 8 SW-846 8260 96-18-4 1,2,3-Trichloropropane 86.2 123.8 8 8 SW-846 8260 120-82-1 1,2,4-Trichlorobenzene 91.2 103.6 8 8 SW-846 8260 95-63-6 1,2,4-Trimethylbenzene 88.8 102.1 8 8 SW-846 8260 96-12-8 1,2-Dibromo-3-Chloropropane 79.1 100.8 8 8 SW-846 8260 106-93-4 1,2-Dibromo-3-Chloropropane 79.1 100.8 8 8 SW-846 8260 107-06-2 1,2-Dichlorobenzene 92.9 102.2 8 8 SW-846 8260 107-06-2 1,2-Dichloroptropane 85.1 113.5 8 8 SW-846 8260 107-06-2 1,2-Dichloroptropane 85.1 113.5 8 8 SW-846 8260 108-67-8 1,3-5-Trimethylbenzene 91.2 105.5 8 8 SW-846 8260 142-23-9 <td< td=""><td>SW-846 8260</td><td>75-35-4</td><td>1,1-Dichloroethene</td><td>81.9</td><td>103.9</td><td>8</td><td>8</td></td<>	SW-846 8260	75-35-4	1,1-Dichloroethene	81.9	103.9	8	8
SW-846 8260 96-18-4 1,2,3-Trichloropropane 86.2 123.8 8 SW-846 8260 120-82-1 1,2,4-Trichlorobenzene 91.2 103.6 8 8 SW-846 8260 95-63-6 1,2,4-Trimethylbenzene 88.8 102.1 8 8 SW-846 8260 96-12-8 1,2-Dibromo-3-Chloropropane 79.1 100.8 8 8 SW-846 8260 106-93-4 1,2-Dichlorobenzene 92.9 102.2 8 8 SW-846 8260 107-60-2 1,2-Dichlorobenzene 92.9 102.2 8 8 SW-846 8260 107-60-2 1,2-Dichlorobenzene 92.9 102.2 8 8 SW-846 8260 107-06-2 1,2-Dichlorobenzene 92.9 102.2 8 8 SW-846 8260 107-06-2 1,2-Dichlorobenzene 92.9 102.2 8 8 SW-846 8260 18-87-5 1,2-Dichlorobenzene 91.2 105.5 8 8 SW-846 8260 108-67-8 1,3-Dichlorobenzene <	SW-846 8260	563-58-6	1,1-Dichloropropene	75.1	95.93	8	8
SW-846 8260 120-82-1 1,2,4-Trichlorobenzene 91.2 103.6 8 8 SW-846 8260 95-63-6 1,2,4-Trimethylbenzene 88.8 102.1 8 8 SW-846 8260 96-12-8 1,2-Dibromo-3-Chloropropane 79.1 100.8 8 8 SW-846 8260 106-93-4 1,2-Dichlorobenzene 92.9 102.2 8 8 SW-846 8260 107-06-2 1,2-Dichlorobenzene 92.9 102.2 8 8 SW-846 8260 170-06-2 1,2-Dichlorobenzene 92.9 102.2 8 8 SW-846 8260 170-06-2 1,2-Dichlorobenzene 92.9 102.2 8 8 SW-846 8260 170-06-7 1,2-Dichlorobenzene 92.9 102.2 8 8 SW-846 8260 18-87-5 1,2-Dichlorobenzene 91.2 105.5 8 8 SW-846 8260 18-67-8 1,3-Dichlorobenzene 91.2 105.5 8 8 SW-846 8260 16-46-7 1,4-Dichlorobenzene	SW-846 8260	87-61-6	1,2,3-Trichlorobenzene	93.1	101.4	8	8
SW-846 8260 95-63-6 1,2,4-Trimethylbenzene 88.8 102.1 8 8 SW-846 8260 96-12-8 1,2-Dibromo-3-Chloropropane 79.1 100.8 8 8 SW-846 8260 106-93-4 1,2-Dibromoethane 83 96.26 8 8 SW-846 8260 107-06-2 1,2-Dichloroethane 76.6 91.81 8 8 SW-846 8260 17060-07-0 1,2-Dichloroethane-D4 97.6 107.5 8 8 SW-846 8260 18-67-8 1,3-Dichloropropane 85.1 113.5 8 8 SW-846 8260 142-28-9 1,3-Dichloropropane 85.6 99.64 8 8 SW-846 8260 166-46-7 1,4-Dichlorobenzene 92.3 102.4 8 8 SW-846 8260 594-20-7 2,2-Dichloropropane 76.3 99.21 8 8 SW-846 8260 78-93-3 2-Butanone 53.6 97.77 8 8 SW-846 8260 75-49-8 2-Chlorotoluene <td< td=""><td>SW-846 8260</td><td>96-18-4</td><td>1,2,3-Trichloropropane</td><td>86.2</td><td>123.8</td><td>8</td><td>8</td></td<>	SW-846 8260	96-18-4	1,2,3-Trichloropropane	86.2	123.8	8	8
SW-846 8260 96-12-8 1,2-Dibromo-3-Chloropropane 79.1 100.8 8 8 SW-846 8260 106-93-4 1,2-Dibromoethane 83 96.26 8 8 SW-846 8260 107-06-2 1,2-Dichloroethane 76.6 91.81 8 8 SW-846 8260 170-06-2 1,2-Dichloroethane-D4 97.6 107.5 8 8 SW-846 8260 178-87-5 1,2-Dichloropropane 85.1 113.5 8 8 SW-846 8260 108-67-8 1,3-Dichloropropane 85.6 99.64 8 8 SW-846 8260 142-28-9 1,3-Dichloropropane 85.6 99.64 8 8 SW-846 8260 166-46-7 1,4-Dichlorobenzene 92.3 102.4 8 8 SW-846 8260 594-20-7 2,2-Dichloropropane 76.3 99.21 8 8 SW-846 8260 78-93-3 2-Butanone 53.6 97.77 8 8 SW-846 8260 591-78-6 2-Hexanone 67.8 </td <td>SW-846 8260</td> <td>120-82-1</td> <td>1,2,4-Trichlorobenzene</td> <td>91.2</td> <td>103.6</td> <td>8</td> <td>8</td>	SW-846 8260	120-82-1	1,2,4-Trichlorobenzene	91.2	103.6	8	8
SW-846 8260 106-93-4 1,2-Dibromoethane 83 96.26 8 8 SW-846 8260 95-50-1 1,2-Dichlorobenzene 92.9 102.2 8 8 SW-846 8260 107-06-2 1,2-Dichloroethane 76.6 91.81 8 8 SW-846 8260 17060-07-0 1,2-Dichloroptopane 85.1 107.5 8 8 SW-846 8260 108-67-8 1,3-Dichloroptopane 85.1 113.5 8 8 SW-846 8260 108-67-8 1,3-Dichloroptopane 85.6 99.64 8 8 SW-846 8260 142-28-9 1,3-Dichloroptopane 85.6 99.64 8 8 SW-846 8260 106-46-7 1,4-Dichlorobenzene 92.3 102.4 8 8 SW-846 8260 594-20-7 2,2-Dichloroptopane 76.3 99.21 8 8 SW-846 8260 78-93-3 2-Butanone 53.6 97.77 8 8 SW-846 8260 95-49-8 2-Chlorotoluene 90.4	SW-846 8260	95-63-6	1,2,4-Trimethylbenzene	88.8	102.1	8	8
SW-846 8260 95-50-1 1,2-Dichlorobenzene 92.9 102.2 8 8 SW-846 8260 107-06-2 1,2-Dichloroethane 76.6 91.81 8 8 SW-846 8260 17060-07-0 1,2-Dichloropethane-D4 97.6 107.5 8 8 SW-846 8260 17060-07-0 1,2-Dichloropropane 85.1 113.5 8 8 SW-846 8260 108-67-8 1,3-Dichloropropane 85.6 96.4 8 8 SW-846 8260 142-28-9 1,3-Dichloropropane 85.6 99.64 8 8 SW-846 8260 106-46-7 1,4-Dichlorobenzene 92.3 102.4 8 8 SW-846 8260 594-20-7 2,2-Dichloropropane 76.3 99.21 8 8 SW-846 8260 78-93-3 2-Butanone 53.6 97.77 8 8 SW-846 8260 95-49-8 2-Chlorotoluene 90.4 102.4 8 8 SW-846 8260 591-78-6 2-Hexanone 67.8	SW-846 8260	96-12-8	1,2-Dibromo-3-Chloropropane	79.1	100.8	8	8
SW-846 8260 107-06-2 1,2-Dichloroethane 76.6 91.81 8 8 SW-846 8260 17060-07-0 1,2-Dichloroethane-D4 97.6 107.5 8 8 SW-846 8260 78-87-5 1,2-Dichloropropane 85.1 113.5 8 8 SW-846 8260 108-67-8 1,3,5-Trimethylbenzene 91.2 105.5 8 8 SW-846 8260 142-28-9 1,3-Dichloropropane 85.6 99.64 8 8 SW-846 8260 106-46-7 1,4-Dichlorobenzene 92.3 102.4 8 8 SW-846 8260 594-20-7 2,2-Dichloropropane 76.3 99.21 8 8 SW-846 8260 78-93-3 2-Butanone 53.6 97.77 8 8 SW-846 8260 95-49-8 2-Chlorotoluene 90.4 102.4 8 8 SW-846 8260 591-78-6 2-Hexanone 67.8 97.5 8 8 SW-846 8260 106-43-4 4-Chlorotoluene 91	SW-846 8260	106-93-4	1,2-Dibromoethane	83	96.26	8	8
SW-846 8260 17060-07-0 1,2-Dichloroethane-D4 97.6 107.5 8 8 SW-846 8260 78-87-5 1,2-Dichloropropane 85.1 113.5 8 8 SW-846 8260 108-67-8 1,3,5-Trimethylbenzene 91.2 105.5 8 8 SW-846 8260 142-28-9 1,3-Dichloropropane 85.6 99.64 8 8 SW-846 8260 106-46-7 1,4-Dichlorobenzene 92.3 102.4 8 8 SW-846 8260 594-20-7 2,2-Dichloropropane 76.3 99.21 8 8 SW-846 8260 78-93-3 2-Butanone 53.6 97.77 8 8 SW-846 8260 95-49-8 2-Chlorotoluene 90.4 102.4 8 8 SW-846 8260 591-78-6 2-Hexanone 67.8 97.5 8 8 SW-846 8260 106-43-4 4-Chlorotoluene 91 102.6 8 8 SW-846 8260 108-10-1 4-Methyl-2-Pentanone 84.1	SW-846 8260	95-50-1	1,2-Dichlorobenzene	92.9	102.2	8	8
SW-846 8260 78-87-5 1,2-Dichloropropane 85.1 113.5 8 8 SW-846 8260 108-67-8 1,3,5-Trimethylbenzene 91.2 105.5 8 8 SW-846 8260 142-28-9 1,3-Dichloropropane 85.6 99.64 8 8 SW-846 8260 106-46-7 1,4-Dichlorobenzene 92.3 102.4 8 8 SW-846 8260 594-20-7 2,2-Dichloropropane 76.3 99.21 8 8 SW-846 8260 78-93-3 2-Butanone 53.6 97.77 8 8 SW-846 8260 95-49-8 2-Chlorotoluene 90.4 102.4 8 8 SW-846 8260 591-78-6 2-Hexanone 67.8 97.5 8 8 SW-846 8260 460-00-4 4-Bromofluorobenzene 88.7 104.5 8 8 SW-846 8260 106-43-4 4-Chlorotoluene 91 102.6 8 8 SW-846 8260 108-10-1 4-Methyl-2-Pentanone 84.1	SW-846 8260	107-06-2	1,2-Dichloroethane	76.6	91.81	8	8
SW-846 8260 108-67-8 1,3,5-Trimethylbenzene 91.2 105.5 8 8 SW-846 8260 142-28-9 1,3-Dichloropropane 85.6 99.64 8 8 SW-846 8260 106-46-7 1,4-Dichlorobenzene 92.3 102.4 8 8 SW-846 8260 594-20-7 2,2-Dichloropropane 76.3 99.21 8 8 SW-846 8260 78-93-3 2-Butanone 53.6 97.77 8 8 SW-846 8260 95-49-8 2-Chlorotoluene 90.4 102.4 8 8 SW-846 8260 591-78-6 2-Hexanone 67.8 97.5 8 8 SW-846 8260 460-00-4 4-Bromofluorobenzene 88.7 104.5 8 8 SW-846 8260 106-43-4 4-Chlorotoluene 91 102.6 8 8 SW-846 8260 108-10-1 4-Methyl-2-Pentanone 84.1 119.4 8 8 SW-846 8260 67-64-1 Acetone 41.1 86.34 <td>SW-846 8260</td> <td>17060-07-0</td> <td>1,2-Dichloroethane-D4</td> <td>97.6</td> <td>107.5</td> <td>8</td> <td>8</td>	SW-846 8260	17060-07-0	1,2-Dichloroethane-D4	97.6	107.5	8	8
SW-846 8260 142-28-9 1,3-Dichloropropane 85.6 99.64 8 8 SW-846 8260 106-46-7 1,4-Dichlorobenzene 92.3 102.4 8 8 SW-846 8260 594-20-7 2,2-Dichloropropane 76.3 99.21 8 8 SW-846 8260 78-93-3 2-Butanone 53.6 97.77 8 8 SW-846 8260 95-49-8 2-Chlorotoluene 90.4 102.4 8 8 SW-846 8260 591-78-6 2-Hexanone 67.8 97.5 8 8 SW-846 8260 460-00-4 4-Bromofluorobenzene 88.7 104.5 8 8 SW-846 8260 106-43-4 4-Chlorotoluene 91 102.6 8 8 SW-846 8260 99-87-6 4-Isopropyltoluene 93.8 110.3 8 8 SW-846 8260 108-10-1 4-Methyl-2-Pentanone 84.1 119.4 8 8 SW-846 8260 71-43-2 Benzene 82.1 96.97	SW-846 8260	78-87-5	1,2-Dichloropropane	85.1	113.5	8	8
SW-846 8260 106-46-7 1,4-Dichlorobenzene 92.3 102.4 8 8 SW-846 8260 594-20-7 2,2-Dichloropropane 76.3 99.21 8 8 SW-846 8260 78-93-3 2-Butanone 53.6 97.77 8 8 SW-846 8260 95-49-8 2-Chlorotoluene 90.4 102.4 8 8 SW-846 8260 591-78-6 2-Hexanone 67.8 97.5 8 8 SW-846 8260 460-00-4 4-Bromofluorobenzene 88.7 104.5 8 8 SW-846 8260 106-43-4 4-Chlorotoluene 91 102.6 8 8 SW-846 8260 99-87-6 4-Isopropyltoluene 93.8 110.3 8 8 SW-846 8260 108-10-1 4-Methyl-2-Pentanone 84.1 119.4 8 8 SW-846 8260 71-43-2 Benzene 82.1 96.97 8 8 SW-846 8260 74-97-5 Bromochloromethane 80.6 94	SW-846 8260	108-67-8	1,3,5-Trimethylbenzene	91.2	105.5	8	8
SW-846 8260 594-20-7 2,2-Dichloropropane 76.3 99.21 8 8 SW-846 8260 78-93-3 2-Butanone 53.6 97.77 8 8 SW-846 8260 95-49-8 2-Chlorotoluene 90.4 102.4 8 8 SW-846 8260 591-78-6 2-Hexanone 67.8 97.5 8 8 SW-846 8260 460-00-4 4-Bromofluorobenzene 88.7 104.5 8 8 SW-846 8260 106-43-4 4-Chlorotoluene 91 102.6 8 8 SW-846 8260 99-87-6 4-Isopropyltoluene 93.8 110.3 8 8 SW-846 8260 108-10-1 4-Methyl-2-Pentanone 84.1 119.4 8 8 SW-846 8260 67-64-1 Acetone 41.1 86.34 8 8 SW-846 8260 71-43-2 Benzene 82.1 96.97 8 8 SW-846 8260 74-97-5 Bromochloromethane 80.6 94 8	SW-846 8260	142-28-9	1,3-Dichloropropane	85.6	99.64	8	8
SW-846 8260 78-93-3 2-Butanone 53.6 97.77 8 8 SW-846 8260 95-49-8 2-Chlorotoluene 90.4 102.4 8 8 SW-846 8260 591-78-6 2-Hexanone 67.8 97.5 8 8 SW-846 8260 460-00-4 4-Bromofluorobenzene 88.7 104.5 8 8 SW-846 8260 106-43-4 4-Chlorotoluene 91 102.6 8 8 SW-846 8260 108-10-1 4-Isopropyltoluene 93.8 110.3 8 8 SW-846 8260 108-10-1 4-Methyl-2-Pentanone 84.1 119.4 8 8 SW-846 8260 67-64-1 Acetone 41.1 86.34 8 8 SW-846 8260 71-43-2 Benzene 82.1 96.97 8 8 SW-846 8260 74-97-5 Bromochloromethane 80.6 94 8 8 SW-846 8260 75-27-4 Bromodichloromethane 88.3 113 8	SW-846 8260	106-46-7	1,4-Dichlorobenzene	92.3	102.4	8	8
SW-846 8260 95-49-8 2-Chlorotoluene 90.4 102.4 8 8 SW-846 8260 591-78-6 2-Hexanone 67.8 97.5 8 8 SW-846 8260 460-00-4 4-Bromofluorobenzene 88.7 104.5 8 8 SW-846 8260 106-43-4 4-Chlorotoluene 91 102.6 8 8 SW-846 8260 99-87-6 4-Isopropyltoluene 93.8 110.3 8 8 SW-846 8260 108-10-1 4-Methyl-2-Pentanone 84.1 119.4 8 8 SW-846 8260 67-64-1 Acetone 41.1 86.34 8 8 SW-846 8260 71-43-2 Benzene 82.1 96.97 8 8 SW-846 8260 74-97-5 Bromobenzene 93.4 109.6 8 8 SW-846 8260 75-27-4 Bromodichloromethane 80.6 94 8 8 SW-846 8260 75-25-2 Bromoform 91.2 128.4 8	SW-846 8260	594-20-7	2,2-Dichloropropane	76.3	99.21	8	8
SW-846 8260 591-78-6 2-Hexanone 67.8 97.5 8 8 SW-846 8260 460-00-4 4-Bromofluorobenzene 88.7 104.5 8 8 SW-846 8260 106-43-4 4-Chlorotoluene 91 102.6 8 8 SW-846 8260 99-87-6 4-Isopropyltoluene 93.8 110.3 8 8 SW-846 8260 108-10-1 4-Methyl-2-Pentanone 84.1 119.4 8 8 SW-846 8260 67-64-1 Acetone 41.1 86.34 8 8 SW-846 8260 71-43-2 Benzene 82.1 96.97 8 8 SW-846 8260 74-97-5 Bromobenzene 93.4 109.6 8 8 SW-846 8260 75-27-4 Bromochloromethane 80.6 94 8 8 SW-846 8260 75-25-2 Bromoform 91.2 128.4 8 8 SW-846 8260 75-15-0 Carbon Disulfide 79.5 98.7 8 <t< td=""><td>SW-846 8260</td><td>78-93-3</td><td>2-Butanone</td><td>53.6</td><td>97.77</td><td>8</td><td>8</td></t<>	SW-846 8260	78-93-3	2-Butanone	53.6	97.77	8	8
SW-846 8260 460-00-4 4-Bromofluorobenzene 88.7 104.5 8 8 SW-846 8260 106-43-4 4-Chlorotoluene 91 102.6 8 8 SW-846 8260 99-87-6 4-Isopropyltoluene 93.8 110.3 8 8 SW-846 8260 108-10-1 4-Methyl-2-Pentanone 84.1 119.4 8 8 SW-846 8260 67-64-1 Acetone 41.1 86.34 8 8 SW-846 8260 71-43-2 Benzene 82.1 96.97 8 8 SW-846 8260 108-86-1 Bromobenzene 93.4 109.6 8 8 SW-846 8260 74-97-5 Bromochloromethane 80.6 94 8 8 SW-846 8260 75-27-4 Bromoform 91.2 128.4 8 SW-846 8260 74-83-9 Bromomethane 53.6 94.04 8 8 SW-846 8260 75-15-0 Carbon Disulfide 79.5 98.7 8 8 <td>SW-846 8260</td> <td>95-49-8</td> <td>2-Chlorotoluene</td> <td>90.4</td> <td>102.4</td> <td>8</td> <td>8</td>	SW-846 8260	95-49-8	2-Chlorotoluene	90.4	102.4	8	8
SW-846 8260 106-43-4 4-Chlorotoluene 91 102.6 8 8 SW-846 8260 99-87-6 4-Isopropyltoluene 93.8 110.3 8 8 SW-846 8260 108-10-1 4-Methyl-2-Pentanone 84.1 119.4 8 8 SW-846 8260 67-64-1 Acetone 41.1 86.34 8 8 SW-846 8260 71-43-2 Benzene 82.1 96.97 8 8 SW-846 8260 108-86-1 Bromobenzene 93.4 109.6 8 8 SW-846 8260 74-97-5 Bromochloromethane 80.6 94 8 8 SW-846 8260 75-27-4 Bromodichloromethane 88.3 113 8 8 SW-846 8260 75-25-2 Bromoform 91.2 128.4 8 8 SW-846 8260 74-83-9 Bromomethane 53.6 94.04 8 8 SW-846 8260 75-15-0 Carbon Disulfide 79.5 98.7 8 <t< td=""><td>SW-846 8260</td><td>591-78-6</td><td>2-Hexanone</td><td>67.8</td><td>97.5</td><td>8</td><td>8</td></t<>	SW-846 8260	591-78-6	2-Hexanone	67.8	97.5	8	8
SW-846 8260 99-87-6 4-Isopropyltoluene 93.8 110.3 8 8 SW-846 8260 108-10-1 4-Methyl-2-Pentanone 84.1 119.4 8 8 SW-846 8260 67-64-1 Acetone 41.1 86.34 8 8 SW-846 8260 71-43-2 Benzene 82.1 96.97 8 8 SW-846 8260 108-86-1 Bromobenzene 93.4 109.6 8 8 SW-846 8260 74-97-5 Bromochloromethane 80.6 94 8 8 SW-846 8260 75-27-4 Bromodichloromethane 88.3 113 8 8 SW-846 8260 75-25-2 Bromoform 91.2 128.4 8 8 SW-846 8260 74-83-9 Bromomethane 53.6 94.04 8 8 SW-846 8260 75-15-0 Carbon Disulfide 79.5 98.7 8 8 SW-846 8260 56-23-5 Carbon Tetrachloride 74.3 99.52 8	SW-846 8260	460-00-4	4-Bromofluorobenzene	88.7	104.5	8	8
SW-846 8260 108-10-1 4-Methyl-2-Pentanone 84.1 119.4 8 8 SW-846 8260 67-64-1 Acetone 41.1 86.34 8 8 SW-846 8260 71-43-2 Benzene 82.1 96.97 8 8 SW-846 8260 108-86-1 Bromobenzene 93.4 109.6 8 8 SW-846 8260 74-97-5 Bromochloromethane 80.6 94 8 8 SW-846 8260 75-27-4 Bromodichloromethane 88.3 113 8 8 SW-846 8260 75-25-2 Bromoform 91.2 128.4 8 8 SW-846 8260 74-83-9 Bromomethane 53.6 94.04 8 8 SW-846 8260 75-15-0 Carbon Disulfide 79.5 98.7 8 8 SW-846 8260 56-23-5 Carbon Tetrachloride 74.3 99.52 8 8 SW-846 8260 108-90-7 Chlorobenzene 91.2 136.2 8	SW-846 8260	106-43-4	4-Chlorotoluene	91	102.6	8	8
SW-846 8260 67-64-1 Acetone 41.1 86.34 8 SW-846 8260 71-43-2 Benzene 82.1 96.97 8 8 SW-846 8260 108-86-1 Bromobenzene 93.4 109.6 8 8 SW-846 8260 74-97-5 Bromochloromethane 80.6 94 8 8 SW-846 8260 75-27-4 Bromodichloromethane 88.3 113 8 8 SW-846 8260 75-25-2 Bromoform 91.2 128.4 8 8 SW-846 8260 74-83-9 Bromomethane 53.6 94.04 8 8 SW-846 8260 75-15-0 Carbon Disulfide 79.5 98.7 8 8 SW-846 8260 56-23-5 Carbon Tetrachloride 74.3 99.52 8 8 SW-846 8260 108-90-7 Chlorobenzene 91.2 136.2 8 8 SW-846 8260 75-00-3 Chloroethane 66.6 105.6 8 8 <td>SW-846 8260</td> <td>99-87-6</td> <td>4-Isopropyltoluene</td> <td>93.8</td> <td>110.3</td> <td>8</td> <td>8</td>	SW-846 8260	99-87-6	4-Isopropyltoluene	93.8	110.3	8	8
SW-846 8260 71-43-2 Benzene 82.1 96.97 8 8 SW-846 8260 108-86-1 Bromobenzene 93.4 109.6 8 8 SW-846 8260 74-97-5 Bromochloromethane 80.6 94 8 8 SW-846 8260 75-27-4 Bromodichloromethane 88.3 113 8 8 SW-846 8260 75-25-2 Bromoform 91.2 128.4 8 8 SW-846 8260 74-83-9 Bromomethane 53.6 94.04 8 8 SW-846 8260 75-15-0 Carbon Disulfide 79.5 98.7 8 8 SW-846 8260 56-23-5 Carbon Tetrachloride 74.3 99.52 8 8 SW-846 8260 108-90-7 Chlorobenzene 91.2 136.2 8 8 SW-846 8260 75-00-3 Chloroethane 66.6 105.6 8 8	SW-846 8260	108-10-1	4-Methyl-2-Pentanone	84.1	119.4	8	8
SW-846 8260 108-86-1 Bromobenzene 93.4 109.6 8 8 SW-846 8260 74-97-5 Bromochloromethane 80.6 94 8 8 SW-846 8260 75-27-4 Bromodichloromethane 88.3 113 8 8 SW-846 8260 75-25-2 Bromoform 91.2 128.4 8 8 SW-846 8260 74-83-9 Bromomethane 53.6 94.04 8 8 SW-846 8260 75-15-0 Carbon Disulfide 79.5 98.7 8 8 SW-846 8260 56-23-5 Carbon Tetrachloride 74.3 99.52 8 8 SW-846 8260 108-90-7 Chlorobenzene 91.2 136.2 8 8 SW-846 8260 75-00-3 Chloroethane 66.6 105.6 8 8	SW-846 8260	67-64-1	Acetone	41.1	86.34	8 -	8
SW-846 8260 74-97-5 Bromochloromethane 80.6 94 8 8 SW-846 8260 75-27-4 Bromodichloromethane 88.3 113 8 8 SW-846 8260 75-25-2 Bromoform 91.2 128.4 8 8 SW-846 8260 74-83-9 Bromomethane 53.6 94.04 8 8 SW-846 8260 75-15-0 Carbon Disulfide 79.5 98.7 8 8 SW-846 8260 56-23-5 Carbon Tetrachloride 74.3 99.52 8 8 SW-846 8260 108-90-7 Chlorobenzene 91.2 136.2 8 8 SW-846 8260 75-00-3 Chloroethane 66.6 105.6 8 8	SW-846 8260	71-43-2	Benzene	82.1	96.97	8	8
SW-846 8260 75-27-4 Bromodichloromethane 88.3 113 8 8 SW-846 8260 75-25-2 Bromoform 91.2 128.4 8 8 SW-846 8260 74-83-9 Bromomethane 53.6 94.04 8 8 SW-846 8260 75-15-0 Carbon Disulfide 79.5 98.7 8 8 SW-846 8260 56-23-5 Carbon Tetrachloride 74.3 99.52 8 8 SW-846 8260 108-90-7 Chlorobenzene 91.2 136.2 8 8 SW-846 8260 75-00-3 Chloroethane 66.6 105.6 8 8	SW-846 8260	108-86-1	Bromobenzene	93.4	109.6	8	8
SW-846 8260 75-25-2 Bromoform 91.2 128.4 8 8 SW-846 8260 74-83-9 Bromomethane 53.6 94.04 8 8 SW-846 8260 75-15-0 Carbon Disulfide 79.5 98.7 8 8 SW-846 8260 56-23-5 Carbon Tetrachloride 74.3 99.52 8 8 SW-846 8260 108-90-7 Chlorobenzene 91.2 136.2 8 8 SW-846 8260 75-00-3 Chloroethane 66.6 105.6 8 8	SW-846 8260	74-97-5	Bromochloromethane	80.6	94	8	8
SW-846 8260 74-83-9 Bromomethane 53.6 94.04 8 8 SW-846 8260 75-15-0 Carbon Disulfide 79.5 98.7 8 8 SW-846 8260 56-23-5 Carbon Tetrachloride 74.3 99.52 8 8 SW-846 8260 108-90-7 Chlorobenzene 91.2 136.2 8 8 SW-846 8260 75-00-3 Chloroethane 66.6 105.6 8 8	SW-846 8260	75-27-4	Bromodichloromethane	88.3	113	8	8
SW-846 8260 75-15-0 Carbon Disulfide 79.5 98.7 8 8 SW-846 8260 56-23-5 Carbon Tetrachloride 74.3 99.52 8 8 SW-846 8260 108-90-7 Chlorobenzene 91.2 136.2 8 8 SW-846 8260 75-00-3 Chloroethane 66.6 105.6 8 8	SW-846 8260	75-25-2	Bromoform	91.2	128.4	8	8
SW-846 8260 56-23-5 Carbon Tetrachloride 74.3 99.52 8 8 SW-846 8260 108-90-7 Chlorobenzene 91.2 136.2 8 8 SW-846 8260 75-00-3 Chloroethane 66.6 105.6 8 8	SW-846 8260	74-83-9	Bromomethane	53.6	94.04	8	8
SW-846 8260 108-90-7 Chlorobenzene 91.2 136.2 8 8 SW-846 8260 75-00-3 Chloroethane 66.6 105.6 8 8	SW-846 8260	75-15-0	Carbon Disulfide	79.5	98.7	8	8
SW-846 8260 75-00-3 Chloroethane 66.6 105.6 8 8	SW-846 8260	56-23-5	Carbon Tetrachloride	74.3	99.52	8	8
	SW-846 8260	108-90-7	Chlorobenzene	91.2	136.2	8	8
SW-846 8260 67-66-3 Chloroform 80 96.47 8 8	SW-846 8260	75-00-3	Chloroethane	66.6	105.6	8	8
	SW-846 8260	67-66-3	Chloroform	80	96.47	8	8

Test Method	CAS	Analyte	Min (%R)	Max (%R)	Number Analytes	Number Batches
SW-846 8260	74-87-3	Chloromethane	53.3	82.93	8	8
SW-846 8260	156-59-2	Cis-1,2-Dichloroethene	80.7	96.9	8	8
SW-846 8260	10061-01-5	Cis-1,3-Dichloropropene	67.3	80.35	8	8
SW9010/SW9012	57-12-5	Cyanide	93	102	8	8
SW-846 8260	124-48-1	Dibromochloromethane	87.6	97.69	8	,8 ,
SW-846 8260	74-95-3	Dibromomethane	89.9	111	8	8
SW-846 8260	75-71-8	Dichlorodifluoromethane	43.7	95.6	8	8
SW-846 8260	100-41-4	Ethylbenzene	89.7	122.3	8	8
SW-846 8260	87-68-3	Hexachlorobutadiene	84.2	103.8	8	8
SW-846 8260	98-82-8	Isopropylbenzene	94.7	112.9	8	8
SW-846 8260	541-73-1	M-Dichlorobenzene	92.2	102.7	8	8
SW-846 8260	75-09-2	Methylene Chloride	80.7	95.26	8	8
SW-846 8260	91-20-3	Naphthalene	96.7	108.8	8	8
SW-846 8260	104-51-8	N-Butylbenzene	89.9	106.5	8	8
SW9056 OR E300.0 PREP E300.0	14797-55-8	Nitrate	96	101	12	12
SW-846 8260	103-65-1	N-Propylbenzene	89.8	103.3	8	8
SW-846 8260	135-98-8	Sec-Butylbenzene	88.4	102.9	8	8
SW-846 8260	100-42-5	Styrene	90.1	102.2	8	8
SW-846 8260	98-06-6	Tert-Butylbenzene	92.4	106.7	8	8
SW-846 8260	127-18-4	Tetrachloroethene	88.1	101.9	8	8
SW-846 8260	108-88-3	Toluene	90.8	104.9	8	. 8
SW-846 8260	2037-26-5	Toluene-D8	83.8	104.9	8	8
SW-846 8260	156-60-5	Trans-1,2-Dichloroethene	82	101.9	8	8
SW-846 8260	10061-02-6	Trans-1,3-Dichloropropene	89.4	105.2	8	- 8
SW-846 8260	79-01-6	Trichloroethene	81.2	106.5	8	8
SW-846 8260	75-69-4	Trichlorofluoromethane	75.1	109.3	8	8
SW-846 8260	75-01-4	Vinyl Chloride	69.3	102	8	8
SW-846 8260	1330-20-7	Xylene	90.5	102.9	8	8

Table 7
Surrogate Recovery Summary

Number Samples	Analyte	Minimum (%R)	Maximum (%R)
58	1,2-Dichloroethane-D4	87.04	119.2
58	4-Bromofluorobenzene	87.04	130.5
58	Toluene-D8	85.19	110.9

Table 8 Blank Summary

		Diam's Dunia	ALLE J			
Test Method	CAS No.	Analyte	Maximum	Unit	Number Lab Samples	Number Lab Batches
SW8260	67-64-1	ACETONE	60	UG/KG	7	7
SW9010/9012	57-12-5	CYANIDE, TOTAL	0.16	MG/KG	2	2
SW8260	108-10-1	4-METHYL-2-PENTANONE	8	UG/KG	2	2
SW8260	91-20-3	NAPHTHALENE	2	UG/KG	5	5
SW9056 or E300	14797-55-8	NITRATE AS N	2.2	MG/KG	4	4
SW8260	127-18-4	TETRACHLOROETHENE	2	UG/KG	1	1
SW8260	67-64-1	ACETONE	10	UĢ/KG	Field Blank	NA

Sample Matrix Spike Evaluation

The frequency of MS measurements was adequate based on at least one MS per lab batch. The minimum and maximum MS results are summarized by chemical for the entire project in Table 9. MS recoveries alone do not result in rejection of data. Qualifications due to matrix spike performance are included in the V&V flags summarized in the Completeness Section.

Table 9
Sample Matrix Spike Evaluation

		Sample Matrix Spike F	vaiuai	IOH		
Test Method	CAS No.	Analyte	Min (%R)	Max (%R)	Number Samples	Number Lab Batches
SW-846 8260	71-55-6	1,1,1-TRICHLOROETHANE	78.32	99.36	. 6	6
SW-846 8260	79-34-5	1,1,2,2-TETRACHLOROETHANE	64.46	99.13	6	6
SW-846 8260	79-00-5	1,1,2-TRICHLOROETHANE	76.7	98.22	6	- 6
SW-846 8260	75-34-3	1,1-DICHLOROETHANE	87.09	98.57	6	6
SW-846 8260	75-35-4	1,1-DICHLOROETHENE	82.32	88.15	6	6
SW-846 8260	120-82-1	1,2,4-TRICHLOROBENZENE	22.93	66.57	6	6
SW-846 8260	107-06-2	1,2-DICHLOROETHANE	82.95	108.1	6	6
SW-846 8260	78-87-5	1,2-DICHLOROPROPANE	80.66	101.6	6	6
SW-846 8260	78-93-3	2-BUTANONE	96.15	140.4	6	6
SW-846 8260	108-10-1	4-METHYL-2-PENTANONE	62.39	94.8	6	6
SW-846 8260	67-64-1	ACETONE	105.1	156.3	6	6
SW-846 6010	7429-90-5	ALUMINUM	97	99	3	3
SW-846 6010	7440-36-0	ANTIMONY	94	101	3	3
SW-846 6010	7440-38-2	ARSENIC	96	103	3	3
SW-846 6010	7440-39-3	BARIUM	99	105	3	3
SW-846 8260	71-43-2	BENZENE	79	96.24	6	6
SW-846 6010	7440-41-7	BERYLLIUM	99	106	3	3
SW-846 8260	75-27-4	BROMODICHLOROMETHANE	74.37	96.8	6	6
SW-846 8260	75-25-2	BROMOFORM	61.04	103.4	6	6
SW-846 8260	74-83-9	BROMOMETHANE	81.21	94.33	6	6

Test Method	CAS No.	Analyte	Min (%R)	Max (%R)	Number Samples	Number Lab Batches
SW-846 6010	7440-43-9	CADMIUM	97	105	3	3
SW-846 8260	75-15-0	CARBON DISULFIDE	77.47	88.91	6	6
SW-846 8260	56-23-5	CARBON TETRACHLORIDE	78.89	98.77 '	6	6
SW-846 8260	108-90-7	CHLOROBENZENE	63.65	97.87	6	6
SW-846 8260	75-00-3	CHLOROETHANE	75.94	89.22	6	6
SW-846 8260	67-66-3	CHLOROFORM	79.58	97.6	6	6
SW-846 8260	74-87-3	CHLOROMETHANE	90.47	120.7	6	6
SW-846 8260	10061-01-5	CIS-1,3-DICHLOROPROPENE	86.65	125.8	6	6
SW-846 6010	7440-48-4	COBALT	96	103	3	3
SW-846 6010	7440-50-8	COPPER	95	101	3	3
E335.3, E335.4, SM4500	57-12-5	CYANIDE, TOTAL	94	98	3	3
SW9010B OR SW9012A	57-12-5	CYANIDE, TOTAL	87	98	6	6
SW-846 8260	124-48-1	DIBROMOCHLOROMETHANE	65.37	93.73	6	6
SW-846 8260	100-41-4	ETHYLBENZENE	67.46	93.62	6	6
SW-846 8260	87-68-3	HEXACHLOROBUTADIENE	27.58	68.09	6	6
SW-846 6010	7439-89-6	IRON	101	103	3	3
SW-846 6010	7439-92-1	LEAD	98	105	3	3
SW-846 6010	7439-93-2	LITHIUM	102	104	3	3
SW-846 6010	7439-96-5	MANGANESE	97	104	3	3
SW-846 6010	7439-97-6	MERCURY	95	99	3	3
SW-846 8260	75-09-2	METHYLENE CHLORIDE	82.82	93.91	6	6
SW-846 6010	7439-98-7	MOLYBDENUM	97	102	3	3
SW-846 8260	91-20-3	NAPHTHALENE	23.63	70.04	6	6
SW-846 6010	7440-02-0	NICKEL	96	105	3	3
SW9056 OR E300.0	14797-55-8	NITRATE AS N	86	111	2	2
SW9056 OR E300.0 PREP E300.0	14797-55-8	NITRATE AS N	79	95	4	4
SW-846 8260	95-50-1	O-DICHLOROBENZENE	38.32	81.26	6	6
SW-846 8260	106-46-7	P-DICHLOROBENZENE	40	80.92	6	6
SW-846 6010	7782-49-2	SELENIUM	93	102	3	3
SW-846 6010	7440-22-4	SILVER	100	103	3	3
SW-846 6010	7440-24-6	STRONTIUM	99	105	3	3
SW-846 8260	100-42-5	STYRENE	58.37	91.16	6	6
SW-846 8260	127-18-4	TETRACHLOROETHENE	67.09	86.7	6	6
SW-846 6010	7440-31-5	TIN	95	100	3	3
SW-846 8260	108-88-3	TOLUENE	72.37	90.4	6	6
SW-846 8260	10061-02-6	TRANS-1,3- DICHLOROPROPENE	66.07	91.85	6	6
SW-846 8260	79-01-6	TRICHLOROETHENE	77.75	99.26	6	6
SW-846 6010	7440-62-2	VANADIUM	99	104	3	3
SW-846 8260	75-01-4	VINYL CHLORIDE	74.21	97.3	.6	6
SW-846 8260	1330-20-7	XYLENES (TOTAL)	66.5188	86.7563	6	6

Test Method	CAS No.	Analyte	Min (%R)		Number Samples	
SW-846 6010	7440-66-6	ZINC	94	98	3	3

4.1.4 Precision

Matrix Spike Duplicate Evaluation

Table 10 lists the maximum relative percent differences (RPDs). Laboratory precision may be measured through use of the MSD. The frequency of MSD measurements was adequate based on at least one MS per lab batch (Table 11). Repeatability of matrix spike recoveries is adequate if less than 35% (RPD); however, relative percent differences (RPDs) exceeding 35 percent do not affect project decisions because all related real sample results were repeatable well below ALs.

Table 10 Sample Matrix Spike Duplicate Evaluation

Sample Matrix Spike Duplicate Evaluation Number Number					
Test Method	CAS No.	Analyte Sam Pai		Number Lab Batches	Maximum RPD (%)
SW-846 8260	71-55-6	1,1,1-TRICHLOROETHANE	6	6	7
SW-846 8260	79-34-5	1,1,2,2-TETRACHLOROETHANE	6	6	7
SW-846 8260	-79-00-5	1,1,2-TRICHLOROETHANE	6	6	. 9
SW-846 8260	75-34-3	1,1-DICHLOROETHANE	6	6	7
SW-846 8260	75-35-4	1,1-DICHLOROETHENE	6	6	6
SW-846 8260	120-82-1	1,2,4-TRICHLOROBENZENE	6	6	48
SW-846 8260	107-06-2	1,2-DICHLOROETHANE	6	6	8
SW-846 8260	78-87-5	1,2-DICHLOROPROPANE	6	6	7
SW-846 8260	78-93-3	2-BUTANONE	6	6	11
SW-846 8260	108-10-1	4-METHYL-2-PENTANONE	6	6	7
SW-846 8260	67-64-1	ACETONE	6	- 6	26
SW-846 6010	7429-90-5	ALUMINUM	3	3	1
SW-846 6010	7440-36-0	ANTIMONY	3	3	1
SW-846 6010	7440-38-2	ARSENIC	3	3	1
SW-846 6010	7440-39-3	BARIUM	3	3	1
SW-846 8260	71-43-2	BENZENE	6	6	9
SW-846 6010	7440-41-7	BERYLLIUM	3	3	2
SW-846 8260	75-27-4	BROMODICHLOROMETHANE	6	6	9
SW-846 8260	75-25-2	BROMOFORM	6	6	20
SW-846 8260	74-83-9	BROMOMETHANE	6	6	16
SW-846 6010	7440-43-9	CADMIUM	3	3	3
SW-846 8260	75-15-0	CARBON DISULFIDE	6	6	7
SW-846 8260	56-23-5	CARBON TETRACHLORIDE	6	6	7
SW-846 8260	108-90-7	CHLOROBENZENE	6	6	11
SW-846 8260	75-00-3	CHLOROETHANE	6	6	17
SW-846 8260	67-66-3	CHLOROFORM	6	6	9
SW-846 8260	74-87-3	CHLOROMETHANE	6	6	15

Test Method	CAS No.	Analyte	Number Sample Pairs	Number Lab Batches	Maximum RPD (%)
SW-846 8260	10061-01- 5	CIS-1,3-DICHLOROPROPENE	6	6	12
SW-846 6010	7440-48-4	COBALT	3	3	1
SW-846 6010	7440-50-8	COPPER	3	3	1
E335/SM4500	57-12-5	CYANIDE, TOTAL	3	3	6
SW9010B OR SW9012A	57-12-5	CYANIDE, TOTAL	6	6	2
SW-846 8260	124-48-1	DIBROMOCHLOROMETHANE	6	6	9
SW-846 8260	100-41-4	ETHYLBENZENE	6	6	12
SW-846 8260	87-68-3	HEXACHLOROBUTADIENE	6	6	30
SW-846 6010	7439-89-6	IRON	.3	3	3
SW-846 6010	7439-92-1	LEAD	3	3	1
SW-846 6010	7439-93-2	LITHIUM	3	3	2
SW-846 6010	7439-96-5	MANGANESE	3	3	2
SW-846 6010	7439-97-6	MERCURY	3	3	3
SW-846 8260	75-09-2	METHYLENE CHLORIDE 6 6		8	
SW-846 6010	7439-98-7	MOLYBDENUM	MOLYBDENUM 3 3		1
SW-846 8260	91-20-3	NAPHTHALENE 6		. 6	53
SW-846 6010	7440-02-0	NICKEL	NICKEL 3 3		1
SW9056/E300	14797-55- 8	NITRATE AS N 4 4		4	6
SW9056 OR E300.0	14797-55- 8	NITRATE AS N	NITRATE AS N 2 2		18
SW-846 8260	95-50-1	O-DICHLOROBENZENE	6 6		34
SW-846 8260	106-46-7	P-DICHLOROBENZENE	6 6		32
SW-846 6010	7782-49-2	SELENIUM	3	3 3	
SW-846 6010	7440-22-4	SILVER	3	3	1
SW-846 6010	7440-24-6	STRONTIUM	3	3	1
SW-846 8260	100-42-5	STYRENE	6 6		27
SW-846 8260	127-18-4	TETRACHLOROETHENE	IENE 6 6		11
SW-846 6010	7440-31-5	TIN	3	3	2
SW-846 8260	108-88-3	TOLUENE 6 6		6	9
SW-846 8260	10061-02- 6	TRANS-1,3-DICHLOROPROPENE 6 6		6	12
SW-846 8260	79-01-6	TRICHLOROETHENE 6 6		6	9
SW-846 6010	7440-62-2	VANADIUM	VANADIUM 3 3		1
SW-846 8260	75-01-4	VINYL CHLORIDE	6 6		14
SW-846 8260	1330-20-7	XYLENES (TOTAL)	6	6	16
SW-846 6010	7440-66-6	ZINC	3	3	1

Field Duplicate Evaluation

Field duplicate results reflect sampling precision, or overall repeatability of the sampling process. The frequency of field duplicate collection should exceed 1 field duplicate per 20 real samples, or 5 percent. Table 11 indicates that duplicate sampling frequencies were adequate for all analytical suites.



A common metric for evaluating precision is the RPD value; RPD values are given in Table 12. Ideally, RPDs of less than 35 percent (in soil) indicate satisfactory precision. Values exceeding 35 percent only affect project decisions if the imprecision is great enough to cause contradictory decisions relative to the COC (i.e., one sample indicates clean soil whereas the QC partner does not). Analytes exceeding 35% RPD and consistently below their respective ALs are repeatable at concentrations below ALs, which does not impact project decisions. If contaminant concentrations exceeded the AL level (e.g., lead), and also exceeded the 35% RPD value, then all associated results were reviewed to determine if the magnitude of imprecision could impact project decisions (i.e., could some of those sample concentrations measured below ALs possibly exceed ALs?).

The maximum RPD for lead was 41%. Lead's concentration ranged up to a 52% difference between a real sample and its field duplicate (41% RPD). Given this sampling precision, all real samples exceeding 17 mg/kg are qualified with a potential low bias, where the true lead concentration could exceed the ERAL, 25.6 mg/kg, because of sampling process variability.

Table 11
Field Duplicate Sample Frequency

11010 2 0	Pinemet Bu	mpic I reques	J
Test Method	Number Real Samples	Number Duplicate Samples	Collection Frequency (%)
Rads - Gamma Spec	43	3	7%
SW6200 (Metals-XRF)	43	3	7%
SW8260 (VOC)	43	3	7%
SW9010/9012 (Cyanide)	43	3	7%
SW9056 or E300 (Anions)	43	2	5%

Table 12 Field Duplicate Results

Analyte	Maximum RPD
1,1,1-TRICHLOROETHANE	3
1,1,2,2-TETRACHLOROETHANE	3
1,1,2-TRICHLOROETHANE	3
1,1-DICHLOROETHANE	4
1,1-DICHLOROETHENE	3
1,2,4-TRICHLOROBENZENE	3
1,2-DICHLOROETHANE	3
1,2-DICHLOROPROPANE	3
2-BUTANONE	4
4-METHYL-2-PENTANONE	3
ACETONE	3
ANTIMONY	0
ARSENIC	21
BARIUM	16
BENZENE	3

Analyte	Maximum
BROMODICHLOROMETHANE	RPD 3
BROMOFORM	3
BROMOMETHANE	3
CARBON DISULFIDE	3
CARBON TETRACHLORIDE	3
CHLOROBENZENE	4
CHLOROETHANE	3
CHLOROFORM	3
CHLOROMETHANE	3
CIS-1,3-DICHLOROPROPENE	3
COBALT	1
COPPER	76
DIBROMOCHLOROMETHANE	3
ETHYLBENZENE	4
HEXACHLOROBUTADIENE	3
IRON	4
LEAD	41
MANGANESE	13
METHYLENE CHLORIDE	3
MOLYBDENUM	0
NAPHTHALENE	19
NICKEL	5
SELENIUM	0
SILVER	0.
STRONTIUM	4
TETRACHLOROETHENE	3
TIN	42
TOLUENE	4.
TRANS-1,3-	3
DICHLOROPROPENE	
TRICHLOROETHENE	3
VANADIUM	22
VINYL CHLORIDE	3
ZINC	13

Completeness

The required number of samples were collected in accordance with the approved and controlled IASAP Addendum #IA-03-01 (DOE, 2002a). Based on this compliance, and an adequate percentage of validated sample results as explained below, the sample set is considered complete.

Twenty-five percent of the Environmental Restoration (ER) Program's analytical results are targeted for formal validation. Of that percentage, no more than 10 percent of the



results may be rejected, which ensures that analytical laboratory practices are consistent with quality requirements. Table 13 shows the number of validated records (codes without "1"), verified records (codes with "1"), and rejected records for each analytical group.

The "Validation" percentages given in Table 13 alone, do not indicate frequency goals were attained for any analytical suites. However, spot checks on flags applied to radionuclide gamma spectroscopy results *in* hardcopy data packages indicate at least a 25% frequency, however those flags have not yet been uploaded to the RFETS SWD. Other analytical suites were 100% verified.

Because the frequency of validation is within project quality requirements and in compliance with the RFETS validation goal of 25% of all analytical records, the results indicate that these data are adequate.

If additional V&V information is received, IHSS Group 900-3 records will be updated in the Soil and Water Database. Frequency of data qualification and inferences from it will also be assessed as part of the Comprehensive Risk Assessment.

4.1.5 Sensitivity

Reporting limits, in units of ug/kg for organics, mg/kg for metals, and pCi/g for radionuclides, were compared with RFCA WRW and ERALs. Adequate sensitivities of analytical methods were attained for all COCs that affect project decisions. Adequate sensitivity is defined as a reporting limit less than an analyte's associated AL, typically less than one-half the AL.

4.1.6 Summary of Data Quality

Data quality is acceptable for project decisions based on the V&V criteria cited and with the qualifications given.

Table 13
Validation and Verification Summary

Qualifier Code	Number Records	Radionuclides (Gamma Spec)	Metals- XRF (SW6200)	VOCs (SW8260)	Cyanide (SW9010/9012)	Anions (SW9056/E300)
No V&V	3440	688	0	2752	0	0
J	10	0	10	0	0	0
J1	72	0	62	0	0	10
R1	2	0	0	0	0	2
V	108	0	108	0	0	0
V1	685	0	663	0	22	0
UJ	2	0	2	0	0	0
UJ1	67	0	15	0	21	31
Total	4386	688	860	2752	43	43
Total Validated	118	0	118	0	0	0
% Validated	3%	0%	14%	0%	0%	0%
Total Verified	946	0	860	0	43	43
% Verified	22%	0%	100%	0%	100%	100%
% Rejected	0.05%	0.00%	0.00%	0.00%	0.00%	4.65%

Key:

1,V1 - Verified

J, J1 - Estimated

UJ1 - Estimated detection limit

V - Validated

R, R1 - Rejected

5.0 REFERENCES

DOE, 1992-2001, Historical Release Reports for the Rocky Flats Plant, Rocky Flats Plant, Golden, Colorado, June.

DOE, 1999, Order 414.1A, Quality Assurance.

DOE, 2000, Rocky Flats Cleanup Agreement (RFCA), Attachment 5, March.

DOE, 2001a, Industrial Area Sampling and Analysis Plan, Rocky Flats Environmental Technology Site, Golden, Colorado, June.

DOE, 2002a. Industrial Area Sampling and Analysis Plan, FY03 Addendum #IA-03-01, IHSS Groups 300-3, 300-4, 400-8, 700-4, 800-1, and 900-3, Final.

DOE, 2002b, Environmental Restoration RFCA Standard Operating Protocol for Routine Soil Remediation, Rocky Flats Environmental Technology Site, Golden, Colorado, January.

DOE, CDPHE, EPA, 2002, Proposed RFCA Modifications, U.S. Department of Energy, Colorado Department of Public Health and Environment, and U.S. Environmental Protection Agency, Rocky Flats Environmental Technology Site, November.

EPA QA/G-4, 1994a, Guidance for the Data Quality Objective Process.

EPA 540/R-94/012, 1994b, USEPA Contract Laboratory Program National Functional Guidelines for Organic Data Review.

EPA 540/R-94/013, 1994c, USEPA Contract Laboratory Program National Functional Guidelines for Inorganic Data Review.

EPA QA/G-9, 1998, Guidance for the Data Quality Assessment Process; Practical Methods for Data Analysis.

Kaiser-Hill (K-H), 1997a, General Guidelines for Data Verification and Validation, DAGR01-v1, December.

K-H, 1997b, V&V Guidelines for Volatile Organics, DA-SS01-v1, December.

K-H, 1997c, V&V Guidelines for Semivolatile Organics, DA-SS02-v1, December.

K-H, 1997d, V&V Guidelines for Metals, DA-SS05-v1, December.

K-H, 1998, V&V Guidelines for Isotopic Determinations by Alpha Spectrometry, DARC01-v1, February.

Lockheed-Martin, 1997, Evaluation of Radiochemical Data Usability, ES/ER/MS-5.





